

Business Process Framework (eTOM)

Addendum U: User Guidelines for the Business Process
Framework

Release 8.1

GB921 Addendum U

TM Forum Approved Version 1.5



April, 2011

Notice

This material, including documents, code and models, has been through review cycles; however, due to the inherent complexity in the design and implementation of software and systems, no liability is accepted for any errors or omissions or for consequences of any use made of this material.

Under no circumstances will the TM Forum be liable for direct or indirect damages or any costs or losses resulting from the use of this specification. The risk of designing and implementing products in accordance with this specification is borne solely by the user of this specification.

This material bears the copyright of TM Forum and its use by members and non-members of TM Forum is governed by all of the terms and conditions of the Intellectual Property Rights Policy of the TM Forum (<http://www.tmforum.org/Bylaws/1094/home.html>) and may involve a claim of patent rights by one or more TM Forum members or by non-members of TM Forum.

Direct inquiries to the TM Forum office:

240 Headquarters Plaza,
East Tower – 10th Floor,
Morristown, NJ 07960 USA
Tel No. +1 973 944 5100
Fax No. +1 973 944 5110
TM Forum Web Page: www.tmforum.org

Table of Contents

Notice	2
Table of Contents	3
Executive Summary	5
1. Introduction	6
1.1 Audience	6
1.2 Plan of document	6
1.3 Principles and Guidelines	7
2. Principles and positions of the Business Process Framework model	8
2.1 Introduction	8
2.2 A note on the status of the Business Process Framework documentation	8
2.3 Nature of the Business Process Framework model.....	8
2.4 Process model types.....	9
Activity-based process modeling	9
Communication-based Process Modeling	10
Artifact-based Process Modeling.....	10
Hybrid approach to Process Modeling	10
2.5 Characteristics of a Business Process.....	10
2.6 Decomposition.....	11
2.7 Traceability	12
2.8 Process dependency through information	12
2.9 Grouping / organisation within the Business Process Framework	13
2.10 Flows.....	13
2.11 Dynamic aspects of Process Modeling.....	14
2.12 Naming conventions	15
2.13 Layer References and Responsibilities	15
2.14 Data Responsibility	16
3. Process Patterns	17
3.1 Introduction	17
3.2 Level 3 patterns.....	17
Example 1 – Problem Reports and their resolution.....	17
Example 2 – Strategic view and Business Plan	18
Example 3 – Order Lifecycle.....	18
Example 4 – Product Lifecycle	18
3.3 Level 4 Patterns	19
4. Organisational Context for the Business Process Framework	20
4.1 Introduction	20
4.2 Use of the Business Process Framework within an organisation	20
Level 0 – Business Activities.....	21
Level 1 – Process Groupings.....	21
Level 2 –Core Processes	22
Level 3 – Business Process Flows.....	22
Level 4 – Operational Process Flows	22
Level 5 – Detailed Process Flows	23
4.3 The Business Process Framework and the Process Hierarchy.....	23

5. Guidance for extending and using the Business Process Framework	24
5.1 Process Hierarchy: Decomposition Principles	24
5.2 Process Hierarchy: Implementation Principles	25
5.3 Process Hierarchy: Hierarchies	26
5.4 Process Hierarchy: Process View	27
6. Audit Checklist	28
7. Outstanding issues	30
8. Administrative Appendix	31
8.1 Acknowledgements	31
8.2 Document History	31
8.2.1 Version History	31
8.2.2 Release History	32

Executive Summary

This document is an Application Note attached to The Business Process Framework (GB921). It is intended to provide users of the Business Process Framework (eTOM) with guidelines and information to assist them in applying the Business Process Framework within their businesses.

At this stage, this document is a work in progress, but is being released as is to provide information where available, to invite comments and suggestions for further development, and to attract interest and support for the ongoing work on adding to the content.

This release addresses one area of, and audience for, guidelines, that concerned with Practitioners and Process Architects using the Business Process Framework. It is hoped that other aspects and audiences will also be addressed in future releases.

1. Introduction

This document explains the design decisions of the Business Process Framework and sets out the principles for its application and extension in the form of Guidelines. These Guidelines are of use in two particular cases. First, for the practitioner or process architect who wants to apply the Business Process Framework in a consistent way to specific situations. Second, for assurance of auditing and traceability, in order to produce repeatable application of the Business Process Framework within an organization and to demonstrate this externally for audit purposes.

It also provides a basis for contributors to the Business Process Framework and the evaluation of contributions by the Business Process Framework team. Note that the concepts in this document have emerged throughout the development lifecycle of the Business Process Framework itself, and as a consequence, historical design decisions that are embedded within the Business Process Framework may deviate from the recommended practice herein that is intended to guide ongoing users of the Framework. The intent is to converge the practice here with the Business Process Framework as it is developed further, but users should recognize that this will be an evolving situation.

It is intended that the guidance in this document will be augmented through user experience and feedback. A list of outstanding issues is included.

1.1 Audience

The intended audience for the Guidelines is practitioners, process architects, and process auditors. The material here is advanced material - it is not introductory (as that information is available elsewhere in the Business Process Framework set).

1.2 Plan of document

The document is set out as follows:

- The principles and positions of the Business Process Framework model
- Process patterns
- Relationship of the Business Process Framework to Framework and the Framework elements

- Business Process Framework and an organization's own processes
- Guidance for extending and using the Business Process Framework
- Audit checklist

1.3 Principles and Guidelines

The Principles are shown in the following format. Optionally, a Best Practice Guideline is indicated where a recommendation is made about the way in which the Business Process Framework should be applied. Requirements for auditing purposes are also shown in this format.

Principle Business Process Framework.nn Business Process Framework is ...
--

2. Principles and positions of the Business Process Framework model

2.1 Introduction

This section sets out to position the Business Process Framework as a process framework and to make explicit the modelling and design choices which have been followed in its development.

2.2 A note on the status of the Business Process Framework documentation

The Business Process Framework consists of both normative and non-normative material. The normative material is the Standard; the non-normative material is included for information and guidance. In general, GB921, with its Annexes and Addenda is normative material; Appendices and Application Notes are non-normative. Thus, the Process Descriptions in Addendum D, Process Flow Examples in Addendum F, and public B2B processes in Addendum B are all part of the Standard; Application Note C on the Public B2B Business Operations Map is non-normative. Other TMF documents, such as GB939 (Business Services Examples), which include Business Process Framework material, are non-normative.

There is, however, an important distinction between the Process Elements (PEs), presented in Addendum D, and the Process Flows, presented in Addendum F. Both are normative, i.e. part of the Standard, but the Process Elements are comprehensive in scope while the Process Flows are examples.

2.3 Nature of the Business Process Framework model

The Business Process Framework is a set of Process Elements, which are organised into a hierarchical framework. The Process Elements are activity-based and the Business Process Framework is thus an activity-based process decomposition model.

Principle Business Process Framework.01
Business Process Framework is an activity-based process decomposition model.

The Process Elements in the Business Process Framework are intended as an exhaustive list; they are comprehensive in scope. It is the intent that all business activities in the Enterprise can be supported by (i.e. are able to fit within) the Business Process Framework Process Elements. Each Process Element has a detailed description that can include the purpose, inputs, outputs, interfaces, high level information requirements and business rules.

Principle Business Process Framework.02
Business Process Framework Process Elements are comprehensive for a Service Provider.

Note:

The Business Process Framework is a process model, not a state model. It contains processes, not states. For example, it contains processes for the processes of Order Handling but does not model the different states of an Order.

2.4 Process model types

In general, there are 3 approaches to the modeling of business processes. It is also possible to use a hybrid of these approaches. The general approaches are:

- activity-based process modeling
- communication-based process modeling
- artifact-based process modeling

Activity-based process modeling

Here the overall process is decomposed into tasks that are ordered based on the dependencies among them. The fundamental entity of a business process for the Activity-based approach is the unit of work and a business process is considered to be a succession of activities, or units of work, following a specific control flow.

Definition: Activity

An activity represents a unit of work performed by a party or system. Activities transform inputs into outputs and are associated with triggers and outcomes (pre and post conditions).

Principle Business Process Framework.03

A Business Process Framework Business Process Framework Process Element is a succession of activities with a control flow.

Communication-based Process Modeling

In this approach, an action in a process flow is represented by the communication between a consumer and a provider). In the communication-based approach the communication is the message. So a business process can be expressed as an exchange of messages, or transaction, between two or more roles and every state change within a company can be associated with the processing of a message.

Artifact-based Process Modeling

In the artifact-based approach objects, or artifacts, are created, modified and used during the process and thus the model is based on work products and their paths through a series of workflow activities.

Hybrid approach to Process Modeling

The hybrid approach uses a combination of these general approaches to produce a set of models for an organization's processes. Typical models might be based on an information flow model (from the communication-based approach), a capabilities model (from the artifact-based approach) and a process-model (activity-based approach).

2.5 Characteristics of a Business Process

In general, a Business Process will have the following characteristics:

- It has a goal
- It has specific inputs
- It has specific outputs
- It transforms inputs into outputs
- It uses resources
- It has a number of activities that are performed in some order
- It creates value of some kind for the customer. The customer may be internal or external.

In addition:

- It may affect more than one organizational unit - “Horizontal organizational impact”
- Its effects on information entities can be analysed via CRUD (Create / Read / Update / Delete)
- It may have a responsibility model for the roles associated with the process, expressable as RACI Characteristics (Responsible / Accountable / Consulted / Informed)

For a Business Process Framework Process Element:

- Goal is stated.
- Inputs may be defined.
- Outputs may be defined.
- Resources consumed may be defined.
- Activities may be specified within description
- Value should be stated.
- Affect on organisational use may be stated
- CRUD analysis may be available
- RACI analysis may be available

Principle Business Process Framework.04

(Best Practice): a Business Process Framework Process Element has a goal, value proposition, inputs, outputs. It consists of activities and uses resources. It has a CRUD and RACI model.

2.6 Decomposition

Definition: Decomposition

Decomposition is the breaking-down of a process into simpler activities.

The Business Process Framework is a decomposition model from a notional Level 0 through to Level 3, and beyond (some Level 4 process elements are now defined and are being incorporated). Additionally, many individual users are developing lower-level decompositions that extend the Business Process Framework beyond the industry-agreed level (and in due course these may feedback to extend the level of industry agreement). In order to keep the Business Process Framework to a level which is generally useful it is not intended to decompose the Business Process Framework (ie as managed through the TM Forum) indefinitely. It is asserted that the further a decomposition is taken, the more difficult it is to prove the uniqueness of lower level processes. However, the level at which it becomes unproductive to extend

further is not yet clear, and so decomposition continues to proceed in line with the industry's priorities and available effort.

Note:

The relationship and mapping of these Business Process Framework Levels to an organization's own processes and procedures is addressed in a later section "Organizational Context for the Business Process Framework".

Principle Business Process Framework.05

The Business Process Framework is decomposed from notional Level 0 to more granular levels – Levels 1, 2 and 3 (and some of level 4) are addressed so far. An agreed end-point (ie a level below which decomposition does not proceed) is not yet defined.

Principle Business Process Framework.06

It is not the purpose of the Business Process Framework to address the detailed processes and procedures of an enterprise.

Principle Business Process Framework.07

Enterprise Management is generally decomposed to Level 2 only (but specific areas that represent particular priorities have been decomposed further).

2.7 Traceability

Because the Business Process Framework is a decomposition model, the lower levels of the decomposition can be traced back to the higher levels.

Principle Business Process Framework.08

The goals, inputs, outputs, and activities of decomposed Process Elements at a lower level are consistent with the higher level Process Element. In particular, the input of the first lower level Process Element is the same as the input of the higher level PE; the output from the last lower level PE is the same as the output of the higher level PE; the detailed goals of the lower level Process Elements taken together should match the goal of the higher level PE; the activities of the lower level Process Elements taken together should match the activity of the higher level PE.

2.8 Process dependency through information

Business processes do not exist in isolation. Processes require information from other processes, and they in turn provide information to other processes. Dependencies (or associations) between processes occur when an activity requires information from another activity. Process dependencies are related to the entities and attributes required by the business area. The importance of analyzing and

modelling dependencies is to provide further understanding of the interaction between processes and data.

Note:

An exercise is underway to identify the Information Framework (SID) ABEs (Aggregate Business Entities) which are associated with Business Process Framework Process Elements.

Principle Business Process Framework.09
(Best Practice): each Business Process Framework Process Element should identify its associated Information Framework ABEs.

2.9 Grouping / organisation within the Business Process Framework

The Business Process Framework is a classification or taxonomy of Process Elements. At Level 0 the elements are classified into Operations, SIP and Enterprise Management. Lower Levels are formed by decomposition with each Process Element occurring once only.

Principle Business Process Framework.10
A particular Process Element will occur only once in the Business Process Framework; there is no replication.

2.10 Flows

There are three fundamental flows which exist in any company, namely the information flow, the material flow and the control flow.

- The information flow concerns the flow of data or information e.g. the information on an order as it is progressed; these can also be message flows.
- The material flow concerns the actual physical items e.g. the items which constitute the order.
- The control flow (or workflow) defines the logic of business processes i.e. the enterprise behaviour in terms of a sequence or order in which enterprise activities must be performed to achieve business objectives.

The definition of the Business Process Framework Process Elements themselves does not address these types of flow. However the Business Process Framework does include in Addendum F sample process flows and depictions of process interaction in swimlanes. These are examples of control flow.

Principle Business Process Framework.11

Process flow examples in Business Process Framework are control flows, defining the sequence in which activities are performed.

Note:

Traceability also applies to swimlanes in Business Process Framework process flows. (See Principle Business Process Framework.08)

Principle Business Process Framework.12

The swimlanes in a process flow are consistent within themselves and with respect to lower level decompositions.

2.11 Dynamic aspects of Process Modeling

The Business Process Framework Process Elements and example process flows are a process view of the enterprise behaviour, based on sequences of activity. However, there are also dynamic aspects pertaining to the processes and their interaction. These are considered below.

- Temporal aspects
 - There may be time-based requirements in the triggering of processes, triggering frequencies and possible delays between process steps. Process step durations (minimum, maximum, average durations) can also be indicated
- Co-operative activities
 - In practice, it is common that two or more activities of two different processes must work co-operatively, e.g. to exchange messages or objects. Methods include message passing and patterns.
- Process communication
 - In the case where processes must communicate, this means that some activities of one process must interact with activities of other processes. The previous mechanisms for co-operative activities can be used.
- Process synchronisation
 - Process synchronisation can happen in three different forms: (1) synchronisation by events, (2) synchronisation by messages and (3) synchronisation by object flows.
- Exception handling mechanisms
 - Process models often only model the ideal structure of a business process. Real-world situations mostly consist of dealing with exceptions. Exceptions can either be predictable or unpredictable.

Principle Business Process Framework.13

Business Process Framework models success scenarios. Error conditions are not in scope.

Principle Business Process Framework.14

Dynamic aspects of process modeling are outside the scope of the Business Process Framework.

2.12 Naming conventions

The preferred convention for naming Level 3 Process Elements is <Verb Noun> e.g. “Configure & Activate Resource”, “Determine pre-order feasibility”, “Close Problem”. This is also the preferred convention for naming Process Elements at lower levels of decomposition (i.e. Level 4 and below)

The preferred convention for naming events is <Noun Verb> e.g. “Work Orders Executed”, “Resource Allocation & Configuration Done”.

Note: Level 1 and Level 2 Process Names have not in the past used the convention above. Renaming existing Level 1 and Level 2 process elements is seen as unnecessarily disruptive and so the existing form (typically, <Noun> e.g. “Supplier / Partner Relationship Management”, “Order Handling”) has been retained. New or modified process elements at Level 1 and/or Level 2 should continue to use this existing convention, so that there is consistency in the naming within a Level

Principle Business Process Framework.15

Terminology and naming conventions are <Noun> for Level 1 & 2 Process Names, <Verb Noun> for Level 3 Process Names, <Noun Verb> for events

2.13 Layer References and Responsibilities

A layered approach to the handling of responsibilities and information is taken in the Business Process Framework. Responsibility for association / translation between layers is generally positioned at the lower layer. For example, the Customer Relationship Management (CRM) layer manages Customer Problems and the Service Management & Operations (SM&O) layer manages the Service Problems that may be associated, but it is the responsibility of the SM&O processes to map between these Service Problems.

Thus CRM provides the Customer Problem (or some appropriate information from this) to SM&O, which must then associate the one (or more) Service Problems that derive from this Customer Problem. Any ongoing interaction between Customer and

Service layers is therefore in terms of Customer Problems (or information based on these) and not Service Problems, which are managed wholly within the Service layer.

Principle Business Process Framework.16

Responsibility for association / translation between layers is generally positioned at the lower layer.

2.14 Data Responsibility

The process which is managing data creation, update etc has a prime responsibility for ensuring that the results of data which it is manipulating via the process are appropriately stored.

Principle Business Process Framework.17

A process has prime responsibility for ensuring that the results of data manipulation are stored appropriately.

Consequently, the Manage Resource Inventory processes have no processes to create or update the data elements maintained in the repository.

Principle Business Process Framework.18

The Manage Resource Inventory processes have no processes to create or update the data elements maintained in the repository.

The only exception to this Principle is the aspect associated with data quality. In the inventory processes there are processes associated with discovery i.e. looking at comparing what is maintained in the inventory with what actually exists on the ground. The results of any inventory differences found would be in the form of some form of report, which could be used by process quality processes to review and fix any processes which are leading to bad data in the inventory. Note: there is no need for any “informing” of the original process as to data change.

3. Process Patterns

3.1 Introduction

In this section are presented examples of decomposition patterns in the Business Process Framework. These patterns serve as templates for process modeling in the particular process area. Patterns are identified at Level 3 for:

- Problem Reports and their resolution
- Strategic view and Business Plan
- Order Lifecycle
- Product Lifecycle

Note:

All Patterns should have associated Use Cases. Use Cases will be added in a later version of the document.

3.2 Level 3 patterns

Example 1 – Problem Reports and their resolution

Applicable to ASSURANCE: Problem Handling / Service Problem Management / Resource Trouble Management.

This pattern consists of 4 process steps and 2 continuous processes. The process steps are:

- “Create”. E.g. Problem Report, Trouble Report, Resource Trouble.
- “Analyse”. Diagnose root cause.
- “Fix”. Correct & Recover through recovery activities.
- “Close”. Problem resolved, close report.

With 2 processes running continuously:

- “Track & Manage recovery activities”

➤ “Report”

Pre-condition / Inputs to this pattern are: a reported problem or an alarm or event at resource or service level.

Post-condition / Output is: resolved problem, restoration of normal operation.

Associated Use Case:

Example 2 – Strategic view and Business Plan

Applicable to STRATEGY & COMMIT: Service Strategy & Planning / Resource Strategy & Planning / Supply Chain Strategy & Planning

This pattern consists of 6 processes.

- “Research”. Research & analyse, including management of research gathering.
- “Strategy”. Formulate strategy and business goals
- “Business Plans”
- “Operational support.”
- “Partnership.” (Null step for Supply Chain)
- “Commit.” Gain Enterprise commitment.

Pre-condition / Inputs to this pattern are research, forecasts

Post-condition / Output are committed business plans and strategy.

Associated Use Case:

Example 3 – Order Lifecycle

Customer Orders, Service Orders and Resource Orders through to Closure. “Track and Manage” and “Reporting” run continuously.

Associated Use Case:

Example 4 – Product Lifecycle

From Research and New Product Development through In Service to Retirement.

Associated Use Case:

3.3 Level 4 Patterns

Later issues of the document will show how the Pattern approach can be extended to Level 4. Note that these are guidelines, they do not prescribe or mandate Level 4.

4. Organisational Context for the Business Process Framework

4.1 Introduction

This section sets out the enterprise context for process modeling, and the ways in which the Business Process Framework is applied. This section is not a guide on how to do process modeling in an organization, rather it sets out a generic framework for the various types of process (including manual human procedures) within a typical enterprise and shows how the Business Process Framework can be related to those organizational processes.

4.2 Use of the Business Process Framework within an organisation

The use of the Business Process Framework by organizations involves the extension and refinement of the Business Process Framework to meet the specific business, operational, system and deployment needs of the organization.

This section is based on the following view of how processes are developed and modeled within organizations, and the relationship of the process models to organization structures and systems developments.




Fig. 1 Process Hierarchy

Level 0 – Business Activities

Identify and model: business objectives, value streams, environmental and fiscal constraints; develop balanced scorecard and product lines. These are the business goals that process and systems solutions must deliver.

Level 1 – Process Groupings

Design: product structure, product delivery and support process chains, enterprise-level data model, organisational structure. Identify business knowledge. This is the functional structure that delivers your business.

Defines different views of how processes are structured to deliver the Business Activities at Level 0.

Processes may be structured from:

- A process execution perspective showing standard end-to-end processes (e.g. Service Fulfilment)
- A functional perspective (e.g. Enterprise Value Domains).

Level 2 –Core Processes

Identify industry standard reference models; develop: generic processes, process hierarchy; identify and model business data definitions, system structure; define business roles. Processes are the key to delivering business objectives.

Recognizable sub-process of End-to-End Processes:

- Normally carried out within a Business Unit or Line of Business
- Defines those activities that deliver competitive advantage to business. As distinct from supporting processes.
- Normally modeled as Value Chains

Comprised of Tasks that are defined in detail in the Business Process Flows at Level 3.

Level 3 – Business Process Flows

Design detailed processes; assign business roles; identify supporting systems, data flows. Map business data models to systems data models. Consider failure paths; queues and bottlenecks. The detail is essential to ensure every action adds value to the business (which means to the customer) or is an essential requirement. Apply Lean Engineering techniques.

Defines the process flows of the Core Processes defined at Level 2.

- Comprised of Tasks
- Normally defined generically (i.e. not specific to a particular product, customer, geographical operation, etc).
- Often will only show the 'Sunny Day' scenario and exclude the detail of alternative actions, failures and error recovery.

Tasks can be decomposed into more detail if required in Level 4 Operational Process Flows.

Level 4 – Operational Process Flows

Develop detailed sub-process design; define operational roles; link processes to written procedures; identify detailed systems, equipment and resource usage.

Defines in more detail the Business Process Flows defined at Level 3.

Normally specific to an operational environment and will be characterized by the Application Systems and Organizational Units or Positions that support and execute them.

- Comprised of Steps
- Normally will include the 'Rainy Day' scenario showing the detail of alternative actions, failures and error recovery.

Steps can be decomposed into more detail if required in Level F Detailed Process Flows.

Level 5 – Detailed Process Flows

Deliver the process flow automatically through workflow systems, e-business solutions and systems development. Link process and data models to systems and software development environments.

Defines in more detail the Operational Process Flows defined at Level 4.

- Comprised of Operations.
- Specific to an operational environment and will be characterised by the Application Systems and Organisational Units or Positions that support and execute them.
- Should include the 'Rainy Day' scenario showing the detail of alternative actions, failures and error recovery.
- Any further detail required of an Operation will be described in a Procedure document or Work Instruction.

May be used to generate Workflows or be used a detailed requirements for systems development.

4.3 The Business Process Framework and the Process Hierarchy

The TMF Business Process Framework in its analysis has addressed the concerns shown in Level 0 through to Level 3, and now is moving to address Level 4 in selected areas..

However the concerns for lower levels than are documented in the Business Process Farmework need to be addressed by an enterprise itself in implementing concrete detailed processes, roles and transactions.

For such extensions to the Framework by an enterprise, the following section provides guidance on how an enterprise should execute these analysis steps. The benefit of these guidelines is that different enterprises will use a similar analysis approach to applying the Business Process Framework to their own organization.

5. Guidance for extending and using the Business Process Framework

5.1 Process Hierarchy: Decomposition Principles




Fig. 2 Process Hierarchy and analysis focus for Levels

This diagram provides a more extended description of the 6 level decomposition model. It shows the focus of analysis for each of the levels. Note that in practice each level may have several layers of decomposition to deal with practical issues of handling complexity and scale. The test of what is in a Level is the focus of the analysis.

The Business Process Framework has effectively produced an industry analysis of the process decompositions down to level 3 that provides both core processes and example process flows in the form of success models.

5.2 Process Hierarchy: Implementation Principles




Fig. 3 Process Hierarchy Implementation

5.3 Process Hierarchy: Hierarchies




Fig. 4 Process Hierarchy hierarchies

This diagram shows those attributes and characteristics that have to be in lock step throughout the decomposition steps.

5.4 Process Hierarchy: Process View




Fig. 5 Process Hierarchy: Processes and Resources

This figure shows a view of how processes are developed through the decomposition steps.

6. Audit Checklist

This section contains a checklist of the Business Process Framework principles for its use and application within an organisation.

Principle	
Business Process Framework .01	The Business Process Framework is an activity-based process decomposition model
Business Process Framework .02	The Business Process Framework Process Elements are comprehensive for a Service Provider
Business Process Framework .03	A Business Process Framework Process Element is a succession of activities with a control flow
Business Process Framework .04	(Best Practice): a Business Process Framework Process Element has a goal, value proposition, inputs, outputs. It consists of activities and uses resources. It has a CRUD and RACI model.
Business Process Framework .05	The Business Process Framework is decomposed from notional Level 0 to more granular levels – Levels 1, 2 and 3 (and some of level 4) are addressed so far. An agreed end-point (ie a level below which decomposition does not proceed) is not yet defined.
Business Process Framework .06	It is not the purpose of the Business Process Framework to address the detailed processes and procedures of an enterprise
Business Process Framework .07	Enterprise Management is generally decomposed to Level 2 only (but specific areas that represent particular priorities have been decomposed further).
Business Process Framework .08	The goals, inputs, outputs, and activities of decomposed Process Elements at a lower level are consistent with the higher level Process Element. In particular, the input of the first lower level Process Element is the same as the input of the higher level PE; the output from the last lower level PE is the same as the output of the higher level PE; the goals of the lower level Process Elements taken together should match the goal of the higher level PE; the activities of the lower level Process Elements taken together

	should match the activity of the higher level PE.
Business Process Framework .09	(Best Practice): each Business Process Framework Process Element should identify its associated Information Framework ABEs
Business Process Framework .10	A particular Process Element will occur only once in the Business Process Framework; there is no replication
Business Process Framework .11	Process flows in the Business Process Framework are control flows, defining the sequence or order in which activities are performed.
Business Process Framework .12	The swimlanes in a process flow are consistent within themselves and with respect to lower level decompositions.
Business Process Framework .13	The Business Process Framework models success scenarios. Error conditions are not in scope.
Business Process Framework .14	Dynamic aspects of process modeling are outside the scope of the Business Process Framework.
Business Process Framework. 15	Terminology and naming conventions are <Noun> for Level 1 & 2 Process Names, <Verb Noun> for Level 3 Process Names, <Noun Verb> for events.
Business Process Framework. 16	Responsibility for association / translation between layers is generally positioned at the lower layer.
Business Process Framework. 17	A process has prime responsibility for ensuring that the results of data manipulation are stored appropriately.
Business Process Framework. 18	The Manage Resource Inventory processes have no processes to create or update the data elements maintained in the repository.

7. Outstanding issues

- Implications of the Horizontals and Verticals structure. Principles arising.
- Traceability at lower levels. E.g. For a Level 6 it should also be clear which of the Level 6 go back to which Level 3 (because they could go to several).
- Process dependencies and Process associations. E.g. The ABE and contract work.
- Section on status of the Business Process Framework documentation. Check that flow examples are normative. Can examples be normative?
- Section on Hybrid approach to Process Modeling. Is it of benefit to discuss these distinctions when some not relevant to the Business Process Framework?
- Section on Decomposition. Say more about decomposition and uniqueness.
- Section on Flows. More explanation required for consistency of swimlanes.
- Use Cases for Patterns.
- Detail on the relationship of the Business Process Framework to Frameworks.

8. Administrative Appendix

8.1 Acknowledgements

This release of the Business Process Framework is the result of the combined efforts of a large group of individuals from companies all over the world. Most noteworthy is the participation of numerous service providers. The knowledge and commitment in providing contributions and participating in discussions are greatly appreciated. Contributors over the program leading to previous Business Process Framework/eTOM releases were acknowledged in those documents

The team looks forward to continued input and involvement for ongoing work on the Business Process Framework. Thank you for making this the acknowledged, best framework for Telecom and Information Services business processes.

See main document (GB921 Concepts and Principles) for other acknowledgements.

8.2 Document History

8.2.1 Version History

Version Number	Date Modified	Modified by:	Description of changes
0.21	November 2006	Philip Williams	Document launch
1.0	December 2006	Mike Kelly	Formatting for first issue of document
1.1.	February 2007	Tina O'Sullivan	Updates from AC
1.2	June 2009	Alicja Kawecki	Minor updates to reflect TM Forum Approved status
1.2	June 2009	Alicja Kawecki	Minor updates to reflect TM Forum Approved status
1.3	Jan 2010	Mike Kelly (with some updates by Ken Dilbeck)	Small terminology changes to use "Business Process Framework" and to update diagrams, Also, small textual

			clarifications; incorporation of member review comments
1.4	March 2010	Alicja Kawecki	Minor cosmetic updates for web posting
1.5	April 2011	Alicja Kawecki	Updated to reflect TM Forum Approved status

8.2.2 Release History

Release Number	Date Modified	Modified by:	Description of changes
Release 7.0	December 2006	Mike Kelly	Formatting for first issue of document
8.1	Jan 2010	Mike Kelly (with some updates by Ken Dilbeck)	Small terminology changes to use “Business Process Framework” and to update diagrams; Also, small textual clarifications; incorporation of member review comments