

# Improving usability and accessibility of Fuzzy Logic software systems with a web-based approach

Submitted MAY 2014 in partial fulfilment of the conditions of the award of  
the degree MSci (Hons) Computer Science

**Craig Knott**  
cxk01u

With Supervision from Jon Garibaldi

School of Computer Science and Information Technology  
University of Nottingham

I hereby declare that this dissertation is all my own work, except as indicated  
in the text:

Signature \_\_\_\_\_

Date \_\_\_\_/\_\_\_\_/\_\_\_\_



## Abstract

This project was both a practical implementation of an online fuzzy logic software system, and a research piece into the optimal design of a fuzzy logic system, and how fuzzy logic can be best introduced to novices of the field. Specifically, I implemented an online system for the creation and evaluation of fuzzy logic sets and systems, using mostly JavaScript and JQuery, with an R backend to deal with the processing requirements of fuzzy logic. **In the end, I found out that... (using facts and figures)**

Ensure to mention:

1. Changes that Luke makes
2. Friendly errors
3. Things from presentation
4. KeyPress Javascript library
5. Help system is dedicated, but offers links to other, helpful, external resources
6. only the evaluation step requires the internet (other than initial launch)

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
<b>2</b>	<b>Motivation</b>	<b>2</b>
<b>3</b>	<b>Background Information &amp; Research</b>	<b>3</b>
3.1	What is Fuzzy Logic? . . . . .	3
3.2	Existing Systems . . . . .	4
3.3	Platforms and Tools . . . . .	6
3.3.1	System Back End . . . . .	6
3.3.2	Front End Programming Language . . . . .	7
3.3.3	Front End Design Framework . . . . .	7
3.3.4	Graphing Tools . . . . .	8
<b>4</b>	<b>System Specification</b>	<b>9</b>
4.1	Functional Requirements . . . . .	9
4.2	Non-Functional Requirements . . . . .	11
<b>5</b>	<b>System Designs</b>	<b>12</b>
5.1	The Design Process . . . . .	13
5.2	UI Design . . . . .	13
5.2.1	First Iteration . . . . .	13
5.2.2	Second Iteration . . . . .	13
5.2.3	Third Iteration . . . . .	13
5.3	Navigation/Control Flow Design . . . . .	13
5.4	Internal Design . . . . .	13
<b>6</b>	<b>Software Implementation</b>	<b>13</b>
6.1	Key Implementation Decisions . . . . .	13
6.2	Detailed Description of the Implemented System . . . . .	13
6.3	Problems Encountered . . . . .	13
<b>7</b>	<b>Evaluation</b>	<b>13</b>
7.1	Functionality Tests . . . . .	13
7.2	User Feedback Tests . . . . .	14
7.3	Successes and Limitations of the Project . . . . .	14
<b>8</b>	<b>Further Work</b>	<b>14</b>
8.1	Type-2 Fuzzy Logic . . . . .	14
8.2	Backend Interoperability . . . . .	14
8.3	Customisations . . . . .	14
<b>9</b>	<b>Summary</b>	<b>14</b>
<b>A</b>	<b>test</b>	<b>1</b>

## 1 Introduction

Fuzzy logic is an ever expanding field, and as such, the tools we are using to work in this field should also be expanding. It is also important that the merits of fuzzy logic are made apparent to those other than the experts of this field, as this would help to produce more advanced control systems in the future.

Many software systems for working with fuzzy logic have already been produced, of which many different approaches have been attempted, and been successful to various degrees. Examples of such systems include: The MATLAB Fuzzy Toolbox<sup>1</sup>, An R Package named FuzzyToolkitUoN<sup>2</sup>, XFuzzy<sup>3</sup>, and fuzzyTECH<sup>4</sup> (a more comprehensive overview of these systems can be found in section 3.2).

These system are all worthwhile pieces of software, and they fulfil their main objective of allowing for the creation of fuzzy systems. However, whilst researching these systems as part of my second year group project at the University of Nottingham (and actually working on one, in the case of FuzzyToolkitUoN), I noticed that there were two key flaws that the majority of popular fuzzy software systems suffered from: difficulty of use, or difficulty of access (or even both).

The main objective of this project is to produce a software solution for the creation, manipulation, and inferencing of a fuzzy logic system, which is accessible online. With a specific focus on solving the issues that are faced by fuzzy logic software systems that are currently used (difficulty of access and use).

Many different techniques will be employed in solving these fundamental problems, to hopefully create a system that is as easy to use, and as easy to access as possible. Some of these techniques will include: online access; the ability to work with multiple file types, for cross compatibility; an intuitive design; unrestricted navigation, giving the user complete control and freedom; a dedicated, unobtrusive help system, to offer help to those that need it, but not to bother those that do not; and to built in a way that allows for future expansions and extensibility. A comprehensive list of all aspects of the software system can be found in section 4.

It could be argued that *another* fuzzy logic software system is not necessary, as it has been demonstrated that there are already many available systems. But, in contrast to this view, I feel that currently available software suffers from certain issues (those mentioned above), and this project aims to resolve these issues, and attempt to spread the influence of fuzzy logic to those other than experts in the field.

There will, however, be certain areas that this software system will *not* be focusing on, as I do not believe they are relevant to the question posed in this research. Namely, this project will not be focusing on higher levels of fuzzy logic; it will only be focused on type-1. This is because the leap in difficulty from type-1 to type-2 fuzzy logic is very large, and type-2 is simply not a concept that I feel is suitable or appropriate to introduce beginners to. More on this topic, including a definition of both terms, can be found in section 8.1.

---

<sup>1</sup><http://www.mathworks.co.uk/products/fuzzy-logic/>

<sup>2</sup><http://cran.r-project.org/web/packages/FuzzyToolkitUoN/index.html>

<sup>3</sup><http://www2.imse-cnm.csic.es/Xfuzzy/>

<sup>4</sup><http://www.fuzzytech.com/>

## 2 Motivation

The motivation of this project is a simple one: to produce a fuzzy logic software system that is easy to access, and easy to use, to help promote the wider adoption of fuzzy logic. The problem with systems currently available is that they suffer from one of the two following pitfalls: difficulty of use or difficulty of access. This means that novices can find it very difficult to get into the field, the software available does not facilitate productive use, and even experts can be held back by the software they are using. Some specific issues include: locating systems to use, complex installation processes, cost to the user, unintuitive user interface, or a requirement of (a considerable amount of) prior knowledge.

As part of my second year group project at the University of Nottingham, I worked on an R Package called FuzzyToolkitUoN. The goal of this system was to expand upon work completed by the Intelligent Modelling and Analysis group<sup>5</sup>, to facilitate the use of fuzzy logic within the R programming language. Whilst working on this project, my group and I conducted a large amount of research into existing fuzzy logic software systems and it was during this research period that I began to notice the two keys flaws that I have mentioned before. Unfortunately, due to the nature of the R programming language, and the package we were producing, our project too fell into one of these pitfalls - difficulty of use. Personally, I was frustrated with this, and that is one of the reasons for the birth of this project - remedying past mistakes.

As I have mentioned, I also believe the greater adoption of fuzzy logic would be beneficial, as it adds a new level of reasoning that classical logic simply cannot. As such, another side goal of this project is to make a system that is as easy to use as possible, regardless of the skill of the user in both terms of knowledge of fuzzy logic, and of using computer software in general. I hope to produce a project that will be not only very easy to access and use, but also help novices to the field to learn about what they are doing, as well as why they are doing it, to help them gain a greater understand of the field of fuzzy logic.

The project detailed in this dissertation will aim to implement a fuzzy logic software system, in a novel format (online), and to specifically avoid the common pitfalls I have observed of other similar systems. Being online, the system is already on the right path to solving the difficult of access problem, as the users will be able to access the system from wherever they are, and on what ever platform (as it will not require any plugins, like Java, or Flash). This also means it is more accessible to the novice user, or the computer novice, as they need only navigate to a website to use the system; there is no complex download and installation process.

I will be using knowledge from the field of Human Computer Interaction Module to ensure that the system is a user-friendly, and easy to pick up as possible. Since taking the aforementioned module, I have been attempting to increase the usability of all the interfaces I design, as I believe that user interaction with a system is extremely important, and the way it is design has a huge effect (a great example is imagining a “push” door, with a handle; this simply causes confusion for the user of the door!) Simplicity is important in this design, because studies have shown that users lose more than 40% of their time to frustration, and that in most of these cases, the user ends up angry at themselves, angry at the computer, or feeling a sense of helplessness[2]; which is obviously not ideal for a system that is attempting to help the user learn.

---

<sup>5</sup><http://ima.ac.uk/>

### 3 Background Information & Research

#### 3.1 What is Fuzzy Logic?

Fuzzy logic is a “natural” way of expressing uncertain or qualitative information [1]. It is a form of logic that deals with approximate reasoning, as opposed to fixed, exact values, like those found in classical logic (where we may only have properties being true, or false). Instead of these strict truth values, fuzzy logic systems have a range of truth, between 0 and 1. This makes fuzzy logic much better for handling and sorting data, and is an excellent choice for many control system applications, due to the way it mimics human control logic. Lotfi Zadeh, who formalised fuzzy logic in 1965, states that the key advantages of fuzzy logic are that it allows us to make rational decisions in environments of imprecision, uncertainty, and partiality of truth, and to perform a wide variety of physical and mental tasks, without any measurements or computations [5].

In a classical set, the membership,  $\mu_A(x)$  of  $x$ , of a set,  $A$ , in universe,  $X$ , is defined:

$$\mu_A(x) = \begin{cases} 1, & \text{iff } x \in A \\ 0, & \text{iff } x \notin A \end{cases}$$

That is, the element is either in the set, or not. In a fuzzy set, however, we have grades of membership, which are real numbers in the interval,  $\mu_A(x) \in [0, 1]$ . Every member of a set has a membership grade to that set, depicting how true the property represented by that set is, for the given member [4]. The traditional syntax for representing members of a fuzzy set is given below (although a full working knowledge of fuzzy logic theory is not necessary for this project).

$$A = \mu_A(x_1)/x_1 + \dots + \mu_A(x_n)/x_n$$

The easiest way to observe the merits of fuzzy logic are to look at terms that we humans use in our everyday life, and attempt to map these are crisp functions. For instances, terms like “hot”, “cold”, “tall”, “short”, are all terms that we understand very well, and use often. However, if we were asked to give *exact* values for tallness, or shortness, we would not be able to. At what cut-off point would a person change from being considered short, to being considered tall? Fuzzy logic helps to alleviate these impossible choices, by having varying differing degrees of membership, to certain properties. The example in figure 1 shows this using three linguistic variables to describe the height of a person. Instead of at one point being either tall, short, or medium height, we, at all times, belong to all properties, to a differing degree.




Figure 1: A fuzzy set depicting “height”

For instance, at the point labelled  $z$ , in the sets in figure 1, we belong in the “Short” set, to degree 0.7, we belong in the “Medium” set, to degree 0.3, and we belong in the “Tall” set, to degree 0.0. This is, naturally, much more precise than simply saying we are “Short”, “Medium”, or “Tall”.

### 3.2 Existing Systems

Fuzzy logic has been around for almost 50 years now, and, with the rising age of the computer, it would be alarming if no software systems for its usage were in circulation. Luckily, this is not the case, and there are many examples of software systems focusing on the use of fuzzy logic, of which many different approaches have been attempted, to varying degrees of success. In this section, a number of these software systems will be evaluated, to discern their positive and negative qualities, to help improve the design of the project presented in this report.

#### **MATLAB Fuzzy Toolbox**

The first system to be explored is MATLAB's fuzzy toolbox, an add-on for the MATLAB software suite, to work with fuzzy sets and systems. This toolbox provides everything required to create type-1 fuzzy sets and systems, with relative ease. The main advantage it has over most other systems is that it has a graphical user interface, which makes a tasks like working with fuzzy sets (that require a lot of visualisation and updating in real time) much simpler. There is also an extensive library of documentation and tutorials available for both MATLAB, and this specific toolbox, that help novices to get acquainted with the system. These things both help to make the system very easy to use, and novice friendly.

Unfortunately, these positives do not outweigh the major disadvantage of MATLAB, and the fuzzy toolbox; which is that are pieces of proprietary software. This means that a novice to the field of fuzzy logic would have to invest a considerable sum of money, before they could even begin using the software. Whilst the system does have extensive documentation, and the user would be able to understand and use the system with relative ease, a piece of software does not require a large price tag to achieve this level of functionality and support. Another disadvantage of the MATLAB fuzzy toolbox is that is it not a dedicated piece of software, and is instead a limited subsection of the greater software of MATLAB. This means that the potential for extensibility is much less likely, as updates to the encompassing software would be deemed more important. It could even be argued that the installation of the MATLAB software, and then the installation of further software could be confusing to some novice users, which further alienates them.

#### **FuzzyToolkitUoN**

FuzzyToolkitUoN is an R-Package, produced by the Intelligent Modelling and Analysis group, at the University of Nottingham, that I personally worked on as part of my Second Year Group Project, at the aforementioned University. It provides functionality for the R Programming language to allow for work with fuzzy sets and fuzzy systems, including their evaluation. A major milestone for the project was it's official acceptance onto CRAN (The Comprehensive R Archive Network, an online library for R packages), in 2013. Being written in R, the package has access to the very powerful R processing tools, and graphics drawing capabilities, which help the user to visualise the system they are creating. Due to being hosted on CRAN, there is extensive documentation for every function in the package, including example usages, and explanations of all their parameters. This makes the usage of the package much simpler, because the user can easily access the documentation for any function they require, and there is a fully worked example for them to follow. Another advantage of the CRAN hosting is that any user with an R interpreter installed can access the package with only a few simple commands, helping the system to be much more accessible.

Unfortunately, there are downsides to working with the R language, the most prominent of which is the command line interface. Whilst the users have the features and functionality to plot the sets they are drawing, it can still be a cumbersome task, and does not promote

ease of use. In a graphical user interface, the updating of graphs would be automatic, and the user could see their chances in real time, instead of having to change the graph, and then check what it looked like. Another issue with the package is that the descriptions of the functions, and the system itself, are specified so that a novice to fuzzy logic is not given the support they require; the system assumes that the user's knowledge of fuzzy logic is already somewhat sufficient.

### **XFuzzy (3.0)**

Developed by the Institute of Microelectronics in Seville, Spain<sup>6</sup>, XFuzzy (3.0), is a set of several tools, that cover the different stages of the creation of a fuzzy system. It allows for the construction of complex systems, whilst also offering flexibility, of allows the user to extend the set of available functions and tools. Each of the tools can be executed as an independent program, or, using the XFuzzy environment, can be integrated together as a graphical user interface, to ease the design process. As mentioned in the evaluation of the MATLAB fuzzy toolbox, a graphical user interface is a huge aid to the user in constructing a fuzzy system, as it allows them to see what changes they are making, and what effect these changes have. The software also runs on Java, which means it can be used on any operating system, as long as the Java Runtime Environment is installed, making it very easy to access.

There are, however, some issues with this software. These being that it is relatively unknown, is not updated frequently (the last update for version 3.0 was in 2012), and without using the graphical user interface, you are stuck using a command line interface, and must learn the system's bespoke language, in order to complete any tasks. The final disadvantage (which is also listed as an advantage, from a different view point), is the necessity for Java to be installed. This is an additional piece of software that this product is dependant on, and could further confuse the novice user with extra installations necessary.

### **fuzzyTECH**

The final system that was observed was fuzzyTECH, another proprietary software, produced by INFORM<sup>7</sup>. It comes with a graphical user interface, making the interaction with the system much simpler than other software available. It also boasts that the application programmer does not require an understanding of fuzzy logic *or* programming to be able to use the system adequately - a feature that the software detailed in this report also hopes to boast. This claim is due to the extensive support functions provided with the software, which can be used to developer software that solves the problem at hand. Another advantage of fuzzyTECH is that it produces source code that can be used on various hardware platforms (for instance, PCs and micro-controllers).

The disadvantages of fuzzyTECH, just as with the MATLAB fuzzy toolbox, is that it is a pay-to-use piece of software. This greatly alienates the novice user, as they may not be willing to spend a large sum of money on a software they have never used, for a purpose they have never experienced before. There are also many different versions of fuzzyTECH, which would further confuse the novice user, as they may not necessary be aware of their specific needs, and thus be unsure as to which specific version would suit them best. In addition to this, fuzzyTECH has not been updated since early 2010, meaning the support that the novice user requires, may not be there - despite the systems extensive support functions.

---

<sup>6</sup><http://www.imse-cnm.csic.es/>

<sup>7</sup><http://www.inform-software.com/>



### 3.3 Platforms and Tools

This section introduces some potential platforms and tools that could have been used in the project, along with justifications for and against. The system itself consisted of two major parts, the web front end, and potentially some server back end (at the research stage of the project it had not yet been decided whether the application was to be entirely client-side or not). Both front end tools (including design frameworks and programming languages) and back end tools were explored and evaluated during this process to discern which would be the most appropriate for this project. Further to this, there was some research into graphing tools to be used on the website, as drawing fuzzy sets as graphs is an extremely powerful and intuitive way to represent them. A full list of the final decisions of tools to use, including their justifications, can be found in section 6.1.

#### 3.3.1 System Back End

##### R-Node

R-Node<sup>8</sup> is a web front end that allows access to an R instance running in the back end. Allowing for the use of R, means that this tool could be used to directly use FuzzyToolKitUoN, which would give the system access to all of the tools that are already available in the R package. This would greatly simplify the production process, as a brand new inference engine would not need to be produced. Specifically, this tool allows for the drawing of graphs, which would be a huge usability boost to the system (as visualising fuzzy sets as graphics is extremely useful). Unfortunately, the website for R-Node has been unresponsive for some time now, so finding documentation, or an actual download link is impossible. This shows that the tool is not very well maintained, and any issues discovered whilst using it would not likely be resolved in a reasonable time frame.

##### R-Shiny

R-Shiny<sup>9</sup> is an easy way to create web applications, using the R programming language. Like R-Node above, the advantages of using R would be the use of the FuzzyToolKitUoN package, allowing for direct access to tools for the manipulation of fuzzy sets and systems. R-Shiny is currently in development, which means it lacks a lot of important features that would make its use much simpler, however, the development team are very active both in regards to respond to bug reports, and answering questions on their discussion board. R-Shiny allows for the creation of entire web pages using entirely R, or the use of just R as a back end, allowing for a much more dynamic web front end (created with HTML). Unfortunately, despite this more dynamic web front end, R-Shiny still does not provide an adequate way to create fully dynamic websites, which would be required for this project.

##### Node.js

Node.js<sup>10</sup> is a platform built on JavaScript that allows for the construction of network applications with ease. It is quick and easy to set up a basic server, however, can become quite confusing and difficult to set up a more complex one. Luckily, there is a lot of support for Node.js, as it is becoming more and more popular among developers. This means that any issues that were encountered would hopefully be solvable within a reasonable time frame, and would not hinder the project too greatly. However, unlike the other back ends discussed, the use of Node.js would mean the construction of a new, bespoke, JavaScript based fuzzy inference system, which would be a significant increase to the work required.

---

<sup>8</sup><http://squirelove.net/r-node/>

<sup>9</sup><http://www.rstudio.com/shiny/>

<sup>10</sup><http://nodejs.org>

### 3.3.2 Front End Programming Language

Naturally, the website would be built using HTML and CSS, as they are the de-facto standard languages for the construction and design of websites. However, the most appropriate language to provide the functionality to the website required some research.

#### JavaScript

JavaScript is an obvious choice when looking to provide functionality to a website, due to its high level of integration with HTML. It is a client-sided programming language used to alter the content of a display document, or in this case, website. The main advantage of JavaScript is its ability to directly and easily manipulate the content of a web page, by accessing the document object model. The basic semantics and syntax of JavaScript are very similar to many other languages, meaning adopting this language is very easy to both expert and novice programmers. It also provides advanced features and functionality, that help to produce extremely powerful systems with relative ease. Using JavaScript also allows access to other JavaScript tools, such as JQuery.<sup>1</sup> The disadvantages of JavaScript are that there are security issues (although this is not an issue with the system proposed in this project), and there is potential that JavaScript can be rendered differently depending on layout engine, causing inconsistencies.

#### Adobe Flash (ActionScript)

Adobe Flash is a tool for the creation of graphics, animation, games, and rich internet applications, which require the Adobe Flash Player to be viewed. This allows for the creation of websites that are both aesthetically pleasing, and are interactive for the user, making the entire experience of using the website much more pleasing. However, HTML5 is now at the stage where it can almost perform the same functionality as Flash, negating its necessity. It also requires that the user have Adobe Flash Player installed, which, whilst free, is an extra unnecessary download that could stand to make the system more difficult to access (for optimal accessibility, the project would require no additional downloads).

### 3.3.3 Front End Design Framework

A front end framework, in the context of web development, is a standardised set of concepts, practices and criteria for dealing with the production of the front end of a website. There are many advantages to using pre-made front end frameworks for developing web applications, the most prominent of which are that: they generally look more aesthetically appealing than a single individual would be able to produce, they provide access to a large selection of easy to implement dynamic user interface elements, and many of them deal with browser cross-compatibility automatically. During the research period of this project, the following three candidates were evaluated: Semantic, Twitter's Bootstrap, and HTML KickStart.

#### Semantic

Semantic<sup>11</sup> is a web front end development system produced by Jack Lukic. The main advantages of semantic are that it is tag agnostic (meaning any tag with UI elements can be used), and that it has a variety of elements with real-time debug output, allowing the application programmer to see what effect their code has. It also has the advantage that it isn't Bootstrap, spoken about below, which is often cited as being overused; this would give the project a slightly more unique feel. Unfortunately, as this is a less well known, and less well developed framework, there are much fewer UI elements to choose from, in comparison to a framework like Bootstrap, and the entire framework is less documented, and there is less online help (due to its lower adoption rate).

---

<sup>11</sup><http://semantic-ui.com>

### Twitter’s Bootstrap

Twitter’s Bootstrap<sup>12</sup> is an extremely popular web development front end (so popular in fact, that some individuals<sup>13</sup> are beginning to complain about it’s overuse), which helps to produce responsive websites, that function both on desktop and mobile devices. It is designed so that anyone of any skill level, beginner to expert, can pick up the framework and begin creating websites with relative ease. It provides a framework that produces websites that easily and efficiently scale for a multitude of devices, such as phones, tablets, and desktops, helping to make them much more accessible (although, not entirely relevant for this project, as there are many logistical issues with attempting to create a fuzzy logic system from a mobile device). There is also extensive and comprehensive documentation available for Bootstrap, including live working examples, and ready-to-use code samples, making its adoption into any project extremely simple. As mentioned above, however, Bootstrap is so popular nowadays that many people find it’s usage off putting, as a large number of websites are beginning to look like clones of one another. For this reason, if Bootstrap were to be used in this project, it would be important to ensure that it was not one of these “sheep” websites.

### HTML KickStart

HTML KickStart<sup>14</sup> was the final web front end that was evaluated. Like Bootstrap, this was a responsive and scalable framework that meant it was suitable for devices ranging from desktops, to mobiles (even if the application itself wasn’t). It also comes with over 240 icons, which can be used to help the design and usability of elements on the website (as people generally associate certain icons with certain tasks), and the entire framework can be included with just two files (instead of Bootstrap that requires some level of configuration to ensure you have all possible features). On the other hand, this framework provided much fewer elements than other packages (like Bootstrap), and the documentation presented on the framework’s web page was confusing and laid out poorly (which is ironic, as the website was built using HTML KickStart), which made searching for specific tools much more troublesome.

#### 3.3.4 Graphing Tools

The drawing of fuzzy sets is extremely intuitive and powerful in a graphical format. For this reason, a suitable tool for the drawing of graphs on a website was required for this project. This would help to make the system considerably easier to use (as the user would be able to see their work as they were completing it), would take advantage of the graphical interface, and help to improve the general aesthetic of the system.

### Directly from R

As mentioned in the back end section, there was potential to use the R language, as the back end for the system. This meant that any R libraries could be imported and used for the front end. In the case of this system, the use of FuzzyToolkitUoN would allow us to work with fuzzy logic and fuzzy sets, without the need to write an entirely new client-sided inference system from scratch. Using FuzzyToolkitUoN to draw the graphs, would promote uniformity between the back end and front end (if the back end did end up being R based), and would mean the implementation of drawing graphs would not need to be considered (as this would be handled by the R package). However, transferring graphical data from an R back end to a web front is a difficult task, and the graphs themselves would be simple, static images, whereas a dynamic or interactive graph would be much preferred.

---

<sup>12</sup><http://getbootstrap.com/>

<sup>13</sup><http://css.dzone.com/articles/please-stop-using-twitter>

<sup>14</sup><http://www.99lime.com/elements>

### Google Charts

Google Charts<sup>15</sup> is a tool for creating and displaying highly customisable graphs and charts on a web page. This package provides a large range of graphs and charts, all of which have interactive elements (helping to improve usability by a considerable margin, and reduce screen clutter). As this service is provided by Google, there is a large library of support available, and it can be assumed that the service is of a high quality. The only negatives of this tool is that the API isn't as simple to use as it potentially could be, and the returning of graphs can sometimes be slow.

### Flot

Flot<sup>16</sup> was the final graphing tool that was evaluated. It is written, and accessed through jQuery, which means any project using JavaScript can easily incorporate it. The project is in constant development, and bug reports filed by the users are taken into account, as well as their general suggestions. However, the package itself can be difficult to get started with, and there are much fewer graph types available, compared to other services.

## 4 System Specification

As has been mentioned multiple times, the system to be produced is an on-line fuzzy logic inferencing and visualisation system, with the specific goal to be as user friendly, and as accessible as possible. In this section, the functional (goals that our software must achieve), and requirements (constraints placed upon the system), of the system have been enumerated. This allows for the reader to see what functionality and features the system will have, but also provides a list of test criteria for later stages of the project.

### 4.1 Functional Requirements

In this section, the functional requirements of the project have been enumerated, so that they can be referred to at the evaluation stages of the project.

1. Users can manipulate membership functions
  - 1.1. Users will be able to create membership functions, of type...
    - 1.1.1. Gaussian
    - 1.1.2. 2-Part Gaussian
    - 1.1.3. Trapezoidal
    - 1.1.4. Triangular
  - 1.2. Users will be able to add membership functions to variables
  - 1.3. Users will be able to edit membership functions, including:
    - 1.3.1. Membership function names
    - 1.3.2. Any function parameters
  - 1.4. Users will be able to delete membership functions from variables
  - 1.5. Users will be able to access help on how to create membership functions
  - 1.6. Users will be able to see a plot of their membership functions
2. Users will be able to manipulate linguistic variables
  - 2.1. Users will be able to create linguistic variables
    - 2.1.1. Users will be able to create input variables

---

<sup>15</sup><https://developers.google.com/chart/>

<sup>16</sup><http://www.flotcharts.org>

- 2.1.2. Users will be able to create output variables
- 2.2. Users will be able to edit the range of linguistic variables
- 2.3. Users will be able to delete variables
- 2.4. Users will be able to rename variables
- 2.5. Users will be able to access help on how to create variables
- 3. Users will be able to manipulate system rules
  - 3.1. Users will be able to create rules for the system
    - 3.1.1. Users will be able to specify rule terms
    - 3.1.2. Users will be able to negate certain terms in a rule
    - 3.1.3. Users will be able to change the weight of a rule
    - 3.1.4. Users will be able to specify the connective to be used in the rule
  - 3.2. Users will be able to edit any previously constructed rules
  - 3.3. Users will be able to delete any previously constructed rules
  - 3.4. Users can access help on how to create rules
- 4. Users will be able to manipulate system-wide parameters
  - 4.1. Users will be able to edit the system-wide parameters
    - 4.1.1. Name of the system
    - 4.1.2. Type of evaluation to use
    - 4.1.3. “And” method to use
    - 4.1.4. “Or” method to use
    - 4.1.5. Aggregation method to use
    - 4.1.6. Implication method to use
    - 4.1.7. Defuzzification method to use
  - 4.2. Users will be able to access help on what affect these changes make
- 5. Users will be able to perform file input/output on the system
  - 5.1. Users will be able to export their system to various formats, including
    - 5.1.1. MATLAB .fis file
    - 5.1.2. FuzzyToolkitUoN .fis file
    - 5.1.3. JSON Object file
  - 5.2. Users can access help on how to export files and what is supported
  - 5.3. Users will be able to import previously made systems of various formats, including
    - 5.3.1. MATLAB .fis file
    - 5.3.2. FuzzyToolkitUoN .fis file
    - 5.3.3. JSON Object file
  - 5.4. Users can access help on how to import files and what is supported
- 6. Users will be able to evaluate their system
  - 6.1. Users can provide a value for each input, and receive the output value
  - 6.2. Users can access help on how the evaluation process works

## 4.2 Non-Functional Requirements

In this section, a list of the non-functional requirements, that place constraints on the system, is provided.

### Accessibility

This is, naturally, a huge goal for the system, as it was one of the reasons for it's conception. The proposed system is to be made available entirely on-line, allowing anyone with internet access, and a computer, to use the system. The system's accessibility will be further increased by it's lack of client-side dependencies, meaning the user is not required to download or install any additional software if they wish to use the software. The only potential issue with accessibility is if the server that is hosting the website was to stop functioning. This is, however, a potential issue that does not have a solution.

### Usability and Operability

Due to the large range of potential users, the system will be designed in a way that is easy to navigate and use, regardless of the skill of the user. There will be a dedicated help system present in the system, that will allow the user to get help, whenever they need it, without having to leave the system and check some external documentation. The graphical user interface of the system helps to promote the ease of use, as the user is not expected to memorise a collection of commands, and instead need only press a few buttons to construct the system they wish to construct.

### Maintainability

One of the eventual goals of the project is that the inference engine, that will initially be FuzzyToolkitUoN, can be swapped out for others. This means that this system would evolve into a web-front end, for any Fuzzy Logic back end; greatly expanding it's usefulness. As a result of this, and a result of good software engineering practices in general, the code will be kept as readable and modular as possible. The large quantity of JavaScript code that is required will be split into separate files, so that the maintaining programmer can easily identify issues. Each function will be coded in a JavaScript equivalent of JavaDoc, so that automated documentation can be produced, if necessary. This will hopefully ensure that new back-ends can be easily incorporated into the system, and additions necessary will be quick and easy to the maintaining developers.

### Quality

As this system is to be used externally, and will be a representation of both myself, and the University of Nottingham, there are several quality issues that must be addressed. The system must be built so that it is robust, and works as the user expects, but it must also contain as few bugs as possible. Any bugs that are identified should be reportable to the maintainer, and be fixed as soon as possible.

The quality of the code must also be considered. In this regard, the code will be written in as modular a way as possible, and useful comments will be provided to highlight the purpose of each function, and to illustrate any particularly complex code.

### Resource Requirements and Constraints

As this system is aimed at any users of any skill levels, we can make no assumptions on the level of hardware that the users will possess. For this reason, the system will be designed to use as few resources as possible. Fortunately, due to being a web-based system, the load of the system would be fairly minimal anyway, as it is mostly loading only JavaScript and HTML. The only true computation takes place when the system is evaluated, but this takes place on the server side, and it not a concern for the user.

The ability to load and save files potentially causes a problem, but only if the user has very little hard drive space, and attempts to save an extremely large file from the system. Unfortunately, there is nothing that can be done about this, although it is predicted that even very large systems will have a relatively small file size.

### **Cross Platform Compatibility**

Due to the project being a web-based system, it is difficult for it not to be cross platform compatible. However, there are still a few issues that may have to be dealt with, especially when looking at different browsers that the user may be using. For this reason, research into how the system performs on different browsers will be important, so that it can be assured that any user using any browser will have full access to the system, as it was meant to be.

### **Security**

The issue of security it not one that need be discussed too much, as there are no security issues with the system to be produced. In a web-based system, there is potential for many security issues to be present, such as the storing of cookies without the users permission, or the tracking of what a user may be doing. However, the system being produced here is simply a tool for the users to create fuzzy systems in, and there is no useful information that tracking their movements would return. There is also no need to save cookies, as the system will have full file loading and saving implemented.

### **Reliability and Robustness**

As the system is to be used by experts and novices alike, the system needs to be as robust and as reliable as possible. This is to ensure that the expert users can work uninterrupted, and that the novice users do not get confused, if something unexpected happens. This is why there will be rigorous testing of the system, by both novices, and by experts (both in regards to fuzzy logic, and in regards to the use of a PC), so that the system can be thoroughly bug-checked, and feedback can be gained on the usability of the system.

### **Documentation**

The system will be fully documented through comments in the JavaScript code. This will be done using a style similar to JavaDoc, so that documentation pages can be generated easily. The system itself will have the extensive help system present on every page, so that any user confused with the system can be guided in the write direction. For these reasons, there will be no external documentation for the project produced (which actually helps the “ease of use” objective, as the user does not need to look through a large external document to find help).

### **Disaster Recovery**

All of the files for the project are stored in a GitHub repository (which is, for the time being, private), so any issues involving loss of code are not a concern. There is potential for the system server to go down, and in this case, due care and attention will be dedicated to resolving this issue. The only other issue that requires disaster recovery is if the user enters their system, and closes the browser without saving. This is, however, out of my control, although a pop-up warning the user may be implemented.

## **5 System Designs**

Display and discuss all of the designs of the system, including the multiple iterations this went through. Mention how the designs address the problem, why they are designed the way they are, including software science, 13 sins of design, usability heuristics, and golden rules for design. George Miller- the magical number seven [3]. I didn't want to bombard the user with too much information, hence the condensed view. (To help reduce

to cognitive load on the user, the majority of screens have remnants of information from the previous screen on them (this is to combat the  $7 \pm 2$  chunks of information in working memory))

## 5.1 The Design Process

## 5.2 UI Design

### 5.2.1 First Iteration

“straight up javascript and html”, loses the power of R

### 5.2.2 Second Iteration

tabbed based system with long horizontal variables. maintaining large systems becomes more difficult. something about hci software science

### 5.2.3 Third Iteration

Fully referenced explanation of why the current design is optimal

## 5.3 Navigation/Control Flow Design

Section to detail the navigation and flow of the system, and all design choices as a result of that

## 5.4 Internal Design

Show how the backend and foreground interact, and how this was designed (see picture from presentation)

# 6 Software Implementation

## 6.1 Key Implementation Decisions

A list of the tools and platforms that were used in the project, including justification for their inclusion. (To cover: Languages used, Web technologies used, Shiny, Bootstrap, JQuery)

## 6.2 Detailed Description of the Implemented System

A detailed description of the system, including how the individual sections were implemented, how they interact, strengths and weaknesses of individual components. Talk about the system as a whole as well, covering how the parts interacted and how well they did so.

## 6.3 Problems Encountered

A description of any major problems encountered during the implementation of the project, causes of these, and their resolutions - if there were any. Talk about the impact of the problems on the project as a whole, and how this potentially affected it (like changes to designs, etc)

# 7 Evaluation

## 7.1 Functionality Tests

Tests that look at the functionality of the system, including the individual components and the communication between the different parts. Give a list of tests, and the results of each of these tests, to ensure each functional requirement has been met.



## 7.2 User Feedback Tests

Large section detailing the user feedback tests as a result of surveys and demos with users using MATLAB, FuzzyToolkitUoN, and my new system. Draw conclusions from this data, and explain it thoroughly.

## 7.3 Successes and Limitations of the Project

Explain what went well with the project, what didn't go so well, and what could be done better for next time (with concrete goals).

# 8 Further Work

A list of things that could be done to expand the system in the future / things I did not have time to complete

## 8.1 Type-2 Fuzzy Logic

To include a brief explanation of what type 2 fuzzy logic is, and why it is different to type 1. Also to include why it was not included.

## 8.2 Backend Interoperability

Talk about how the majority of the system is written in JavaScript, so that the system could be ported to different inference engine backends with little work.

## 8.3 Customisations

Talk about potential for a site that is more customisable for the user, as this would help them feel more at home, and make the system more effective for them. But also mention how basic customisations (like changing the background colour), wouldn't really make that much of a difference

# 9 Summary

This section will include a summary of the project as a whole, including my personal reflections on the experience of working on it, and a critical review of how the project went

## References

- [1] Pedro Albertos and Antonio Sala. Fuzzy logic controllers, advantages and drawbacks. IEEE transactions on control system technology, 1998.
- [2] Jonathan Lazar, Adam Jones, and Ben Shneiderman. Workplace user frustration with computers: An exploratory investigation of the causes and severity. Behaviour & Information Technology, 25(03):239–251, 2006.
- [3] George A Miller. The magical number seven, plus or minus two: some limits on our capacity for processing information. Psychological review, 63(2):81, 1956.
- [4] Lotfi A Zadeh. Fuzzy sets. Information and control, 8(3):338–353, 1965.
- [5] Lotfi A Zadeh. From computing with numbers to computing with words. from manipulation of measurements to manipulation of perceptions. Circuits and Systems I: Fundamental Theory and Applications, IEEE Transactions on, 46(1):105–119, 1999.

## **A test**