

# Niceway.to

## Crowd Sourced Scenic Route Sharing

Submitted March 2016 in partial fulfilment of the conditions of the award of  
the degree MSci (Hons) Computer Science

**Craig Knott**  
cxk01u

With Supervision from Max L. Wilson

School of Computer Science and Information Technology  
University of Nottingham

I hereby declare that this dissertation is all my own work, except as indicated  
in the text:

Signature \_\_\_\_\_

Date \_\_\_\_/\_\_\_\_/\_\_\_\_





## Abstract

Project abstract

Words in text | 1,604

Calculated with the TeXCount web service  
<http://app.uio.no/ifi/texcount/online.php>



# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
<b>2</b>	<b>Motivation</b>	<b>2</b>
<b>3</b>	<b>Background Information &amp; Research</b>	<b>3</b>
3.1	What is Scenic Route Mapping . . . . .	3
3.2	Existing Systems . . . . .	3
3.3	Platforms and Tools . . . . .	3
3.3.1	Mobile App VS Native Mobile App . . . . .	4
3.3.2	System Back End . . . . .	4
3.3.3	Front End Programming Language . . . . .	4
3.3.4	Front End Design Framework . . . . .	5
<b>4</b>	<b>System Specification</b>	<b>6</b>
4.1	Functional Requirements . . . . .	6
<b>5</b>	<b>System Designs</b>	<b>9</b>
5.1	UI Design . . . . .	9
5.2	Navigation/Control Flow Design . . . . .	9
5.3	Internal Design . . . . .	9
<b>6</b>	<b>Software Implementation</b>	<b>10</b>
6.1	Key Implementation Decisions . . . . .	10
6.2	Implementation Methodology . . . . .	10
6.3	Detailed Description of the User Interface . . . . .	10
6.4	Implementation of System Components . . . . .	11
6.5	Problems Encountered . . . . .	11
<b>7</b>	<b>Testing of the Project</b>	<b>12</b>
7.1	Functional Testing . . . . .	12
7.2	Non-Functional Testing . . . . .	12
<b>8</b>	<b>Evaluation of the Project</b>	<b>13</b>
8.1	Functional Testing . . . . .	13
8.2	Non-Functional Testing . . . . .	13
8.3	User Feedback Testing . . . . .	13
8.4	Successes and Limitations of the Project . . . . .	13
<b>9</b>	<b>External Aspect</b>	<b>14</b>
<b>10</b>	<b>Further Work</b>	<b>15</b>
<b>11</b>	<b>Summary &amp; Personal Evaluation</b>	<b>16</b>
<b>A</b>	<b>Appendix</b>	<b>18</b>



## 1 Introduction

In recent years, the technologies behind satellite navigation and routing services have greatly advanced, allowing them to produce the quickest route between two points in only a few seconds, even with technological limits [9]. As a result, travelling via car is quicker and easier than ever before, and many drivers are now focused solely on reaching their destination as quickly as possible. This has resulted in a shift in the mindset of society where the scenery that we pass on the road is simply a buffer between segments of our day, and it's beauty is left unappreciated. This mentality promotes a culture of instant gratification, impatience, and self-involvement among the driving community, which has a huge detrimental affect on drivers, where any interruptions on their journey are cause for anger. In fact, it has been shown that since 1990, incidents of aggression during driving has risen 51% [16].

Some research has already been completed in an attempt to shift the focus of driving from simply travel, to also being an enjoyable recreational activity. This includes work such as recommending “nice” routes (determining this using social network data [12][15][13]) and how to personalise routes that have been deemed “efficient” [5]. Outside of the world of research, many services already exist that provide users with a collection of scenic routes between two locations. The purpose of these services is to encourage drivers to enjoy the experience of driving more, and be exposed to more of their surroundings. Examples of these include Google’s “My Maps”[1], MADMAPS[2], and MyScenicDrives[3], which are discussed further in section 3.2.

Unfortunately, these systems have some flaws that mean they do not fully solve the above problem, and therefore have not made a huge impact. The largest two being the method of delivery, and the inability for of users to contributions content. Google’s “My Maps”, and MyScenicDrives are optimised for desktop browsing and their support for mobile devices is limited. This is a large portion of users lost, considering that in the United Kingdom 33% of Internet users believe that smartphones are the most important device for going online[11]. MADMAPs, whilst mostly focusing on the selling of physical maps, does also provide a mobile application, but this is clunky, and poorly designed. Alongside these larger flaws, some other minor flaws are also present, including small user bases, primitive search functionality, slow and unresponsive webpages, and some services costing money.

Niceway.to has three main aims: to build a community of travel enthusiasts, improve the travelling experience of those that use it, and allow for users of all skill groups to access it. It will provide a way for users to discover scenic and visually interesting routes between two locations, all of which have been provided by other members of the community. These routes will each contain a social commentary, with users being able to rate them, comment on them, and share them (these will be incentives for users to provide quality content, and to remain loyal to the site). To address the problem of previous software systems, mainly the method of delivery, it will be built as a fully-responsive web-application that functions equally well on desktop and mobile devices.

As a final note, it should be mentioned that this project will not be focussing on the classification of whether or not routes are “nice” or “scenic”. Instead, the content will be entirely user driven, with the assumption that they would only contribute routes that are interesting and visually appealing. To further encourage this, a rating system for routes will be implement, so that “better” routes are more visible than those deemed less so.

## 2 Motivation

Niceway.to is an application envisioned by my client, Matthew Pike, who works for a small start-up in China. The project has already been worked on once before, but the end result was not to a standard that my client was content with. As a result of this, he would like for the project to be redesigned and recreated from scratch, as little of the original software is reusable.

The main motivation of this project is to change how we think about driving: from simply a tool for travel, to an enjoyable recreational activity, where, instead of being focused solely on reaching our destination, we can take time to appreciate the beauty in the world around us. In a 1995 study, almost 90% of motorists had experienced some form of road rage within the preceding 12 months, and 60% admitted to losing their temper whilst behind the wheel[6]. To facilitate the proposed shift in mentality, this project will be a tool that offers a collection of user submitted scenic driving routes, with a heavy focus on utilising the social characteristics of the Internet. The idea being that when a user wishes to travel somewhere, they could do so by travelling a route lesser known to them. This route may be slower, but would make up for the time lost, by providing a visually enriching experience that the driver would have otherwise been deprived of, and to help avoid common annoyances on the road. This would also help to relieve the monotony of driving the same, mundane, routes repeatedly - which has been shown to have serious implications in terms of accident causation[14].

A big part of this project, which my client has stressed, is to foster a community of travel enthusiasts. Specifically the ability to have a social commentary surrounding each route, where registered users of the application are able to express their opinions on the content, give a numeric rating for the content, as well as share the content (both internally and externally). The reason for this is because a user is far more likely to return to, and remain engaged with, a website if there are other users doing the same, especially if they are directly communicating with those other users [REF](#). Allowing users to submit their own content coaxes them into feeling more of a connection to the site, and will increase their chance of returning (so that they can check how well received their content is). It has been shown that feedback is a useful tool to boost engagement[10] and hopefully this will encourage users to associate the site with positive experiences, and inspire them to produce quality content (in order to receive more of this feedback).

In order for this community to thrive, it is vital that the system is simple to use, open to users of all skill groups, and easy to access. Therefore, it is important that HCI principles are kept in mind throughout every step of the design and implementation processes. Key to a good design, is simplicity. This is because complex user interfaces frustrate users, and can deter them from returning. Studies have shown that users lose more than 40% of their time to frustration, and in most cases the user ends up angry at themselves, angry at the computer, or left with a feeling of helplessness[8].

In addition to all of these reasons, I feel personally motivated to ensure that this project succeeds. As someone who does not currently drive, I find myself in need of others to drive me when public transport proves inadequate. As a passenger, I will often observe the driver becoming evermore agitated with other drivers on the road, and seeing this problem first hand helps enforce my feelings of the importance of solving it. Driving is a freedom, but one that is being squandered and perceived more as a chore than an enjoyable activity.



## 3 Background Information & Research

- Steal from design spec

### 3.1 What is Scenic Route Mapping

- Not sure about this section, just kept it because I had 'What is fuzzy logic' in my diss last year

### 3.2 Existing Systems

- Since routing/mapping began.. there has been many pieces of software.. here are a few

#### Google's "My Maps"

- What is it
- What is does
- Why it's good
- Why it's not

#### MADMAPs

- What is it
- What is does
- Why it's good
- Why it's not

#### MyScenicDrives

- What is it
- What is does
- Why it's good
- Why it's not

### 3.3 Platforms and Tools

- This section introduces some potential platforms and tools that could have been used in the project, along with justifications for and against...

### 3.3.1 Mobile App VS Native Mobile App

### 3.3.2 System Back End

#### Backend X

- What is it
- What is does
- Why it's good
- Why it's not

#### Backend Y

- What is it
- What is does
- Why it's good
- Why it's not

#### Backend Z

- What is it
- What is does
- Why it's good
- Why it's not

### 3.3.3 Front End Programming Language

- not sure if this is overly necessary. Could condense this language + framework into one?

#### Front End X

- What is it
- What is does
- Why it's good
- Why it's not

**Front End Y**

- What is it
- What is does
- Why it's good
- Why it's not

**3.3.4 Front End Design Framework**

- not sure if this is overly necessary. Could condense this language + framework into one?

**Front End X**

- What is it
- What is does
- Why it's good
- Why it's not

**Front End Y**

- What is it
- What is does
- Why it's good
- Why it's not

## 4 System Specification

In this section, the functional and non-functional requirements of the system have been outlined. These were obtained by looking through the design specification that the client provided at the start of the project, and were agreed upon by both parties.

### 4.1 Functional Requirements

1. The user should be able to search by geographic region and discover submitted routes for that region.
2. The user should be able to contribute routes.
  - 2.1. Only the creating user should be able to modify these routes
  - 2.2. The user should be able to decide on the visibility of this route
3. The user should be able to interact socially with the route, including:
  - 3.1. Comment on public routes
  - 3.2. Recommend alternative routes
  - 3.3. Share routes to external social media websites
4. Users should be able to create an account with, for example, name, email and location
5. There should be administrative users who have extra functionality, including:
  - 5.1. Managing users
    - 5.1.1. Delete users
    - 5.1.2. Update users
    - 5.1.3. Create users
  - 5.2. Managing routes
    - 5.2.1. Delete routes
    - 5.2.2. Update routes
  - 5.3. Delete comments
  - 5.4. Make announcements
  - 5.5. Make backups of the website in a standard, compliant, free and open format
  - 5.6. De-authorize active sessions
  - 5.7. Lock the site and prevent access
6. Users should be able to export their routes to a FOSS
7. Users should be able to make a copy of other user's public routes and edit them
8. There should be a route editor component which allows the users to specify a route
9. The user should be able to log into their account and:
  - 9.1. Access and change personal information
  - 9.2. Access and edit their submitted routes

**Accessibility**

The proposed system is to be made available entirely on-line, allowing anyone with internet access, and a computer, to use the system. As the application will be web-based, the user is not required to download anything to start using it, which will make it more accessible for the user, and easier for them to get started using the application. The only potential issue with a web-based application is if the server goes down, or if the domain expires. The server going down does not, unfortunately, have a solution, but keeping the domain should be relatively trivial.

**Usability and Operability**

The project should be designed in such a way that users ranging from a low level of skill, to a high level of skill should be able to use it with little prior knowledge. Help will be available within the system, so the user can receive help and directions, without having to leave the system and check some external documentation. The project will be developed as a fully-responsive web application, meaning mobile devices will be fully supported.

**Maintainability & Documentation**

The system must be exceptionally well documented allowing for easy maintenance by an external developer. This includes both an easy to understand code structure, as well as commented code (specifically using PHPDoc, and a similar style in the JavaScript code), which should be kept as modular as possible. The system itself will have help available to the user, so that if they are confused, they can be guided in the right direction.

**Quality**

As this system is to be used externally, and will be a representation of both myself, and the client, there are several quality issues that must be addressed. The system must be built so that it is robust, and works as the user expects, but it must also contain as few bugs as possible. Any bugs that are identified should be reportable to the maintainer, and be fixed as soon as possible.

The quality of the code must also be considered. In this regard, the code will be written in a modular way, and useful comments will be provided to highlight the purpose of each function, and to illustrate any particularly complex code.

**Resource Requirements and Constraints**

As this system is aimed at users with a mixture of skill levels, no assumptions can be made on the level of hardware that the users will possess. For this reason, the system will be designed to use as few resources as possible. Fortunately, due to being a web-based system, the load of the system would be fairly minimal anyway, as it is mostly loading only JavaScript and HTML5. The only true computation takes place on the server, and thus would not be a concern for the user.

The ability to load and save files potentially causes a problem, but only if the user has very little hard drive space, and attempts to save an extremely large file from the system. Unfortunately, there is nothing that can be done about this, but even very large systems will have a relatively small file size.

The final concern is internet bandwidth which, whilst not a problem on desktops, will be a problem for mobile phones. This is why the amount of data sent to the user when they are navigating a route will be kept to a minimum, so that they do not use up their data allowance (or drain their battery).

**Cross Platform Compatibility**

Due to the project being a web-based system (developed using HTML5, CSS3, and JavaScript), it is difficult for it not to be cross platform compatible. However, there are still a few issues that may have to be dealt with, especially when looking at different browsers that the user may be using. For this reason, research into how the system performs on different browsers will be important, so that it can be assured that any user using any browser will have full access to the system, as it was meant to be.

**Security**

Security is a concern for this project, as the users will be able to create accounts with the system, and therefore their data will need to be stored. This data will be stored in compliance with the Data Protection Act, and all passwords will be encrypted.

**Disaster Recovery**

The administrator should be able to take backups of the site in a standard, compliant, free and open format. They should also be able to de-authorize active sessions, and lock the website to prevent access. As far as the code base itself, the project will be stored both on the server, and in a Git repository, allowing for recovery if anything goes wrong.

## 5 System Designs

In this section, all of the design aspects of this system have been detailed and justified.

- containing a comprehensive description of the design chosen, how it addresses the problem, and why it is designed the way it is.
- steal a lot from design specification ;:3

### 5.1 UI Design

- Screenshots of initial designs + justifications
- Screenshots of final designs + justifications + reasons for changes
- Screenshots of actual final system + reasons for changes

### 5.2 Navigation/Control Flow Design

- The generally expected path for a user to take through the system + picture
- Explain how design facilitates this
- Explain navigation allowing random access

### 5.3 Internal Design

- Models/Controller/Views
- Languages
- Flow of data from database -> view (don't forget AJAX calls)
- See image from last year diss

## 6 Software Implementation

In this section, the actual implementation of the software has been detailed, including: what tools were used in the implementation, how the software was implemented, and any issues that were encountered during the implementation process.

- Screenshots of initial designs + justifications
- Screenshots of final designs + justifications + reasons for changes
- Screenshots of actual final system + reasons for changes

### 6.1 Key Implementation Decisions

- From the background research section, list all the technology I chose to use and why

### 6.2 Implementation Methodology

- To help manage the implementation of such a large piece of software, the adoption of some methodology was necessary. It was decided that the best methodology would be an agile one, with heavy use of Kanban, using the tips laid out by Henrik Kniberg [7]. In order to accomplish this, at the beginning of the implementation stage, after the requirements specification had been detailed, the entire project was split into user stories. Each of these stories detailed a specific action that a user of the system would be able to accomplish, along with how long it should take to implement, how important it was, and a way of testing its completion. These stories were then organised onto a digital Kanban Board, using a service called Trello<sup>1</sup>.

Each week, a set of tasks would be selected to be worked on for that week. The amount of tasks selected would be dependent on how much was completed, on average, in the weeks before, so that reasonable estimates could be made (obviously excluding the first few weeks). This ensured a decent portion of work was being completed per week, and that progress was constant. During the week, tasks would be selected from the available pool, prioritising those that were prerequisites of others, or had a high importance, and would then be worked on until completion. After the completion of a task, a new task would be selected, and work would begin on this. This was an extremely effective method of managing the implementation, as any small tasks that were necessary could be added to the board, and there was an assurance they would eventually be completed, and nothing would be overlooked. It has also been shown that it is much easier to reach goals if they have been written down [17], which a Kanban Board was the perfect tool for.

Also mention weekly meetings with max and use of Gantt chart. Also mention this is what I did at work and in my last diss and found it the best way to work for me?

### 6.3 Detailed Description of the User Interface

- In this section, each individual screen of the system has been displayed, along with a detailed explanation of why it is effective, and why it has been implemented as it has.

---

<sup>1</sup><http://www.trello.com>



- Potentially don't need this? Or a slimmed down version

## 6.4 Implementation of System Components

- Potentially don't need this
- Do last, look at last year's diss

## 6.5 Problems Encountered

- Look through problem log document and pick out key things, especially those with lessons
- What happened / what this affected / how the project was affected / what I would do differently / why it happened

## 7 Testing of the Project

### 7.1 Functional Testing

- In this section, each of the functional requirements laid out in section 4.1 have been evaluated in turn, to ensure the system meets them. Knowledge of the inner workings of the system is not actually necessary to understand these tests, as they simply check whether functionality is present, and are not concerned as to how the system actually implements it (this is known as black box testing [4]). A complete listing of all the tests conducted, and their results, can be found in appendix ??.

some interesting thing to point out... ?

### 7.2 Non-Functional Testing

- Look at non-functional requirements and talk about if they were met

## 8 Evaluation of the Project

### 8.1 User Feedback Testing

- user feedback / questionnaire / focus group / test users? + their feedback
- the aim of these tests is to find **usability problems**
- RITE method for discovering bugs

### 8.2 Successes and Limitations of the Project

- As a result of the test...
- x was good
- y was bad

## 9 External Aspect

- Very similar to proposal
- as well as explicitly addresses how your project fulfilled (or not) its original intentions with regard to its ‘external aspect’.
- maybe put this section AFTER evaluation? (or just combine the two...?)

## 10 Further Work

- 2-4 bigs things that I would do next time (either changing something I did, or adding/removing something)

## 11 Summary & Personal Evaluation

- Personally, I feel as though the project was a /success|failure/
- I felt as though I /failed to rise|rose/ to the challenge
- One of the areas I feel as though was weaker within the project
- If I could work on this project again

## References

- [1] Google Maps, My Maps website. <https://www.google.com/maps/d>. Accessed: 01/10/2015.
- [2] MADMAPs website. <http://www.madmaps.net/>. Accessed: 01/10/2015.
- [3] My Scenic Drives website. <https://www.myscenicdrives.com/>. Accessed: 01/10/2015.
- [4] Boris Beizer. *Black-box testing: techniques for functional testing of software and systems*. John Wiley & Sons, Inc., 1995.
- [5] Zaiben Chen, Heng Tao Shen, and Xiaofang Zhou. Discovering popular routes from trajectories. In *Data Engineering (ICDE), 2011 IEEE 27th International Conference on*, pages 900–911. IEEE, 2011.
- [6] Matthew Joint. Road rage. 1995.
- [7] Henrik Kniberg. Scrum and xp from the trenches. *Lulu. com*, 2007.
- [8] Jonathan Lazar, Adam Jones, and Ben Shneiderman. Workplace user frustration with computers: An exploratory investigation of the causes and severity. *Behaviour & Information Technology*, 25(03):239–251, 2006.
- [9] Yin Lou, Chengyang Zhang, Yu Zheng, Xing Xie, Wei Wang, and Yan Huang. Map-matching for low-sampling-rate gps trajectories. In *Proceedings of the 17th ACM SIGSPATIAL International Conference on Advances in Geographic Information Systems*, pages 352–361. ACM, 2009.
- [10] Heather L O’Brien and Elaine G Toms. What is user engagement? a conceptual framework for defining user engagement with technology. *Journal of the American Society for Information Science and Technology*, 59(6):938–955, 2008.
- [11] Ofcom. The communications market report, published 6th august 2015. Ofcom, 2015.
- [12] Fernando S Peregrino, David Tomás, Paul Clough, and Fernando Llopis. Mapping routes of sentiments.
- [13] Daniele Quercia, Rossano Schifanella, and Luca Maria Aiello. The shortest path to happiness: Recommending beautiful, quiet, and happy routes in the city. In *Proceedings of the 25th ACM conference on Hypertext and social media*, pages 116–125. ACM, 2014.
- [14] Pierre Thiffault and Jacques Bergeron. Monotony of road environment and driver fatigue: a simulator study. *Accident Analysis & Prevention*, 35(3):381–391, 2003.
- [15] Steven Van Canneyt, Steven Schockaert, Olivier Van Laere, and Bart Dhoedt. Time-dependent recommendation of tourist attractions using flickr.
- [16] Jason Vest, Warren Cohen, and Mike Tharp. Road rage (usa). *US News and World Report*, 1997.
- [17] Susan B Wilson and Michael S Dobson. *Goal Setting: How to Create an Action Plan and Achieve Your Goals*. Publisher - Amacom, 2008.

## **A Appendix**