ROLE OF ARTIFICIAL INTELLIGENCE IN AGRICULTURE:FOCUS ON PLANT DISEASES

SEMINAR REPORT

SUBMITTED

TO

AWH ENGINEERING COLLEGE

KUTTIKKATTOOR, KOZHIKODE-8

IN PARTIAL FULFILMENT
OF THE REQUIREMENTS FOR THE AWARD OF THE DEGREE

OF

Master Of Computer Applications

BY

NARSHINA K

DEPARTMENT OF COMPUTER APPLICATIONS
AWH ENGINEERING COLLEGE KUTTIKKATTOOR, KOZHIKODE
MAY 2024

AWH ENGINEERING COLLEGE
KOZHIKODE

CERTIFICATE

This is to certify that this thesis entitled **"ROLE OF ARTIFICIAL INTELLIGENCE IN AGRICULTURE: FOCUS ON PLANT DISEASES"** *submitted herewith is an authentic record of the thesis work done by* **NARSHINA K (AWH22MCA-2027)** *under our guidance in partial fulfillment of the requirements for the award of* **Master of Computer Applications** *from APJ Abdul Kalam Technological University during the academic year 2024.*

Mrs. Sruti Sudevan
Assistant Professor
Dept of Computer Applications
Head of the Department

Ms. Prajina K
Assistant Professor
Dept of Computer Applications
Seminar Co-ordinator

ACKNOWLEDGEMENT

I express my sincere gratitude to our beloved principal **Dr. Sabeena M V** for providing me an opportunity with the required facilities for doing this seminar. I express my hearty thanks to **Mrs. Sruti Sudevan**, Head of the department of Computer Applications and Assistant Professor and **Ms. Prajina K,** Assistant Professor department of Computer Applications for her guidance and advice. I am thankful to all other staff of the MCA department for their encouragement, timely guidance, valuable suggestions and inspiring ideas given throughout this project. I am grateful to my friends for the way they have cooperated, expected me to achieve success and have always stirred my ambition to do the best. Above all, I am grateful to the almighty, who has showered His blessings on me throughout my life and throughout the seminar.

NARSHINA K

ABSTRACT

The increased demand for food is accelerating plant diseases globally. Hence, a manual process of detection of plant diseases is almost impossible. Artificial intelligence (AI) can offer several solutions to farmers' problems. AI is facile to mitigate farmer's agriculture challenges. With the unpredictable changing climate, plants are often affected by several diseases where AI can play an important role. AI techniques such as Machine learning and deep Learning have been employed in literature to detect, predict, and design recommendation systems for plant diseases. Significant work has been done in this area in the last two decades, which can change farmer's lives in the coming years.

This paper presents a systematic multi-fold survey and analysis of such work focusing on recent AI techniques developed to combat plant diseases. This article discusses various challenges faced by farmers and their AI solutions. It analyzes several applications of AI in agriculture and current trends. Recent advancements in AI for plant disease detection, like Identification Model Improvement (IMI), Few Shot Learning (FSL), Generative Adversarial Networks (GANs), and Self Supervised Learning (SSL), are also discussed in this article. Several challenges while employing AI in plant disease detection are also discussed in this article.

CONTENTS

1. INTRODUCTION

The agriculture sector plays a crucial role in global food security and economic stability, particularly in the face of increasing population and environmental challenges. Governments worldwide are investing in modernizing farming practices, improving supply chain efficiency, and raising awareness about sustainable food choices. However, issues suchas plant diseases, pests, and climate change continue to threaten crop productivity. To address these challenges, advanced technologies like smart farming, utilizing IoT sensors, cloud computing, and AI, are being employed. In particular, deep learning techniques, such as convolutional neural networks (CNNs), are revolutionizing plant disease detection and classification by leveraging image data from drones, satellites, and cameras. Despite limited and sparse agricultural data, techniques like transfer learning, few-shot learning, and self- supervised learning are being explored to enhance model performance and address the scarcity of labeled data, ensuring the sustainability and resilience of agricultural systems in the future. By using few-shot learning, the problem of the unavailability of large datasets canbe resolved. In SSL, the model can be pretrained on unlabeled data.

2.CHALLENGES IN AGRICULTURE

The agriculture sector faces specific challenges. Increased food demand as the population is rising exponentially, low productivity, limited water resources, irrigation, Soil erosion, global economic factors, and climatic changes are a few of the challenges in the agriculture domain

2.1 INCREASED FOOD DEMAND

The demand for a particular crop or food is the critical factor that decides the price and production of that crop in the market. Due to increasing population, industrialization, modernization, urbanization, and deforestation, there appears to be a lack of food production in the local market, which in turn causes an increase in the demand for crops/food. Small farmers with a small area of agricultural land often cannot satisfy the sudden increase in food demand. This causes a hike in the crop price, resulting in fewer sales and financial loss in production.

2.2 LOW PRODUCTIVITY

The term low agriculture productivity means that crops' production was less than expected. The most common reasons for low productivity are low soil fertility, which degrades the quality and quantity of the crop, the high price of fertilizers, which poor farmers cannot afford, and the lack of proper nutrients in the crops. Less land for cultivation is also a reason, and spreading crop diseases that damage the crop caused by pests, rodents, and unwanted herbs decreases its production scale.

2.3 IRRIGATION

Proper irrigation is a main factor that gives the crop nutrients and decides its health. The issue that arises regarding irrigation is inadequate execution of water supply that causes less intake of water by crops. The use of old irrigation methods and lack of modern irrigation methods like drip irrigation, sprinkler irrigation, surface irrigation, etc., are other problems faced in agriculture.

2.4 SOIL EROSION

It is the process that happens when the top soil layer is swept away by mostly either water or high wind, causing the soil to lose its nutrients, and often the roots of the plants are also exposed to making them vulnerable to exterior damage and diseases. Soil erosion occurs mainly by high-speed running water or floods, which remove the loose sand. High-speed wind sweeps the dry dust or sand. Soil erosion affects agriculture in many ways. The most common problem is making the land incapable of holding water, losing the nutrients of the land, and increasing the chances of flooding.

2.5 CLIMATE CHANGE

It is a known fact that each year, the climate changes drastically compared to the previous year, especially the heat, as each year it is hotter, which has a significant effect on the agricultural field. The challenges faced due to climatic changes are Increased. Due to heavy rainfall, floods destroy the crops and the land on a large scale. Increasing heat and lack of rainfall cause droughts, which make the land infertile and dry up the crop water content, even in the winter. Due to very low temperatures, some crops become dry and lose nutrients. High, windy weather often destroys plants, crops, and trees.

2.6 GLOBAL ECNOMICS FACTOR

Since agriculture is a globally practiced field and the primary source of food supply worldwide, some global and economic factors affect the agricultural field. The main factor that affects agriculture is rising food demand as the global population is also growing, which pressurizes the global market for more agricultural production. Global development is also a factor that directly affects the production of agriculture. Transportation is another factor that allows various food items and recipes worldwide to reach other places.

2.7 WATER SHORTAGE

Water shortage is the most critical and common challenge faced by farmers worldwide. There are various reasons for water shortage, such as overuse in fields, industries, and even homes.

Farmers without access to surface water or groundwater suffer significant financial loss. Large-scale planting of crops with high water requirements and inefficiency of land to hold water also causes water shortage.

2.8 RISING INCOME AND CHANGING DIET

As with the development of a country, the per capita income of citizens also increases, which, on the other hand, changes the lifestyle of many people and, therefore, changes the type of food they eat. Most people used to eat healthy food at home, but now they have adjusted to unhealthy junk foods with fewer nutrients, more oil, and more fats. Also, many have shifted from vegetarian to non-vegetarian flesh food items. This caused a drastic change in agricultural production as the need for certain foods has fallen, due to which we can observe that many things that we used to get in the old days are not available now. People also shift their professions from agriculture to other employment sectors for higher income.

The demand for crops and food is influenced by factors like population growth, urbanization, and changing dietary preferences, often leading to increased pressure on agricultural production. However, small farmers face challenges meeting sudden spikes in demand due to limited resources and land. Low productivity arises from soil degradation, high fertilizer costs, and inadequate irrigation methods. Soil erosion further exacerbates these issues, impacting water retention and nutrient levels. Climate change introduces additional hurdles, with extreme weather events like floods and droughts wreaking havoc on crops. Global economic factors and water scarcity also affect agricultural output. Changing lifestyles contribute to shifts in food consumption patterns, impacting agricultural production and prompting some to abandon farming for other professions.

3. AI BASED SOLUTIONS

AI-based modern implementation and sustainable farming techniques include agroforestry, precision agriculture, and organic farming. The use of efficient AI-based irrigation systems, drought-resistance crops, and soil conservation practices should be promoted to optimize the usage of water and soil health maintenance. High-yielding, disease-resistant, and adapted to changes in climate conditions, crops can be developed using AI-based technologies.

3.1 AGRICULTURE ROBOTS

Figure 3.1.1: Agriculture robots

Agricultural robots, also known as agrobots or agri-bots, play a significant role in modernizing and improving various aspects of agriculture. These robots have advanced technologies that can perform tasks autonomously or with minimal human intervention. Agricultural robots can accurately plant seeds in specified locations, ensuring optimal seed spacing and depth for improved crop growth. Robots with sensors can analyze soil conditions and apply fertilizers precisely where needed, reducing excess fertilizer use and environmental impact. Robots collect data on soil moisture, nutrient levels, and other parameters, enabling farmers to make informed irrigation and nutrient management decisions. The data collected by agricultural robots can be used to analyze trends, predict outcomes, and optimize farming practices for better results. Robots can be designed and programmed to suit the specific needs of different crops, ensuring that tasks are carried out effectively and efficiently.

3.2 CROP AND SOIL MONITORING

Crop and soil monitoring are crucial in modern agriculture and involve continuously observing crops and soil conditions. This monitoring helps farmers make precise decisions, look at resource usage, and maximize crop yield while minimizing environmental impact. Modern technology allows monitoring, such as satellites, capturing high-resolution images of agricultural fields and providing data on crop health and growth patterns. Drones with cameras and sensors can capture detailed images and data from different perspectives to monitor crops and soil closely. Internet of things (IoT) is vital as soil moisture sensors measure soil moisture levels at different depths, helping farmers optimize irrigation and prevent over watering. Crop health sensors detect signs of stress, disease, or nutrient deficiencies in crops by measuring chlorophyll content and leaf temperature. Nutrient sensors that measure nutrient levels in the soil allow farmers to adjust fertilization strategies for optimal plant nutrition. Data analysis and modeling are also crucial for monitoring crops and soil occasionally

3.3 PEST MANAGEMENT- DISEASE DIAGNOSIS

Pest management and disease diagnosis are crucial in maintaining healthy crops and ensuring agricultural productivity. It involves strategies and techniques to control and mitigate the impact of pests, including insects, weeds, and other organisms that negatively affect crops. Regular inspection of crops for signs of pest presence and damage is necessary. Identification of specific pests causing problems and understanding their life cycle is essential. Practices like crop rotation, companion planting, adjusting planting times to disrupt pest life cycles, and maintaining proper plant spacing and hygiene to reduce pest habitats are helpful.

3.4 INTELLIGENT SPRAYING

Intelligent spraying is known as precision or variable-rate spraying. It is a modern agricultural practice that utilizes advanced technologies to optimize the application of pesticides and other crop protection products. Intelligent spraying aims to minimize the use of chemicals while maximizing their effectiveness in controlling pests and diseases.

3.5 WEATHER FORECASTING

Many weather apps and websites provide up-to-date weather forecasts for specific locations. Farmers can use these tools to monitor daily and weekly weather conditions, including temperature, precipitation, humidity, wind speed, and more. Some popular weather sources include Weather.com, AccuWeather, and the Weather Channel. Installing weather stations on the farm can provide real-time weather data tailored to the specific location. These stations measure temperature, humidity, wind direction, and precipitation, allowing farmers to monitor their farms' conditions accurately. Satellite and radar data offer a broader view of weather patterns and can help predict severe weather events such as storms or heavy rainfall. Farmers can access this information through government agencies or commercial services that provide radar imagery. Advanced machine learning and AI models can analyze historical weather data alongside other relevant factors like soil moisture, crop type, and geographic location to generate more accurate and localized weather predictions. These models can be tailored to specific farms or regions.

Modern agricultural practices leverage advanced technologies like agroforestry, precision agriculture, and organic farming, alongside AI-based tools such as efficient irrigation systems and crop monitoring robots, to optimize resource usage and improve sustainability. These technologies enable precise seed planting, soil analysis, and data-driven decision-making, enhancing crop yield while minimizing environmental impact. Integrated pest management strategies, including intelligent spraying and disease diagnosis, further ensure crop health. Weather monitoring through various sources, including weather apps, on-farm weather stations, and satellite data, enables farmers to make informed decisions and prepare for weather-related challenges, while AI-driven weather prediction models enhance accuracy and localization for tailored farming strategies.

4. APPLICATIONS OF AI IN AGRICULTURE

AI has revolutionized agriculture by predicting crop yields, optimizing irrigation, and automating labor-intensive tasks like harvesting. By analyzing data from sensors and satellites, AI can detect diseases, pests, and soil deficiencies, enhancing crop health and sustainability. In seed breeding, AI accelerates the development of new crop varieties, while in food sorting, it ensures high-quality products by automating sorting processes. Moreover, AI drives efficiency and quality control in agricultural warehousing through tasks like crop monitoring, inventory control, and predictive maintenance.

4.1 YIELD PREDICTION

AI can be used in yield prediction in agriculture by leveraging various data sources, machine learning techniques, and advanced analytics.AI is used to predict crop yield, which depends on various factors such as weather conditions, water content, and the level of micro and macronutrients in the soil. These elements are also necessary to track crop health.

4.2 FEEDING CROP-FERTILIZER AND IRRIGATION

Highly inefficient irrigation systems are common, resulting in water wastage. Proper and precise irrigation can be done using sensors that measure several parameters of fields. AI can also help explore soil health to monitor conditions and recommend fertilizer applications. With the help of sensors, we can precisely use fertilizers and pesticides.

4.3 HARVESTING

It is the final process of agriculture and requires huge labor, so AI can be used to reduce this labor, and AI machines can be implemented to perform multi-purpose tasks such as detecting if the crop is ready to be harvested, quality and quantity of the crop. Manually operated machines can be automated using AI to do tasks such as harvesting.

4.4 BREEDING SEEDS

AI is increasingly being utilized in seed breeding to accelerate and enhance the development of new and improved crop varieties. Genomic Selection, Phenotyping, and Crossbreeding Recommendations are beneficial nowadays.

4.5 PLANT HEALTH MONITORING

AI in agriculture can also monitor plant health and sustainability. For example, AI can detect the farms' diseases, pests, and soil nutrition. AI algorithm can tell where the fertilizer is needed. This can reduce the amount of fertilizer considerably.

4.6 FOOD PROCESSING

AI and ML have revolutionized food sorting by reducing manual labor and ensuring high-quality products are sorted accurately. AI-based solutions can sort based on size,weight, and color, reducing waste and meeting quality requirements. Automation, using advanced technology like x-ray scanners, lasers, cameras, and robots, can save companies money by reducing manual labor.

AI is transforming agriculture across various fronts, from yield prediction and precision irrigation to crop monitoring and pest management. Leveraging data from diverse sources and employing machine learning techniques, AI aids in predicting crop yield, optimizing irrigation, and recommending fertilizer applications based on soil health. Automation through AI-driven machines reduces labor and enhances efficiency in tasks like harvesting and quality assessment. Moreover, AI plays a crucial role in disease detection, seed breeding, food sorting, and agricultural warehousing, contributing to increased productivity, sustainability, and quality control throughout the agricultural supply chain.

5. PLANT DISEASES

A plant disease prevents and hampers a plant from performing to its paramount potential. Biotic (living components of the environment) factors include infectious agents (Pathogens) like bacteria, fungi, nematodes, viruses, and phytoplasmas, and abiotic (nonliving components of the environment) factors are the root cause of plant diseases. Generally, a plant becomes sick when persistently disturbed by some causative factor, resulting in an aberrant physiological process that affects its shape, development, and function.

5.1 MAJOR CAUSES OF PLANT DISEASES

- **FUNGAL**

Diseases caused by fungi that result in fungal infections in plants are called fungal diseases. Fungi or FLOs cause most plant diseases. It is a fungi-like organism that lacks chlorophyll and depends on the host for its nutrition and survival. Thus, it is incapable of making its food. Some examples are- Leaf spot, rust, wilt, rot, blight, and Clubroot (Plasmodiophora brassicae) affecting brassicas.

- **BACTERIAL**

A bacterial plant disease is the spread of plant diseases caused by bacterial germs over vast areas, substantially impacting plants, agriculture, and forest production or natural habitat. Bacterial diseases of plants are caused by six genera of bacteria: Agrobacterium, Corynebacterium, Erwinia, Pseudomonas, Streptomyces, and Xanthomonas. Some examples are Black Rot, Bacterial Blight, Leaf Spot, and Wilt.

- **VIRAL**

Viral diseases are diseases caused by viruses that are small, simple, and highly infectious microorganisms. They reproduce only within the living cells of plants. Some examples are- barley yellow dwarf, tobacco ring spot, watermelon mosaic, and potato mop top.

5.2 SYMPTOMS

- **RUST**

Rusts are a kind of fungal disease that affects the aerial sections of plants. Rust is usually seen on leaves but may also be found on stems, blossoms, and fruit. The color of spore pustules generated by rusts varies depending on the rust species and the kind of spore produced. Some rusts have complicated life cycles involving two separate plant hosts and up to five different spore types. Pale leaf spots develop into structures called pustules. In some cases, a leaf may contain numerous pustules, which in severity results in premature falling of leaves.

- **BLIGHT**

Any of several plant diseases characterized by abrupt spotting and severe yellowing, withering, browning, or death of leaves, flowers, fruit, stems, or the entire plant commonly caused by fungi is known as blight. Leaf symptoms appear as irregular brown spots at the beginning of the leaf margin. Dark brown streaks develop in leaf petioles due to leaf blight. Lesions have a yellow halo and come into sight as waters soaked. Floral parts may also be affected and become blighted.

- **ROT**

The rotting of a plant is caused by one of hundreds of soil-borne bacteria, fungi, and funguslike organisms (Oomycota). Plant breakdown and putrefaction are symptoms of rot diseases. Hard, dry, spongy, watery, mushy, or slimy rot can afflict any plant portion. Plants become yellow and show stunted growth as well as loose vigor. They may wilt or drop some leaves with no response to fertilizer and water.

5.3 OCCURENCES

- **ENDEMIC**

When a disease is constantly present but only limited to a particular region, it is called an endemic disease.

- **EPIDEMIC**

When there is an unexpected increase in disease cases in a specific geographical area, the respective disease is called an epidemic disease.

- **PANDEMIC**

When a disease spreads over continents or subcontinents, affecting large masses and involving extreme mortality, it is called a pandemic disease.

5.4 SPREAD

- **SOIL**

Soil-borne illnesses are plant diseases caused by pathogens that enter the host through the soil. Vascular wilt, Damping-off, and root rot are common soil-borne diseases that can cause tissue discoloration, leaf drooping, root degradation, and abrupt mortality. Soil-borne illnesses may severely diminish plant production and destroy agricultural industries if not handled adequately.

- **SEED**

When plant diseases spread by transmitting disease-prone seeds, they are known as seed-borne diseases. Pathogens such as bacteria, fungi, and viruses can dwell on the surface or inside the seed, propagating the illness to the following season's plant. Infection from seed-borne diseases varies greatly depending on plant, illness, and region. Examples are Red rot in sugarcane, loose smut, leaf stripe, and Fusarium.

- **AIR**

Due to wind, airborne infectious agents or pathogens that are mainly fungi can travel long distances and cause a huge loss to plants over a large region, affecting the nearby vegetation and environment. Plants face extreme weather conditions during different growth phases like humidity, drought or rainfall, soils and nutrients, insects, nematodes, and microorganisms, and they may be favorable or not for plant health.

5.5 PLANT DISEASE TRIANGLE

Figure 5.5.1: Plant disease triangle

The Plant Disease Triangle tells that for any disease to affect a plant, three conditions must exist: the presence of a pathogen, a susceptible host (plant), and proper environmental conditions. Any missing condition means the triangle is incomplete, and no disease will occur. Some other factors include- the time of the infection period, the wide spread presence of the pathogen, how harmful the pathogen is, and the lifetime of the host plant.

- **PATHOGEN**

Several organisms that cause plant dis eases include fungi, bacteria, viruses, nematodes, mycoplasmas, and spiroplasmas. These pathogens must be present in the greenhouse to create a disease problem.

- **HOST**

Hosts are plants that a pathogen can infect. Not every plant is in danger of being attacked by the same pathogen, as pathogens prefer only certain plants. For example, Thielaviopsis usually attacks pansies, petunias, snapdragon, verbena, etc., and does not infect marigolds.

- **ENVIRONMENT**

The most complex of the three conditions is the Environment, which is not in our direct control. However, it can be manipulated to reduce disease issues. Any environment that causes plant stress can make a plant more vulnerable to a plant disease. The main factors to consider are water, Air Movement, and humidity.

Plant diseases, whether caused by biotic factors like bacteria, fungi, nematodes, viruses, or abiotic factors, significantly impact agricultural and natural ecosystems. Fungal infections such as rust, wilt, and blight, bacterial diseases like black rot and leaf spot, and viral infections such as barley yellow dwarf affect plant health and productivity. Soil-borne diseases like vascular wilt and damping-off, as well as seed-borne diseases such as red rot and loose smut, pose significant threats to crop yields. The Plant Disease Triangle emphasizes the interplay of pathogens, susceptible hosts, and environmental conditions in disease development, highlighting the importance of managing factors like water, air movement, and humidity to mitigate disease risks.

6.AI IN PLANT DISEASE DETECTION

Artificial intelligence is revolutionizing plant disease detection by leveraging advanced algorithms and data-driven approaches. Through techniques such as image recognition, AI can analyze vast datasets of plant images to accurately identify diseases based on visual symptoms. Additionally, AI-powered decision support systems integrate various data sources, including weather forecasts and historical disease incidence data, to provide real- time recommendations for disease management. Remote sensing technologies, coupled with AI algorithms, enable the monitoring of large agricultural areas for signs of disease, while mobile applications equipped with AI offer on-the-spot diagnosis in the field. By harnessing the power of AI, farmers can detect and respond to plant diseases more efficiently, ultimatelyimproving crop yields and ensuring food security.

## 6.1 MACHINE LEARNING IN CLASSIFYING PLANT DISEASES

Figure 6.1.1: Machine learning in classifying plant diseases

Machine learning (ML) techniques have been extensively applied in classifying plant diseases due to their ability to effectively analyze large datasets and extract relevant patterns for accurate disease identification.

- **Data collection and preprocessing**

The first step in utilizing ML for plant disease classification is to gather a comprehensive dataset containing images of both healthy and diseased plants, along with corresponding labels indicating the specific disease present. These images are typically captured using digital cameras or smartphones in various environmental conditions and growth stages. Data preprocessing techniques such as resizing, normalization, and augmentation are applied to ensure uniformity and improve model performance.

- **Feature Extraction**

Convolutional Neural Networks (CNNs) are commonly used for feature extraction in plant disease classification tasks. CNNs are deep learning models designed to automatically learn and extract hierarchical features from image data. In the context of plant disease classification, CNNs analyze the spatial relationships and patterns present in the input images to identify discriminative features associated with different diseases.

- **Model Training**

Once the feature extraction phase is complete, the extracted features are fed into a machine learning model for training. Supervised learning algorithms such as Support Vector Machines (SVM), Random Forests, or deep learning architectures like CNNs are commonly used for this task. During the training phase, the model learns to map the extracted features to their corresponding disease labels by adjusting its parameters through optimization techniques such as gradient descent.

- **Model Evaluation and Validation**

After training the model, it is evaluated using a separate validation dataset to assess its performance in classifying plant diseases. Common evaluation metrics include accuracy,

precision, recall, and F1-score. Cross-validation techniques may also be employed to ensure the robustness and generalization of the model across different datasets and environmental conditions.

- **Model deployment and Integration**

Once the model demonstrates satisfactory performance on the validation dataset, it can be deployed for real-world plant disease classification applications. This involves integrating the trained model into a user-friendly interface or mobile application that allows farmers or agricultural experts to upload images of diseased plants for automatic classification. Real- time feedback and recommendations can then be provided based on the classification results, enabling timely intervention and disease management strategies.

- **Model Improvement and updating**

ML models for plant disease classification are continuously refined and updated with new data to improve their accuracy and generalization capabilities. This involves retraining the model periodically using additional labeled datasets or fine-tuning the model parameters based on feedback from users and domain experts.

Artificial intelligence (AI) is transforming plant disease detection through image recognition and data-driven decision support systems. By analyzing large datasets of plant images, AI can accurately identify diseases based on visual symptoms, aided by weather forecasts and historical data. Techniques like Convolutional Neural Networks (CNNs) extract features from images for disease classification, and supervised learning algorithms train models to map features to disease labels. Once trained, these models are deployed in user-friendly interfaces or mobile apps, providing real-time feedback and recommendations to farmers for timely disease management. Continuous refinement and updates ensure improved accuracy and generalization of AI models in plant disease classification.

6.2 DEEP LEARNING IN IDENTIFYING PLANT DISEASES

Deep learning, a subset of artificial intelligence (AI) and machine learning (ML), has revolutionized the field of agriculture by offering efficient solutions to identify and manage plant diseases. Through deep learning techniques, computer systems are trained to analyze large datasets of plant images and recognize patterns indicative of various diseases.

The process typically involves several steps: data collection, preprocessing, model training, validation, and deployment. Initially, a vast amount of labeled images of healthy and diseased plants is collected to build a comprehensive dataset. These images may encompass different angles, lighting conditions, and stages of disease progression to ensure robustness in model training.

Preprocessing techniques are then applied to standardize the images, such as resizing, normalization, and augmentation, to enhance the model's ability to generalize across diverse conditions. The preprocessed data is then fed into deep learning architectures, such as convolutional neural networks (CNNs), which are well-suited for image recognition tasks due to their hierarchical feature extraction capabilities.

During the model training phase, the CNN learns to identify distinguishing features of healthy and diseased plants by adjusting its internal parameters through an iterative process known as backpropagation. This process involves minimizing a loss function that quantifies the disparity between the predicted and actual disease labels.

Validation is crucial to assess the model's performance on unseen data and prevent overfitting, where the model memorizes the training set rather than learning generalizable patterns. Techniques like cross-validation or holding out a separate validation set are commonly employed to evaluate the model's accuracy, precision, recall, and F1 score.

Once the model achieves satisfactory performance metrics, it can be deployed in real-world scenarios, such as on mobile devices or embedded in agricultural drones, to provide timely and accurate diagnosis of plant diseases. Farmers and agricultural professionals can utilize these tools to monitor crops, detect early signs of diseases, and take proactive measures to mitigate crop losses.

Deep learning in identifying plant diseases offers several advantages over traditional methods, including scalability, speed, and accuracy. It enables rapid processing of large volumes of data, allowing for timely intervention to prevent disease outbreaks and optimize agricultural practices. Furthermore, as deep learning models continue to evolve and learn from new data, their diagnostic capabilities are expected to improve, contributing to sustainable and resilient agriculture.

6.3 IMAGE PROCESSING IN PLANT DISEASES

Figure 6.3.1: Image preprocessing in plant diseases

Image processing in plant diseases is a critical tool in modern agriculture, aiding in the early detection and management of various diseases that affect crops. This technology involves theuse of digital image analysis techniques to analyze images of plants and identify signs of disease, such as discoloration, lesions, or abnormal growth patterns. The process typically begins with the acquisition of high-resolution images of plants, either through specialized cameras or drones equipped with imaging sensors. These images are then processed using algorithms that can detect patterns and anomalies indicative of disease presence.

One common approach in image processing for plant disease detection is the use of machine learning algorithms, particularly convolutional neural networks (CNNs). CNNs are trained on large datasets of labeled images of healthy and diseased plants, allowing them to learn to differentiate between the two and accurately classify new images.

Another aspect of image processing in plant diseases is the quantification of disease severity.By analyzing the extent of damage visible in images, researchers and farmers can assess the severity of the disease outbreak and make informed decisions regarding treatment and control measures. This quantitative analysis is often achieved through techniques such as image segmentation, which partitions the image into regions corresponding to different levels of disease severity.

Furthermore, image processing techniques can be integrated with other technologies such as remote sensing and geographic information systems (GIS) to provide a comprehensive understanding of disease dynamics at a landscape scale. For example, satellite imagery can be used to monitor the spread of diseases over large areas, while GIS tools can help visualizeand analyze spatial patterns of disease occurrence.

6.4 INTERNET OF THINGS IN PLANT DISEASE DETECTION

IoT (Internet of Things) technology has emerged as a game-changer in the realm of plant disease detection, offering a comprehensive and efficient approach to monitor, analyze, and manage crop health. By integrating interconnected devices, sensors, and data analytics platforms, IoT enables real-time monitoring of environmental conditions and disease indicators in agricultural fields. These sensors gather data on factors like temperature, humidity, soil moisture, and plant physiological parameters, providing valuable insights into the health status of crops. Disease-specific sensors detect early signs of infections through indicators like volatile organic compounds (VOCs) emitted by diseased plants or changes in leaf color and texture. This data is transmitted wirelessly to centralized platforms or cloud-based systems using IoT communication protocols, facilitating seamless data aggregation and analysis.

Advanced analytics techniques, including machine learning algorithms, process the data to identify patterns and correlations, enabling predictive modeling of disease outbreaks and timely intervention. Farmers receive actionable insights and recommendations through decision support systems, empowering them to make informed choices regarding disease management strategies. IoT-based solutions also offer remote monitoring and control capabilities, allowing farmers to access real-time data on their smartphones or computers and remotely manage agricultural operations. Scalable and adaptable, IoT in plant disease detection holds promise for revolutionizing agriculture by enhancing crop yields, optimizing resource utilization, and promoting sustainable farming practices.

6.5 FUSION APPROACHES IN PLANT DISEASE DIAGNOSIS

Fusion approaches in plant disease diagnosis represent a cutting-edge strategy that combines multiple data sources, sensors, and analytical techniques to achieve more accurate and comprehensive detection of plant diseases. By integrating information from diverse sources, fusion approaches enhance the reliability and effectiveness of disease diagnosis, ultimately enabling more informed decision-making in agriculture.

These fusion approaches typically involve the combination of data from various modalities, including visual data from imaging sensors, spectral data from spectroscopy or hyperspectralimaging, and biochemical data from molecular assays or biochemical sensors. Each modalityoffers unique insights into different aspects of plant health and disease, and by fusing these data sources, a more holistic understanding of disease presence and severity can be achieved.

For example, imaging sensors can capture visual symptoms of diseases such as leaf discoloration or lesions, while spectral data can provide information about biochemical changes in plants associated with disease stress. Additionally, biochemical data from molecular assays can identify specific pathogens or biomarkers associated with particular diseases. By combining these different types of data, fusion approaches can improve the accuracy of disease diagnosis and enable more targeted and effective disease management strategies.

Furthermore, fusion approaches often leverage advanced analytical techniques such as machine learning and data fusion algorithms to integrate and analyze data from multiple sources. These techniques can extract meaningful patterns and relationships from complex and heterogeneous datasets, facilitating the identification of disease signatures and the development of predictive models for disease detection.

Fusion approaches in plant disease diagnosis hold great promise for advancing agricultural practices by providing more accurate, timely, and comprehensive assessments of crop health. By integrating information from diverse sources and employing advanced analytical techniques, these approaches enable more informed decision-making and ultimately contribute to improved crop yields, reduced economic losses, and sustainable agriculture.

Artificial intelligence (AI) is revolutionizing plant disease detection by leveraging machine learning, deep learning, image processing, Internet of Things (IoT), and fusion approaches. These technologies enable the analysis of plant images, sensor data, and environmental factors to accurately identify diseases and provide real-time recommendations for disease management. By integrating various data sources and advanced algorithms, AI enhances the efficiency and effectiveness of plant disease detection, ultimately improving crop yields and ensuring food security in agriculture.

7. ADVANCEMENT IN PLANT DISEASE DETECTION

Currently, plant disease detection research is carried out mainly in deep learning with advancements in the areas of identification model improvement (IMI), few-shot learning, self-supervised learning, and data augmentation using GAN.

7.1 IDENTIFICATION MODEL IMPROVEMENT (IMI)

One of the primary research advancements in plant disease detection is in the area of identification model improvement (IMI), a model for identifying plant diseases that work with supervised learning and aims to increase accuracy. The models employing CNN transformers and attention mechanisms come under this category. Attention-based models focus more on a specific data part to provide more accurate predictions. Attention approaches consist of various techniques such as Soft Attention, Hard Attention, Dynamic attention, and Self Attention, etc. Regardless of higher accuracy, these techniques are based on supervised learning which relies on a large labeled data sets, and it doesn't provide a solution with limited labeled dataset. In this case, few-shot learning is used where a knowledge transfer happens between source samples to the target with a small labeled data set known as a support set.

7.2 FEW SHORT LEARNING (FSL)

Few-shot learning (FSL) is a machine learning and artificial intelligence technique focusing on training models to make accurate predictions or classifications with a very limited amountof labeled data known as a support set, and researchers are employing FSL in plant disease detection. In traditional machine learning, models often require large data sets to perform well because they learn patterns and relationships from many examples. How ever, collecting and annotating large data sets in real-world scenarios can be expensive, time-consuming, or impractical. Few-shot learning is better than CNN in limited data scenarios, as CNNs require large amounts of labeled data for effective training. When obtainingextensive labeled data sets, such as plant disease data sets, is challenging, few-shot learning can be invaluable. Few-shot learning algorithms can adapt to new classes or categories with only a few examples, allowing models to make accurate predictions with minimal data.

Few shot learning accelerates the prototyping and development of AI systems. It

allows developers to quickly build models for novel tasks without extensive data collection and annotation. In object detection tasks, CNN-based detectors like Faster R-CNN or YOLO require extensive annotated data for each object class. Few-shot learning can reduce the annotation burden by enabling the model to learn about new object classes with just a few examples, making it more practical for real-world applications. Few-shot learning also has one disadvantage: it performs well if the support set is similar to the source data set; otherwise, the performance degrades substantially.

7.3 SELF SUPERVISED LEARNING (SSL)

Self Supervised Learning (SSL) is a method that uses the underlying information that humans use to understand certain data types for example, we can easily identify a picture of a dog and a cat and can differentiate between them without having any large data set. SSL makes predictions on unlabeled data to classify them into a particular category. It trains unlabeled data by fine-tuning and applying changes by keeping the original data at hand [103] This way, SSL manages to label certain data types using the structures available within the data. This feature of SSL can be very handy in classifying plant diseases as we can modify the available data sets and use them to group the diseases. There is a lack of labeled data in agriculture and farming. In contrast, plenty of unlabeled data is available, so SSL can be used to pre-train these unlabelled data by using the labeled data for fine-tuning and then classifying all these data. SSL is better than other supervised learning methods as SSL data is unlabeled, and labeling data is very expensive and tedious. The models in SSL are pre- trained and modified on small data sets for specific disease detection. SSL can easily grasp the pattern, structure, and features of an infected plant picture, and it can then use that to detect and identify more infected plant images by training the picture. Contrastive learning method for Leaf disease identification with domain Adaptation (CLA) can be used for leaf disease identification. It works in two stages. The first stage includes pre-training unlabeled data; in the second stage, the labeled data is finely tuned

7.4 DATA AUGMENTATION

The analysis of Agricultural images for plant disease detection is a very complicated task because of the variety of species and complex backgrounds of plants. To address this issue, there is a requirement for a huge image dataset of plants for different types of environments and conditions in the field. Again, this task is cumbersome as collecting large datasets of images and annotation is not easy. This becomes a bottleneck for plant disease detection while using Deep learning algorithms. In such a scenario, data augmentation can be crucial in algorithmically generating images and increasing data sets, drastically boosting the DL model performance.

Since 2014, Generative Adversarial Network (GAN) has been employed as a data augmentation technique, especially for an agricultural domain, which generates almost realistic images. GAN is a deep learning architecture that consists of two neural networks (Generator and Discriminator) working against each other in a zero-sum game framework. The main objective of GANs is to generate new, synthetic data that resembles input data or some known data distribution. A big challenge that most neural networks face is that these networks can easily be misled by adding a bit of noise to the input data. Still, on the contrary, note that even after adding noise, the GANs model has more conviction in wrong predictions than when it correctly predicted them. The reason is that most of the ML models are trained/learned from a very small set of data. Hence, it is a major disadvantage as it is easy to overfit these models. Also, the mapping from the input to the output is very linear. SSL can be better than data augmentation with GAN when we have limited access to data(as specific disease data are hard to obtain).

Generative Adversarial Networks (GANs) consist of Generator and Discriminator models. The generator is being trained, but the discriminator remains idle. In this process, the generator generates counterfeit data. The discriminator then trains itself on the counterfeit data produced by the generator. As a result, we can get its predictions and use the results for training the Generator and getting better from the current state to try to mislead the Discriminator. The discriminator is being trained, the generator remains idle, the network proceeds forward, and no back-propagation is done. In this process, the discriminator is

trained on counterfeit data generated from the generator and then tested to see if it can correctly predict them as fake.

Advancements in plant disease detection include model improvements through techniques such as few-shot learning, self-supervised learning, data augmentation, and generative adversarial networks (GANs). Few-shot learning enables models to learn from a small number of examples, enhancing their ability to identify new diseases efficiently. Self-supervised learning allows models to leverage unlabeled data for training, improving their performance and generalization. Data augmentation techniques enhance the diversity and quantity of training data, leading to more robust models. Generative adversarial networks aid in generating synthetic data, augmenting the training dataset and improving the model's ability to generalize to new scenarios. These advancements collectively contribute to more accurate and effective plant disease identification models, benefiting agricultural practices and food security efforts.

8. CHALLENGES IN AI FOR PLANT DISEASE DETECTION

In the realm of plant disease detection, AI faces challenges such as limited labeled datasets, diverse disease manifestations, and environmental variability. Additionally, deploying AI models in resource-constrained agricultural settings presents infrastructure and accessibility hurdles. Overcoming these challenges requires robust data collection, model generalization, and user-friendly implementation to effectively combat plant diseases and ensure global food security.

1. Limited Availability of Real-time Datasets

The development of AI models for real-time plant disease detection is hindered by the scarcity of datasets that provide up-to-date and relevant information.

2. Lack of Standardized Datasets

The absence of standardized datasets makes it challenging to compare and benchmark the performance of different AI systems accurately.

3. Complex and Diverse Backgrounds

Plant disease detection often involves distinguishing symptoms on plants from complex and diverse natural back grounds, which poses a significant challenge for AI algorithms.

4. Close-distance Data Capture

Acquiring high-quality data from close distances to identify small-sized disease symptoms requires specialized equipment and techniques, adding complexity to the process.

5. Identifying Small-sized Symptoms

Accurately detecting small-sized disease symptoms can be particularly challenging for AI systems, as these may be easily overlooked.

6. Disease Progression and Inter-class Similarity

Distinguishing between disease progression stages and addressing inter-class similarity issues require more sophisticated AI algorithms.

7. Computational Challenges with Large Datasets:

Processing large-scale datasets for training AI models presents computational challenges that must be overcome for efficient disease detection.

8. Real-time Field Detection

Conducting real-time dis ease detection in the field demands high-speed processing and robustness against environmental variations.

9. Impact of Environmental Factors

Environmental factors such as weather conditions and soil quality can influence the accuracy of disease detection, necessitating AI models to account for these variables.

10. Integration of Multi-modal Data

Integrating data from various sources, such as images, sensors, and climate data, requires advanced techniques to create a holistic approach to disease detection.

Challenges in AI for plant disease detection include limited access to diverse and annotated datasets, variations in environmental conditions affecting disease manifestation, and the need for models to generalize across different plant species and growth stages. Additionally, deploying AI solutions in resource-constrained agricultural settings presents infrastructural and technological hurdles, while ensuring real-time and accurate disease diagnosis remains a challenge. Balancing model complexity with computational efficiency and interpretability is also crucial for practical deployment and acceptance by end-users in the agriculture.

9. CONCLUSION

This paper discusses the farmers' challenges and their AI-based solutions. AI has many applications in the agriculture sector, which this article reviews. Plant diseases and pests negatively impact the agriculture sector worldwide. In this article, an extensive analysis of recent research on detecting plant disease using various AI techniques is done. It highlights the challenges that must be discussed to provide real-time solutions for early disease detection. Plant diseases pose a significant threat to the global agricultural sector. Although AI-based solutions have seen rapid growth, several challenges must be addressed before developing high performance, real-time Plant Disease Detection solutions.

10.BIBLIOGRAPHY

Websites

[1] https://www.frontiersin.org/journals/plantscience/articles/10.3389/fpls.2023.1158933
(Accessed on date: 18/01/24,3.30 pm)

[2] https://www.geeksforgeeks.org/self-supervised-learning-ssl (Accessed on date:23/01/24,
7.30 pm)

[3] https://www.geeksforgeeks.org/introduction-deep-learning/
(Accessed on date:24/01/24,4.40pm)

[4] https://www.sciencedirect.com/science/article/pii/S2665917423001484
(Accessed on date:25/01/24,9.00pm)

*[5] https://graindatasolutions.com/data-science-artificial-intelligence-applications-
agricultural-practices-opportunities-challenges/* (Accessed on date:03/02/24,6.00pm)

Books

[1] H. Guo, Y. Xia, J. Jin, and C. Pan, ''The impact of climate change on the efficiency of agricultural production in the world's main agricultural regions,'' Environ. Impact Assessment Rev., vol. 97, Nov. 2022, Art. no. 106891

[2] R. Zhao, Y. Zhu, and Y. Li, ''CLA: A self-supervised contrastive learning method for leaf disease identification with domain adaptation,'' Comput. Electron. Agricult., vol. 211, Aug. 2023, Art. no. 107967

[3] C. K. Sunil, C. D. Jaidhar, and N. Patil, ''Tomato plant disease classification using multilevel feature fusion with adaptive channel spatial and pixel attention mechanism,'' Exp. Syst. Appl., vol. 228, Oct. 2023, Art. no. 120381.

[4] R. R. Patil and S. Kumar, ''Predicting rice diseases across diverse agro-meteorological conditions using an artificial intelligence approach,'' PeerJ Comput. Sci., vol. 7, p. e687, Sep. 2021.

[5] S. Rahi, ''Research design and methods: A systematic review of research paradigms, sampling issues and instruments development,'' Int. J. Econ. Manag. Sci., vol. 6, no. 2, pp. 1–5, 2017.