Cybersecurity Incident Report: Network Traffic Analysis

Part 1: Provide a summary of the problem found in the DNS and ICMP traffic log.

As part of the DNS protocol, the UDP protocol was used to contact the DNS server to retrieve the IP address for the domain name of yummyrecipesforme.com. The ICMP protocol was used to respond with an error message, indicating issues contacting the DNS server. The UDP message going from the browser to the DNS server is shown in the first two lines of every log event. The ICMP error response from the DNS server to the browser is displayed in the third and fourth lines of every log event with the error message, "UDP Port 53 unreachable." Since port 53 is associated with DNS protocol traffic, we know this is an issue with the DNS server. Issues with performing the DNS protocol are further evident because the plus sign after the query identification number 35084 indicates flags with the UDP message and the "A?" symbol indicates flags with performing DNS protocol operations. Due to the ICMP error response message about port 53, it is highly likely that the DNS server is not responding. This assumption is further supported by the flags associated with the outgoing UDP message and domain name retrieval.

Part 2: Explain your analysis of the data and provide at least one cause of the incident.

Time incident occurred: 1324

Explain how the IT team became aware of the incident: Customers notified the organization that they received the message "destination port unreachable" when they attempted to visit the website yummyrecipesforme.com

Explain the actions taken by the IT department to investigate the incident: The cybersecurity team providing IT services to their client organization are currently investigating the issue so customers can access the website again. In our investigation into the issue, we conducted packet sniffing tests using topdump.

Note key findings of the IT department's investigation (i.e., details related to the port affected, DNS server, etc.): In the resulting log file, we found that DNS port 53 was unreachable. The next step is to identify whether the DNS server is down or traffic to port 53 is blocked by the firewall.

Note a likely cause of the incident: The DNS server might be down due to a successful Denial of Service attack or a misconfiguration.