

Math 110BH Homework 8

Nathan Solomon

March 1, 2024

1

Let F be a free (left) R -module with basis $\{x_1, x_2, \dots, x_n\}$ and let M be an R -module. Prove that for any elements $m_1, m_2, \dots, m_n \in M$, there is a unique R -module homomorphism $f : F \rightarrow M$ such that $f(x_i) = m_i$ for all i .

2

Let $f : M \rightarrow N$ be a surjective homomorphism of (left) R -modules. Prove that if N is free, there is a homomorphism of (left) R -modules $g : N \rightarrow M$ such that $f \circ g$ is the identity of N .

3

Let f be a linear operator in a vector space V over \mathbb{R} such that $f(f(v)) = -v$ for all $v \in V$. Prove that V has the structure of a vector space over \mathbb{C} such that $iv = f(v)$ for all $v \in V$.

4

Show that a submodule of a cyclic module over a PID is also cyclic.

5

Let a and b be nonzero elements of a PID R . Prove that $R/aR \oplus R/bR \cong R/cR \oplus R/dR$, where c is a least common multiple and d is a greatest common divisor of a and b .

6

Let M be a finitely generated torsion module over a PID R and let $n = |\text{IF}(M)|$. Prove that M can be generated by n elements and cannot be generated by fewer than n elements.

7

A module is called *indexomposable* if it is not equal to the direct sum of its nonzero submodules. Prove that a finitely generated module M over a PID R is indexomposable if and only if $M \cong R$ or $M \cong R/P^n$, where P is a prime ideal of R and $n \geq 0$.

8

Let n be an integer. Prove that every abelian group A with $nA = 0$ has the structure of a $\mathbb{Z}/n\mathbb{Z}$ -module.

9

Classify all finite $\mathbb{Z}/n\mathbb{Z}$ -modules up to isomorphism. (Hint: Use the classification of finite abelian groups.)

10

Let M be a subgroup of a free abelian group F of finite rank. Suppose that $M \cap pF = pM$ for all prime integers p . Prove that the quotient group F/M is free.