Q1. Write a C++ program to take the month in number and print the name of the month.

```
//862041_Naveen Kumar Tyagi
#include<iostream>
using namespace std;
int main(){
  int num; //declaration of variable that will be used to store month number
  cout<<"Enter month in number: "<<endl;</pre>
  cin>>num; // store entered number in num
  //switch statement to print month name corresponding to number
  switch(num){
     case 1:cout<<"January";</pre>
     break;
    case 2:cout<<"February";</pre>
     break;
     case 3:cout<<"March";</pre>
     break;
     case 4:cout<<"April";</pre>
     break;
     case 5:cout<<"May";</pre>
     break;
     case 6:cout<<"June";</pre>
     break;
     case 7:cout<<"July";</pre>
     break;
     case 8:cout<<"August";</pre>
     break;
     case 9:cout<<"September";</pre>
     break;
     case 10:cout<<"October";</pre>
     break;
     case 11:cout<<"November";</pre>
     case 12:cout<<"December";</pre>
     break;
  return 0;
}
```


```
≥ Windows PowerShell
PS C:\Users\navee\Desktop\c++\assignment3> .\Q1.exe
Enter month in number:
4
April
PS C:\Users\navee\Desktop\c++\assignment3>
```

Q2. Any character is entered through the keyboard, write a program to determine whether the character entered is a capital letter, a small case letter, a digit or a special symbol.

The following table shows the range of ASCII values for various characters.

```
A - Z = 65 - 90
a - z = 97 - 122
0 - 9 = 48 - 57
special symbols = 0 - 47, 58 - 64, 91 - 96, 123 - 127
Code:
//862041_Naveen Kumar Tyagi
#include<iostream>
using namespace std;
int main (){
       char ch; //declaration of variable ch with datatype character
       cout<<"Enter any character:";</pre>
       cin>>ch; //store entered value in ch
   //if statement to tell entered character is a special symbol
  if ((ch>0 \&\& ch<=47)||(ch>=58 \&\& ch<=64)||(ch>=91 \&\& ch<=96)||(ch>=123 \&\& ch<=127)){
               cout<<"\nCharacter is a special symbol";</pre>
  // else if statement to tell entered Character is a digit
  else if (ch>=48 && ch<=57){
               cout<<"\nCharacter is a digit";</pre>
  }
  // else if statement to tell entered Character is a capital letter
       else if (ch>=65 && ch<=90){
               cout<<"\nCharacter is a capital letter";</pre>
       }
  // else if statement to tell entered Character is a small letter
       else if (ch>=97 && ch<=122){
               cout<<"\nCharacter is a small letter";</pre>
       }
```

```
return 0;
}
```



- Q3. A certain grade of steel is graded according to the following conditions:
- (i) Hardness must be greater than 50
- (ii) Carbon content must be less than 0.7
- (iii) Tensile strength must be greater than 5600

The grades are as follows:

Grade is 10 if all three conditions are met

Grade is 9 if conditions (i) and (ii) are met

Grade is 8 if conditions (ii) and (iii) are met

Grade is 7 if conditions (i) and (iii) are met

Grade is 6 if only one condition is met

Grade is 5 if none of the conditions are met


Write a program, which will require the user to give values of hardness, carbon content and tensile strength of the steel under consideration and output the grade of the steel

```
//862041_Naveen Kumar Tyagi
#include<iostream>
using namespace std;
int main(){
    float hardness,c_content,ten_str; //declaration of required variables in this context
    cout<<"This program is to determine grade of steel.";
    cout<<"\nEnter hardness: ";
    cin>>hardness; //store steel hardness in var. hardness

cout<<"\nEnter carbon content: ";
    cin>>c_content; //store steel carbon content in var. c_content
```

```
cout<<"\nEnter tensile strength: ";</pre>
cin>>ten_str;
                         //store steel tensile strength in var. ten_str
// if statements to print grade of steel corresponds to conditions satisfied
if((hardness>50)&&(c_content<0.7)&&(ten_str>5600)){
  cout<<"\nGrade is "<<10;</pre>
}
else if((hardness>50)&&(c_content<0.7)){
  cout<<"\nGrade is "<<9;</pre>
}
else if((c_content<0.7)&&(ten_str>5600)){
  cout<<"\nGrade is "<<8;
}
else if((hardness>50)&&ten_str>5600){
  cout<<"\nGrade is "<<7;
}
else if((hardness>50)||(c_content<0.7)||(ten_str>5600)){
  cout<<"\nGrade is "<<6;</pre>
}
else{
  cout<<"\nGrade is "<<5;</pre>
  }
return 0;
```

}



Q4. A library charges a fine for every book returned late. For the first 5 days the fine is 50 paise per day, for 6-10 days the fine is one rupee per day and above 10 days the fine is 5 rupees per day. If you return the book after 30 days your membership will be cancelled. Write a program to accept the number of days the member is late to return the book and display the fine or the appropriate message.

```
//862041_Naveen Kumar Tyagi
#include<iostream>
using namespace std;
int main(){
  int days; //variable declaration
  float fine;//variable declaration
  cout<<"Enter number of days the member is late to return the book: ";</pre>
  cin>>days; //store entered in number in days
  //if statement to print fine and info about membership if if days<5
  if(days \le 5)
     fine=0.5*days;
     cout<<"\nFine is "<<fine<<" Rs.";
     cout<<"\nMembership is not cancelled.";</pre>
  }
  //else if statement to print fine and info about membership if if 5<days<10
  else if((days >= 6)&&(days <= 10)){
     fine=0.5*5 + 1*(days-5);
     cout<<"\nFine is "<<fine<<" Rs.";
     cout<<"\nMembership is not cancelled.";</pre>
  }
```

```
//else if statement to print fine and info about membership if if 10<days<30
else if((days>=10)&&(days<=30)){
    fine=0.5*5 +1*5 + 5*(days-10);
    cout<<"\nFine is "<<fine<<" Rs.";
    cout<<"\nMembership is not cancelled.";
}

//else statement to print fine and info about membership if if days>30
else{
    fine=0.5*5 +1*5 + 5*(days-10);
    cout<<"\nFine is "<<fine<<" Rs.";
    cout<<"\nMembership is cancelled.";
}

return 0;
}</pre>
```

```
**Mindows PowerShell

PS C:\Users\navee\Desktop\c++\assignment3> \.\Q4.exe
Enter number of days the member is late to return the book: 23

Fine is 72.5 Rs.

Weither is 1s not cancelled.
PS C:\Users\navee\Desktop\c++\assignment3>
```

Q5. If a three digit number is input through the keyboard, write a C++ program to reverse the number. Find if the given number is a palindrome or not.

```
//862041_Naveen Kumar Tyagi
#include<iostream>
using namespace std;
int main(){
  int num,d1,d2,d3,rev_num; //declaration of variables
  cout<<"Enter a three digit number: ";</pre>
  cin>>num;
                //store entered number in num
  d1=num/100; //store first digit in d1
  d2=(num/10)%10;// store second digit in d2
  d3=num%10; //store third digit in d3
  rev_num=d3*100+d2*10+d1;
                                    //store Reverse of given number in rev_num
  cout<<"\nReverse of given number: "<<rev_num;</pre>
  //if else statements to print whether the given number is palindrome or not
  if(num==rev_num){
     cout<<"\nGiven number is palindrome.";</pre>
  }
  else{
     cout<<"\nGiven number is not palindrome.";</pre>
  }
return 0;
```

Q6. Write a program that reads an integer -n (decimal number system) and convert this decimal number to Binary, Octal, and Hexadecimal form.

```
//862041_Naveen Kumar Tyagi
#include<iostream>
using namespace std;
int main(){
  int num,bin[100],i,num_bin;//declaration of variables,here bin[100] will store array of values
  cout<<"Enter a number: ";</pre>
                        //store entered number in num
  cin>>num:
  num_bin=num;
                          // store num in num_bin so that num_bin can be used to get binary form
without affecting num value
  for(i=0;num_bin>0;i++){ //for loop to convert dec number in binary form
    bin[i]=num bin%2; //remainder will store in array
    num_bin=num_bin/2;
  }
  cout<<"\nNumber in binary form: ";</pre>
  for(i=i-1;i>=0;i--){ // for loop to print binary form of given number
  cout<<bin[i];</pre>
  }
  cout<<"\nNumber in octal form: "<<std::oct<<num;</pre>
                                                           //print given number in octal form
  cout<<"\nNumber in hexadecimal form: "<<std::hex<<num; // print given number in hexadecimal
form
  return 0;
}
```

