

CIAM/SGO Automation PDF Report

Nov 3, 2022, 7:13:38 PM

Start : Nov 03, 6:55:56.827 PM

End : Nov 03, 7:13:36.335 PM

Duration : 17 m 39.508 s

Features

Scenarios

Steps

PASSED - 8

FAILED - 3

SKIPPED - 0

PASSED - 20




FAILED - 4

SKIPPED - 0

PASSED - 285

FAILED - 4


SKIPPED - 21




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>New_Bank_US05 05 Account Details Test</u>	32.148 s	1	1	0	0	9	9	0	0
<u>New_Bank_US03 03 Forget Password Test</u>	1 m 43.287 s	3	3	0	0	28	28	0	0
<u>New_Bank_US02 02 Login Test</u>	53.923 s	2	2	0	0	18	18	0	0
<u>New_Bank_US09 09 MyDevices Test</u>	1 m 11.143 s	2	2	0	0	29	29	0	0
<u>New_Bank_US01 01 Open An Account Test</u>	1 m 38.623 s	4	3	1	0	40	37	1	2
<u>New_Bank_US11 11 Utilities/Pay a Bill Test</u>	2 m 44.654 s	2	2	0	0	22	22	0	0
<u>New_Bank_US07 07 Preferences Test</u>	30.720 s	1	1	0	0	11	11	0	0
<u>New_Bank_US08 08 Privacy And Consent Test</u>	29.163 s	1	1	0	0	11	11	0	0
<u>New_Bank_US06 06 Profile Items Test</u>	3 m 46.820 s	3	2	1	0	84	73	1	10
<u>New_Bank_US04 04 Terms And Conditions Test</u>	51.631 s	2	2	0	0	16	16	0	0
<u>New_Bank_US12 12 Transfer/Send Money Test</u>	3 m 16.663 s	3	1	2	0	42	31	2	9

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@US05	1	1	0	0	1	1	0	0
@account-details	1	1	0	0	1	1	0	0
@new-bank	24	20	4	0	11	8	3	0
@US03	3	3	0	0	1	1	0	0
@forgot-password-valid	2	2	0	0	1	1	0	0
@forgot-password-invalid	1	1	0	0	1	1	0	0
@US02	2	2	0	0	1	1	0	0
@login	2	2	0	0	1	1	0	0
@add-and-delete-email-mfa	1	1	0	0	1	1	0	0
@US09	2	2	0	0	1	1	0	0
@set-nickname-mfa-device	1	1	0	0	1	1	0	0
@US01	4	3	1	0	1	0	1	0
@open-an-account-govt-id	2	1	1	0	1	0	1	0
@open-an-account-email-mfa	2	2	0	0	1	0	1	0
@pay-a-bill-utilities	1	1	0	0	1	1	0	0
@US11	2	2	0	0	1	1	0	0
@pay-a-bill-dashboard	1	1	0	0	1	1	0	0


Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@preferences	1	1	0	0	1	1	0	0
@US07	1	1	0	0	1	1	0	0
@privacy-and-consent	1	1	0	0	1	1	0	0
@US08	1	1	0	0	1	1	0	0
@US06	3	2	1	0	1	0	1	0
@update-personal-information	2	1	1	0	1	0	1	0
@update-email-firstname-lastname-mobile	1	0	1	0	1	0	1	0
@update-firstname-lastname-mobile	1	1	0	0	1	0	1	0
@update-all-location-details	1	1	0	0	1	0	1	0
@update-address-details	1	1	0	0	1	0	1	0
@US04	2	2	0	0	1	1	0	0
@terms-and-condition-govt	1	1	0	0	1	1	0	0
@terms-and-condition-email-mfa	1	1	0	0	1	1	0	0
@US12	3	1	2	0	1	0	1	0
@pay-a-bill-make-a-payment-valid	1	0	1	0	1	0	1	0
@pay-a-bill-make-another-payment-valid	1	0	1	0	1	0	1	0
@pay-a-bill-invalid	1	1	0	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>New_Bank_US05 05 Account Details Test</u>	1	1	0	0	32.148 s
2	<u>New_Bank_US03 03 Forget Password Test</u>	3	3	0	0	1 m 43.287 s
3	<u>New_Bank_US02 02 Login Test</u>	2	2	0	0	53.923 s
4	<u>New_Bank_US09 09 MyDevices Test</u>	2	2	0	0	1 m 11.143 s
5	<u>New_Bank_US01 01 Open An Account Test</u>	4	3	1	0	1 m 38.623 s
6	<u>New_Bank_US11 11 Utilities/Pay a Bill Test</u>	2	2	0	0	2 m 44.654 s
7	<u>New_Bank_US07 07 Preferences Test</u>	1	1	0	0	30.720 s
8	<u>New_Bank_US08 08 Privacy And Consent Test</u>	1	1	0	0	29.163 s
9	<u>New_Bank_US06 06 Profile Items Test</u>	3	2	1	0	3 m 46.820 s
10	<u>New_Bank_US04 04 Terms And Conditions Test</u>	2	2	0	0	51.631 s




#	Feature Name	T	P	F	S	Duration
11	<u>New_Bank_US12 12 Transfer/Send Money Test</u>	3	1	2	0	3 m 16.663 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>New_Bank_US05 05 Account Details Test</u>	<u>US05-01 New_Bank: Account details should be appeared as expected</u>	9	9	0	0	32.135 s
2	<u>New_Bank_US03 03 Forget Password Test</u>	<u>US03-01 New_Bank: User can able to get a link to setup a new password in case user forgets password</u>	11	11	0	0	40.725 s
3	<u>New_Bank_US03 03 Forget Password Test</u>	<u>US03-02 New_Bank: User shouldn't able to setup a new forget password if user doesn't meet the password policy *</u>	9	9	0	0	33.890 s
4	<u>New_Bank_US03 03 Forget Password Test</u>	<u>US03-03 New_Bank: User shouldn't able to setup a new forget password if user provides invalid recovery token</u>	8	8	0	0	28.466 s
5	<u>New_Bank_US02 02 Login Test</u>	<u>US02-01 New_Bank: Valid user should able to login the new bank application</u>	9	9	0	0	28.821 s
6	<u>New_Bank_US02 02 Login Test</u>	<u>US02-01 New_Bank: Valid user should able to login the new bank application</u>	9	9	0	0	25.025 s

* The feature name and/or scenario name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
7	<u>New_Bank_US09 09 MyDevices Test</u>	<u>US09-01 New_Bank: Create an account then add email as MFA device and delete it</u>	17	17	0	0	36.874 s
8	<u>New_Bank_US09 09 MyDevices Test</u>	<u>US09-02 New_Bank: User can set up nick name for a registered MFA device</u>	12	12	0	0	34.226 s
9	<u>New_Bank_US01 01 Open An Account Test</u>	<u>US01-01 New_Bank: Customer should open a new account by providing Gov.t ID and then verify the QR Code should *</u>	9	6	1	2	53.653 s
10	<u>New_Bank_US01 01 Open An Account Test</u>	<u>US01-01 New_Bank: Customer should open a new account by providing Gov.t ID and then verify the QR Code should *</u>	9	9	0	0	6.762 s
11	<u>New_Bank_US01 01 Open An Account Test</u>	<u>US01-02 New_Bank: Customer should open a new account by providing email for MFA verification and then verify the *</u>	11	11	0	0	25.803 s

* The feature name and/or scenario name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
12	<u>New_Bank_US01 01 Open An Account Test</u>	<u>US01-02 New_Bank: Customer should open a new account by providing email for MFA verification and then verify the *</u>	11	11	0	0	12.209 s
13	<u>New_Bank_US11 11 Utilities/Pay a Bill Test</u>	<u>US11-01 New_Bank: User can able to pay a bill via payment link on utilities option</u>	11	11	0	0	1 m 22.385 s
14	<u>New_Bank_US11 11 Utilities/Pay a Bill Test</u>	<u>US011-02 New_Bank: User can able to pay a bill via payment link on dashboard</u>	11	11	0	0	1 m 22.229 s
15	<u>New_Bank_US07 07 Preferences Test</u>	<u>US07-01 New_Bank: User completes the Preferences check</u>	11	11	0	0	30.719 s
16	<u>New_Bank_US08 08 Privacy And Consent Test</u>	<u>US08-01 New_Bank: User completes the Privacy and Consent Check</u>	11	11	0	0	29.162 s
17	<u>New_Bank_US06 06 Profile Items Test</u>	<u>US06-01 New_Bank: User can able to update FirstName, Lastname, Email and Mobile details</u>	28	17	1	10	1 m 33.580 s

* The feature name and/or scenario name has been cropped to fit in the available space.





#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>New_Bank_US06 06 Profile Items Test</u>	<u>US06-02 New_Bank: User can able to update FirstName, Lastname and Mobile details (Except Email)</u>	28	28	0	0	1 m 5.628 s
19	<u>New_Bank_US06 06 Profile Items Test</u>	<u>US06-03 New_Bank: User can able to update StreetAddress, Country, State, City and ZipCode details</u>	28	28	0	0	1 m 7.484 s
20	<u>New_Bank_US04 04 Terms And Conditions Test</u>	<u>US04-01 New_Bank: T&C link should be worked and information should be appeared as expected</u>	8	8	0	0	45.433 s
21	<u>New_Bank_US04 04 Terms And Conditions Test</u>	<u>US04-02 New_Bank: T&C link should be worked and information should be appeared as expected</u>	8	8	0	0	6.159 s
22	<u>New_Bank_US12 12 Transfer/Send Money Test</u>	<u>US12-01 New_Bank: User can able to Transfer or send money</u>	13	10	1	2	1 m 20.411 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
23	<u>New_Bank_US12 12 Transfer/Send Money Test</u>	<u>US12-01 New_Bank: User can able to make another payment again</u>	18	10	1	7	1 m 21.507 s
24	<u>New_Bank_US12 12 Transfer/Send Money Test</u>	<u>US12-02 New_Bank: User cannot able to Transfer or send money if User doesn't provide the same PayeeAccount *</u>	11	11	0	0	34.521 s

* The feature name and/or scenario name has been cropped to fit in the available space.

New_Bank_US05 05 Account Details Test

PASSED	DURATION - 32.148 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 6:55:56.827 PM // 6:56:28.975 PM /					



US05-01 New_Bank: Account details should be appeared as expected

PASSED	DURATION - 32.135 s		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 6:55:56.840 PM // 6:56:28.975 PM /				
New_Bank_US05 05 Account Details Test				
@US05 @account-details @new-bank				



#	Step / Hook Details	Status	Duration
1	Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK"	PASSED	2.817 s
	User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.		
2	Given User provides access token to Deloitte security page for New Banking App	PASSED	0.630 s
	User is clicked on AccessThroughEntryToken		
	User has provided Access Token		
	User has received the Access to Deloitte		
3	And User verifies the new bank site is accessible	PASSED	0.654 s
	New Bank Page has been appeared as expected		
	Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/		
4	And User waits until the login section appears for new Bank app	PASSED	18.683 s
	Login Section has appeared		
5	Given User provides "newbankregistrationviaemail7" and password for new bank app - static	PASSED	2.494 s
	User has provided username		
	User has provided password		
	User has clicked on Sign-On button		
6	Then User should able to login with "automation" and land on dashboard of new Bank app "positive"	PASSED	2.485 s

#	Step / Hook Details	Status	Duration
	User is registered an account on new Bank app and Firstname is appeared as expected Dashboard page URL is verified		
7	Then User verifies the account details page in all sections User has landed on logged-in Dashboard screen Dashboard URL has been verified Account Details Section has been verified..... Account Number and Branch Code have been verified..... Credit Card 1 has been verified..... Credit Card 2 has been verified..... Credit Card 3 has been verified..... Payments Section: Send Money and Pay a Bill Options have been verified..... Investments Section: Invested in Mutual Funds, Stocks and CryptoCurrency have been verified.....	PASSED	1.064 s
8	And User logs out from new Bank app "positive" User has clicked on Logout arrow button User has clicked on Logout button User has successfully logged-out from the new bank app and landed on welcome page	PASSED	3.050 s
9	Then User terminates all windows of the browser All windows have been terminated by the User	PASSED	0.171 s

New_Bank_US03 03 Forget Password Test

PASSED	DURATION - 1 m 43.287 s	Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0		Steps Total - 28 Pass - 28 Fail - 0 Skip - 0	
/ 6:56:29.077 PM // 6:58:12.364 PM /					



US03-01 New_Bank: User can able to get a link to setup a new password in case user forgets password

<div>PASSED</div>	<div>DURATION - 40.725 s</div>	<div></div>	<div>Steps</div> <div>Total - 11</div> <div>Pass - 11</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 6:56:29.077 PM // 6:57:09.802 PM /</div>				
<div>New_Bank_US03 03 Forget Password Test</div>				
<div>@US03 @forgot-password-valid @new-bank</div>				

#	Step / Hook Details	Status	Duration
1	Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK" User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.	PASSED	0.888 s
2	Given User provides access token to Deloitte security page for New Banking App User is clicked on AccessThroughEntryToken User has provided Access Token User has received the Access to Deloitte	PASSED	0.495 s
3	And User verifies the new bank site is accessible New Bank Page has been appeared as expected Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/	PASSED	0.457 s
4	And User clicks on ForgetPassword link on new Bank app User has clicked on Forget Password Link	PASSED	19.084 s
5	Given User provides "newbankregistrationviaemail5" to forget password page and verifies the UI text information User has switched from Welcome On Board page > Forget Password page User has landed on Forget Password Page Forget Password Page URL has been verified User has provided email to get the recovery code User has clicked on submit forget password to get the recovery code	PASSED	2.217 s
6	Then User lands on setup new password page User has landed on Setup New Password Page Setup Password Page URL has been verified	PASSED	1.088 s
7	Given User should check inbox of "newbankregistrationviaemail5", get the OTP from Mailinator and provide the OTP to Setup Password page User has switched from Setup New Password Page -> Mailinator site User has opened inbox for the registered email User has received the Magic Link - JUST NOW OTP has been received: 5wi8o1ae	PASSED	7.654 s

#	Step / Hook Details	Status	Duration
	User has switched from Mailinator site -> Setup New Password Page User has provide the Recovery code to setup new password page		
8	Then User provides new password, confirm password and submit the form User has provided new Password User has provided confirm new Password User has clicked on Submit forget password form	PASSED	2.556 s
9	Then User should able to login with "automation" and land on dashboard of new Bank app "positive" User is registered an account on new Bank app and Firstname is appeared as expected Dashboard page URL is verified	PASSED	2.513 s
10	And User logs out from new Bank app "positive" User has clicked on Logout arrow button User has clicked on Logout button User has successfully logged-out from the new bank app and landed on welcome page	PASSED	3.519 s
11	Then User terminates all windows of the browser All windows have been terminated by the User	PASSED	0.213 s


US03-02 New_Bank: User shouldn't able to setup a new forget password if user doesn't meet the password policy requirement

PASSED		DURATION - 33.890 s			Steps Total - 9 Pass - 9 Fail - 0 Skip - 0			
/ 6:57:09.917 PM // 6:57:43.807 PM /								
New_Bank_US03 03 Forget Password Test								
@US03 @forgot-password-invalid @new-bank								

#	Step / Hook Details	Status	Duration
1	Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK" User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.	PASSED	0.896 s
2	Given User provides access token to Deloitte security page for New Banking App User is clicked on AccessThroughEntryToken User has provided Access Token User has received the Access to Deloitte	PASSED	0.475 s
3	And User verifies the new bank site is accessible	PASSED	0.229 s

#	Step / Hook Details	Status	Duration
	New Bank Page has been appeared as expected Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/		
4	And User clicks on ForgetPassword link on new Bank app User has clicked on Forget Password Link	PASSED	19.052 s
5	Given User provides "newbankregistrationviaemail6" to forget password page and verifies the UI text information User has switched from Welcome On Board page > Forget Password page User has landed on Forget Password Page Forget Password Page URL has been verified User has provided email to get the recovery code User has clicked on submit forget password to get the recovery code	PASSED	2.325 s
6	Then User lands on setup new password page User has landed on Setup New Password Page Setup Password Page URL has been verified	PASSED	0.571 s
7	Given User should check inbox of "newbankregistrationviaemail6", get the OTP from Mailinator and provide the OTP to Setup Password page User has switched from Setup New Password Page -> Mailinator site User has opened inbox for the registered email User has received the Magic Link - JUST NOW OTP has been received: jjikndel User has switched from Mailinator site -> Setup New Password Page User has provide the Recovery code to setup new password page	PASSED	7.602 s
8	Then User provides invalid new password, confirm password and submit the form User has provided invalid new Password User has provided invalid confirm new Password User has clicked on Submit forget password form Site isn't allowing further as User's password doesn't meet the password policy requirement	PASSED	2.545 s
9	Then User terminates all windows of the browser All windows have been terminated by the User	PASSED	0.167 s



US03-03 New_Bank: User shouldn't able to setup a new forget password if user provides invalid recovery token





#	Step / Hook Details	Status	Duration
1	Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK" User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.	PASSED	1.135 s
2	Given User provides access token to Deloitte security page for New Banking App User is clicked on AccessThroughEntryToken User has provided Access Token User has received the Access to Deloitte	PASSED	0.632 s
3	And User verifies the new bank site is accessible New Bank Page has been appeared as expected Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/	PASSED	0.298 s
4	And User clicks on ForgetPassword link on new Bank app User has clicked on Forget Password Link	PASSED	19.575 s
5	Given User provides "newbankregistrationviaemail7" to forget password page and verifies the UI text information User has switched from Welcome On Board page > Forget Password page User has landed on Forget Password Page Forget Password Page URL has been verified User has provided email to get the recovery code User has clicked on submit forget password to get the recovery code	PASSED	2.076 s
6	Then User lands on setup new password page User has landed on Setup New Password Page Setup Password Page URL has been verified	PASSED	0.620 s
7	Then User provides invalid recovery token for setup new password form User has landed on Setup New Password Page User has provide the Invalid Recovery code to setup new password page User has provided valid new Password User has provided valid confirm new Password User has clicked on Submit forget password form Site isn't allowing further as user has provided the invalid recovery code	PASSED	3.996 s

#	Step / Hook Details	Status	Duration
8	Then User terminates all windows of the browser	PASSED	0.110 s
	All windows have been terminated by the User		

New_Bank_US02 02 Login Test

PASSED	DURATION - 53.923 s	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0		Steps Total - 18 Pass - 18 Fail - 0 Skip - 0	
/ 6:58:12.432 PM // 6:59:06.355 PM /					



US02-01 New_Bank: Valid user should be able to login the new bank application

PASSED	DURATION - 28.821 s		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 6:58:12.433 PM // 6:58:41.254 PM /				
New_Bank_US02 02 Login Test				
@US02 @login @new-bank				

#	Step / Hook Details	Status	Duration
1	Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK"	PASSED	0.926 s
	User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.		
2	Given User provides access token to Deloitte security page for New Banking App	PASSED	0.560 s
	User is clicked on AccessThroughEntryToken		
	User has provided Access Token		
	User has received the Access to Deloitte		
3	And User verifies the new bank site is accessible	PASSED	0.528 s
	New Bank Page has been appeared as expected		
	Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/		
4	And User waits until the login section appears for new Bank app	PASSED	18.764 s
	Login Section has appeared		
5	Given User provides "newbankregistrationviaemail16" and password for new bank app - static	PASSED	2.498 s

#	Step / Hook Details	Status	Duration
	User has provided username User has provided password User has clicked on Sign-On button		
6	Then User should able to login with "automation" and land on dashboard of new Bank app "positive"	PASSED	2.626 s
	User is registered an account on new Bank app and Firstname is appeared as expected Dashboard page URL is verified		
7	Then User checks the invalid login message on login screen "positive"	PASSED	0.001 s
8	And User logs out from new Bank app "positive"	PASSED	2.734 s
	User has clicked on Logout arrow button User has clicked on Logout button User has successfully logged-out from the new bank app and landed on welcome page		
9	Then User terminates all windows of the browser	PASSED	0.156 s
	All windows have been terminated by the User		



US02-01 New_Bank: Valid user should able to login the new bank application

PASSED		DURATION - 25.025 s			Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 6:58:41.330 PM // 6:59:06.355 PM /						
New_Bank_US02 02 Login Test						
@US02 @login @new-bank						



#	Step / Hook Details	Status	Duration
1	Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK"	PASSED	0.924 s
	User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.		
2	Given User provides access token to Deloitte security page for New Banking App	PASSED	0.573 s
	User is clicked on AccessThroughEntryToken User has provided Access Token User has received the Access to Deloitte		
3	And User verifies the new bank site is accessible	PASSED	0.457 s
	New Bank Page has been appeared as expected Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/		
4	And User waits until the login section appears for new Bank app	PASSED	18.937 s

#	Step / Hook Details	Status	Duration
	Login Section has appeared		
5	Given User provides "invaliduserid" and password for new bank app - static User has provided username User has provided password User has clicked on Sign-On button	PASSED	3.365 s
6	Then User should able to login with "automation" and land on dashboard of new Bank app "negative" Skipping the Test as it falls under Negative testing	PASSED	0.001 s
7	Then User checks the invalid login message on login screen "negative" Invalid Username error message has been verified	PASSED	0.587 s
8	And User logs out from new Bank app "negative" Skipping the Test as it falls under Negative testing	PASSED	0.001 s
9	Then User terminates all windows of the browser All windows have been terminated by the User	PASSED	0.155 s

New_Bank_US09 09 MyDevices Test

PASSED	DURATION - 1 m 11.143 s	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0		Steps Total - 29 Pass - 29 Fail - 0 Skip - 0	
/ 6:59:06.471 PM // 7:00:17.614 PM /					

US09-01 New_Bank: Create an account then add email as MFA device and delete it



PASSED	DURATION - 36.874 s		Steps Total - 17 Pass - 17 Fail - 0 Skip - 0	
/ 6:59:06.472 PM // 6:59:43.346 PM /				
New_Bank_US09 09 MyDevices Test				
@add-and-delete-email-mfa @new-bank @US09				

#	Step / Hook Details	Status	Duration
1	Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK"	PASSED	1.078 s

#	Step / Hook Details	Status	Duration
	User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.		
2	Given User provides access token to Deloitte security page for New Banking App	PASSED	1.411 s
	User is clicked on AccessThroughEntryToken		
	User has provided Access Token		
	User has received the Access to Deloitte		
3	And User verifies the new bank site is accessible	PASSED	0.648 s
	New Bank Page has been appeared as expected		
	Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/		
4	And User clicks on OpenAnAccount on new Bank app	PASSED	0.268 s
	User has clicked on Open An New Account		
5	Given User provides the account creation using "EMAIL" and submit	PASSED	1.322 s
	User has clicked on Sign-Up through Email MFA		
6	Given User provides "newbankregistrationviaemail@mailinator.com", "automation", "automation", "newbankregistrationviaemail", "positive" and password for Signup page of new Bank app	PASSED	10.776 s
	Registration via Email Page has been appeared as expected		
	Registration via Email Page URL is verified as expected		
	User has provided the Email address		
	User has provided the FirstName		
	User has provided the LastName		
	User has provided the Username		
	User has provided the password		
	User has provided the confirm password		
	User has enabled the T&C		
	User has clicked on Register button		
	User has landed on Select MFA page and URL has been verified as expected		
	User has skipped the MFA device registration		
7	Then User feeds the test data of new Bank "newbankregistrationviaemail@mailinator.com", "automation", "automation", "positive" to csv file	PASSED	0.041 s
	Test Data is loaded to CSV file in this path:/data/automationFiles/ciamsgo-cucumber-test-framework/TestData/NewBankRegisterEmailMFADData.csv		
8	Then User should able to login with "automation" on new Bank app "positive"	PASSED	2.367 s
	User is registered an account on new Bank app and Firstname is appeared as expected		
	Profile Option page URL is verified		
9	And User clicks on profile option on dashboard page of new Bank app	PASSED	0.207 s
	User has clicked on Profile option link on dashboard		
10	And User clicks on MyDevices tab in account details of new Bank app	PASSED	0.286 s
	MyDevices tab is appeared		

#	Step / Hook Details	Status	Duration
	User has clicked on MyDevices Link		
11	Then User verifies the myDevices page and clicks on add new email as a MFA source	PASSED	3.376 s
	User has navigated to MyDevices screen No Devices has been registered text appeared as expected MyDevices Page URL has been verified User has clicked on add new MFA device Add Email Device Text has been verified Add Text Message Device Text has been verified Add Voice Device Text has been verified Add UnAuthenticator Device Text has been verified Add Biometric Device Text has been verified User has clicked on Add Email MFA device button		
12	And User should check inbox of "newbankregistrationviaemail@mailinator.com", get the OTP from Mailinator and provide the OTP to add MFA device and click on finish	PASSED	8.219 s
	User has switched from MFA Page -> Mailinator site User has opened inbox for the registered email User has received the Magic Link - JUST NOW OTP has been received: 221793 User has switched from Mailinator site -> OTP Section of Add MFA device User has provide the Recovery code to Add MFA device User has clicked on finish button		
13	Then User verifies the availability of email MFA device	PASSED	1.117 s
	MFA devices has been added and appeared as expected		
14	And User deletes the added MFA device	PASSED	0.378 s
	MFA devices has been added and appeared as expected User has clicked on hamburger option on registered MFA email device User has clicked on Delete MFA device		
15	Then User verifies there should not be any MFA device listed	PASSED	0.568 s
	No Devices has been registered text appeared as expected		
16	And User logs out from new Bank app "positive"	PASSED	4.676 s
	User has clicked on Logout arrow button User has clicked on Logout button User has successfully logged-out from the new bank app and landed on welcome page		
17	Then User terminates all windows of the browser	PASSED	0.111 s
	All windows have been terminated by the User		



US09-02 New_Bank: User can set up nick name for a registered MFA device

PASSED	DURATION - 34.226 s		Steps Total - 12 Pass - 12 Fail - 0 Skip - 0	
/ 6:59:43.388 PM // 7:00:17.614 PM /				
New_Bank_US09 09 MyDevices Test				
@set-nickname-mfa-device @new-bank @US09				



#	Step / Hook Details	Status	Duration
1	Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK" User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.	PASSED	0.880 s
2	Given User provides access token to Deloitte security page for New Banking App User is clicked on AccessThroughEntryToken User has provided Access Token User has received the Access to Deloitte	PASSED	1.322 s
3	And User verifies the new bank site is accessible New Bank Page has been appeared as expected Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/	PASSED	0.674 s
4	And User waits until the login section appears for new Bank app Login Section has appeared	PASSED	18.763 s
5	Given User provides "newbankregistrationviaemail20" and password for new bank app - static User has provided username User has provided password User has clicked on Sign-On button	PASSED	3.340 s
6	Then User should able to login with "automation" and land on dashboard of new Bank app "positive" User is registered an account on new Bank app and Firstname is appeared as expected Dashboard page URL is verified	PASSED	3.310 s
7	And User clicks on profile option on dashboard page of new Bank app User has clicked on Profile option link on dashboard	PASSED	0.201 s
8	And User clicks on MyDevices tab in account details of new Bank app MyDevices tab is appeared User has clicked on MyDevices Link	PASSED	0.764 s
9	Then User verifies the Email MFA device should be available MFA devices has been added already and appeared as expected	PASSED	0.579 s

#	Step / Hook Details	Status	Duration
10	Then User setup a random nick name and verifies the updated nick name User has clicked on hamburger option on registered MFA email device User has clicked on Add NickName for MFA device NickName Setup Section has been appeared as expected Random nickname :YYIboycv@84 User has entered the Nick name User has clicked on setup Nick name button NickName has been updated as expected	PASSED	2.062 s
11	And User logs out from new Bank app "positive" User has clicked on Logout arrow button User has clicked on Logout button User has successfully logged-out from the new bank app and landed on welcome page	PASSED	2.189 s
12	Then User terminates all windows of the browser All windows have been terminated by the User	PASSED	0.107 s


New_Bank_US01 01 Open An Account Test

FAILED	DURATION - 1 m 38.623 s	Scenarios Total - 4 Pass - 3 Fail - 1 Skip - 0		Steps Total - 40 Pass - 37 Fail - 1 Skip - 2	
/ 7:00:17.689 PM // 7:01:56.312 PM /					

US01-01 New_Bank: Customer should open a new account by providing Gov.t ID and then verify the QR Code should be generated

<div>FAILED</div> <div>DURATION - 53.653 s</div>		 <table border="1"><thead><tr><th>Step</th><th>Count</th></tr></thead><tbody><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>1</td></tr><tr><td>3</td><td>1</td></tr><tr><td>4</td><td>1</td></tr><tr><td>5</td><td>2</td></tr><tr><td>6</td><td>4</td></tr><tr><td>7</td><td>45</td></tr><tr><td>8</td><td>0</td></tr><tr><td>9</td><td>0</td></tr></tbody></table>	Step	Count	1	1	2	1	3	1	4	1	5	2	6	4	7	45	8	0	9	0	<div>Steps</div> <div>Total - 9</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 2</div> <div></div>
Step	Count																						
1	1																						
2	1																						
3	1																						
4	1																						
5	2																						
6	4																						
7	45																						
8	0																						
9	0																						
/ 7:00:17.689 PM // 7:01:11.342 PM /																							
New_Bank_US01 01 Open An Account Test																							
@US01 @open-an-account-govt-id @new-bank																							

#	Step / Hook Details	Status	Duration
1	Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK" User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.	PASSED	0.951 s
2	Given User provides access token to Deloitte security page for New Banking App User is clicked on AccessThroughEntryToken User has provided Access Token User has received the Access to Deloitte	PASSED	0.575 s
3	And User verifies the new bank site is accessible New Bank Page has been appeared as expected Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/	PASSED	0.638 s
4	And User clicks on OpenAnAccount on new Bank app User has clicked on Open An New Account	PASSED	0.239 s
5	Given User provides the account creation using "GOVT_ID" and submit User has clicked on Sign-Up through Gov.t Issued ID Verification	PASSED	1.422 s
6	Given User provides the "newbankregistrationviagovtid@mailinator.com" to complete the verification "positive" and continue Welcome On Board URL has been verified User has provided the email address User has clicked on T&C check box User has clicked on Continue	PASSED	3.951 s
7	Then User completes Identity Verification for "newbankregistrationviagovtid@mailinator.com" and clicks on continue "positive" org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //*[text()='Verify your Identity']/following::*[contains(text(),'We need to verify your identity.')]//following::*[contains(text(),'This will require scanning your government issued ID such as a Driver License or Passport.')]//following::*[contains(text(),'Please have your ID ready before proceeding and in a well lit environment for best results. ')] (tried for 45 second(s) with 500 milliseconds interval) Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.kPSas)}, goog:chromeOptions: {debuggerAddress: localhost:43323}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:43323/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a3d11190c48e0e15d29a360e8ca8038d at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at Utilities.WaitUtil.elementToBeLocated(WaitUtil.java:29) at StepDefinitions.NewBank.NewBankRegistrationScreenSD. userCompletesIdentityVerificationAndClicksOnContinue(NewBankRegistrationScreenSD.java:113) at ?.User completes Identity Verification for "newbankregistrationviagovtid@mailinator.com" and clicks on continue "positive"(file:///data/automationFiles/ciamsgo-cucumber-test-framework/src/test/java/Features/Banking/newUI/NewBankOpenAnAccount.feature:14) * Not displayable characters are replaced by '?'. 	FAILED	45.202 s

#	Step / Hook Details	Status	Duration
8	Then User clicks waits for QR code to appear along with the secret code "positive"	SKIPPED	0.002 s
9	Then User terminates all windows of the browser	SKIPPED	0.000 s
	<p>AFTER - StepDefinitions.NewBank.NewBankRegistrationScreenSD.testScenarioCondition()</p> <p>Above scenario has been failed. Ref: Attachment</p> <p>PageURL: https://bank.ciam.sandbox.ciamsgo.com/signup-verify</p> <p>Terminated the browser as a failure noticed in above scenario</p> 	PASSED	0.581 s
	<p>AFTER - StepDefinitions.NewBank.NewBankWelcomeScreenSD.testScenarioCondition()</p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.kPSas)}, goog:chromeOptions: {debuggerAddress: localhost:43323}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:43323/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)</p> <p>at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)</p> <p>at StepDefinitions.NewBank.NewBankWelcomeScreenSD.prepareFailureEvidence(NewBankWelcomeScreenSD.java:20)</p> <p>at StepDefinitions.NewBank.NewBankWelcomeScreenSD.testScenarioCondition(NewBankWelcomeScreenSD.java:31)</p>	FAILED	0.003 s
	<p>AFTER - StepDefinitions.NewBank.NewBankProfileOptionsScreenSD.testScenarioCondition()</p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.kPSas)}, goog:chromeOptions: {debuggerAddress: localhost:43323}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:43323/devtoo...,</p>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<pre> se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.NewBank.NewBankProfileOptionsScreenSD.prepareFailureEvidence(NewBankProfileOptionsScreenSD.java:26) at StepDefinitions.NewBank.NewBankProfileOptionsScreenSD.testScenarioCondition(NewBankProfileOptionsScreenSD.java:37) </pre>		
	AFTER - StepDefinitions.Retail.RetailProfileOptionsScreenSD.testScenarioCondition() <pre> org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.kPSasI}, goog:chromeOptions: {debuggerAddress: localhost:43323}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:43323/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Retail.RetailProfileOptionsScreenSD.prepareFailureEvidence(RetailProfileOptionsScreenSD.java:22) at StepDefinitions.Retail.RetailProfileOptionsScreenSD.testScenarioCondition(RetailProfileOptionsScreenSD.java:33) </pre>	FAILED	0.002 s
	AFTER - StepDefinitions.Retail.RetailOctaSignInScreenSD.testScenarioCondition() <pre> org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.kPSasI}, goog:chromeOptions: {debuggerAddress: localhost:43323}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:43323/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, </pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<p>unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Retail.RetailOctaSignInScreenSD.prepareFailureEvidence(RetailOctaSignInScreenSD.java:26) at StepDefinitions.Retail.RetailOctaSignInScreenSD.testScenarioCondition(RetailOctaSignInScreenSD.java:37)</p>		
	<p>AFTER - StepDefinitions.Retail.RetailPrivacyWebFormScreenSD.testScenarioCondition()</p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.kPSasI}, goog:chromeOptions: {debuggerAddress: localhost:43323}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:43323/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Retail.RetailPrivacyWebFormScreenSD.prepareFailureEvidence(RetailPrivacyWebFormScreenSD.java:18) at StepDefinitions.Retail.RetailPrivacyWebFormScreenSD.testScenarioCondition(RetailPrivacyWebFormScreenSD.java:29)</p>	FAILED	0.002 s
	<p>AFTER - StepDefinitions.Retail.RetailWelcomeScreenSD.testScenarioCondition()</p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.kPSasI}, goog:chromeOptions: {debuggerAddress: localhost:43323}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:43323/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,</p>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre>webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Retail.RetailWelcomeScreenSD.prepareFailureEvidence(RetailWelcomeScreenSD.java:21) at StepDefinitions.Retail.RetailWelcomeScreenSD.testScenarioCondition(RetailWelcomeScreenSD.java:32)</pre>		
	<p>AFTER - StepDefinitions.Retail.RetailSignUpScreenSD.testScenarioCondition()</p> <pre>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.kPSasI}, goog:chromeOptions: {debuggerAddress: localhost:43323}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:43323/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Retail.RetailSignUpScreenSD.prepareFailureEvidence(RetailSignUpScreenSD.java:18) at StepDefinitions.Retail.RetailSignUpScreenSD.testScenarioCondition(RetailSignUpScreenSD.java:29)</pre>	FAILED	0.002 s
	<p>AFTER - StepDefinitions.Retail.RetailLoginScreenSD.testScenarioCondition()</p> <pre>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.kPSasI}, goog:chromeOptions: {debuggerAddress: localhost:43323}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:43323/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Retail.RetailLoginScreenSD.prepareFailureEvidence(RetailLoginScreenSD.java:23) at StepDefinitions.Retail.RetailLoginScreenSD.testScenarioCondition(RetailLoginScreenSD.java:34) </pre>		
	<p>AFTER - StepDefinitions.Banking.BankingSignUpEmailSD.testScenarioCondition()</p> <pre> org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.kPSasI}, goog:chromeOptions: {debuggerAddress: localhost:43323}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:43323/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Banking.BankingSignUpEmailSD.prepareFailureEvidence(BankingSignUpEmailSD.java:16) at StepDefinitions.Banking.BankingSignUpEmailSD.testScenarioCondition(BankingSignUpEmailSD.java:27) </pre>	FAILED	0.002 s
	<p>AFTER - StepDefinitions.Banking.BankingProfileOptionsSD.testScenarioCondition()</p> <pre> org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.kPSasI}, goog:chromeOptions: {debuggerAddress: localhost:43323}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:43323/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) </pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Banking.BankingProfileOptionsSD.prepareFailureEvidence(BankingProfileOptionsSD.java:19) at StepDefinitions.Banking.BankingProfileOptionsSD.testScenarioCondition(BankingProfileOptionsSD.java:30)		
	AFTER - StepDefinitions.Banking.BankingLoggedInScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.kPSasI}, goog:chromeOptions: {debuggerAddress: localhost:43323}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:43323/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Banking.BankingLoggedInScreenSD.prepareFailureEvidence(BankingLoggedInScreenSD.java:16) at StepDefinitions.Banking.BankingLoggedInScreenSD.testScenarioCondition(BankingLoggedInScreenSD.java:27)	FAILED	0.002 s
	AFTER - StepDefinitions.Banking.BankingLoginScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.kPSasI}, goog:chromeOptions: {debuggerAddress: localhost:43323}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:43323/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Banking.BankingLoginScreenSD.prepareFailureEvidence(BankingLoginScreenSD.java:15) at StepDefinitions.Banking.BankingLoginScreenSD.testScenarioCondition(BankingLoginScreenSD.java:26) </pre>		
	<p>AFTER - StepDefinitions.Banking.BankingBrokerageAccountSD.testScenarioCondition()</p> <pre> org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.kPSasI}, goog:chromeOptions: {debuggerAddress: localhost:43323}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:43323/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Banking.BankingBrokerageAccountSD.prepareFailureEvidence(BankingBrokerageAccountSD.java:14) at StepDefinitions.Banking.BankingBrokerageAccountSD.testScenarioCondition(BankingBrokerageAccountSD.java:25) </pre>	FAILED	0.002 s
	<p>AFTER - StepDefinitions.Banking.BankingWelcomeScreenSD.testScenarioCondition()</p> <pre> org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.kPSasI}, goog:chromeOptions: {debuggerAddress: localhost:43323}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:43323/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) </pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Banking.BankingWelcomeScreenSD.prepareFailureEvidence(BankingWelcomeScreenSD.java:15) at StepDefinitions.Banking.BankingWelcomeScreenSD.testScenarioCondition(BankingWelcomeScreenSD.java:26)		
	AFTER - StepDefinitions.Banking.BankTransfersSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.kPSasI}, goog:chromeOptions: {debuggerAddress: localhost:43323}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:43323/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Banking.BankTransfersSD.prepareFailureEvidence(BankTransfersSD.java:12) at StepDefinitions.Banking.BankTransfersSD.testScenarioCondition(BankTransfersSD.java:23)	FAILED	0.005 s
	AFTER - StepDefinitions.Banking.BankingTransferScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.kPSasI}, goog:chromeOptions: {debuggerAddress: localhost:43323}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:43323/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Banking.BankingTransferScreenSD.prepareFailureEvidence(BankingTransferScreenSD.java:16) at StepDefinitions.Banking.BankingTransferScreenSD.testScenarioCondition(BankingTransferScreenSD.java:27)		
	AFTER - StepDefinitions.Banking.BankingPaymentsSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.kPSasI}, goog:chromeOptions: {debuggerAddress: localhost:43323}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:43323/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Banking.BankingPaymentsSD.prepareFailureEvidence(BankingPaymentsSD.java:12) at StepDefinitions.Banking.BankingPaymentsSD.testScenarioCondition(BankingPaymentsSD.java:23)	FAILED	0.005 s
	AFTER - StepDefinitions.Health.HealthLoggedInHomeScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.kPSasI}, goog:chromeOptions: {debuggerAddress: localhost:43323}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:43323/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Health.HealthLoggedInHomeScreenSD.prepareFailureEvidence(HealthLoggedInHomeScreenSD.java:26) at StepDefinitions.Health.HealthLoggedInHomeScreenSD.testScenarioCondition(HealthLoggedInHomeScreenSD.java:40)		
	AFTER - StepDefinitions.Health.HealthLoginScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.kPSasI}, goog:chromeOptions: {debuggerAddress: localhost:43323}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:43323/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Health.HealthLoginScreenSD.prepareFailureEvidence(HealthLoginScreenSD.java:20) at StepDefinitions.Health.HealthLoginScreenSD.testScenarioCondition(HealthLoginScreenSD.java:31)	FAILED	0.002 s
	AFTER - StepDefinitions.Health.HealthConfigureRegistrationSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.kPSasI}, goog:chromeOptions: {debuggerAddress: localhost:43323}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:43323/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)	FAILED	0.002 s



#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Health.HealthConfigureRegistrationSD.prepareFailureEvidence(HealthConfigureRegistrationSD.java:14) at StepDefinitions.Health.HealthConfigureRegistrationSD.testScenarioCondition(HealthConfigureRegistrationSD.java:25)		
	AFTER - StepDefinitions.Health.HealthRegisterScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.kPSasI}, goog:chromeOptions: {debuggerAddress: localhost:43323}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:43323/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Health.HealthRegisterScreenSD.prepareFailureEvidence(HealthRegisterScreenSD.java:19) at StepDefinitions.Health.HealthRegisterScreenSD.testScenarioCondition(HealthRegisterScreenSD.java:30)	FAILED	0.002 s
	AFTER - StepDefinitions.Health.HealthWelcomeScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.kPSasI}, goog:chromeOptions: {debuggerAddress: localhost:43323}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:43323/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	at Utilities.CaptureScreen.takeScreenshot(CaptureScreen.java:9) at StepDefinitions.Health.HealthWelcomeScreenSD.prepareFailureEvidence(HealthWelcomeScreenSD.java:15) at StepDefinitions.Health.HealthWelcomeScreenSD.testScenarioCondition(HealthWelcomeScreenSD.java:26)		
	AFTER - StepDefinitions.CommonDefinitions.DeloitteSecurityLayerSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.kPSasI}, goog:chromeOptions: {debuggerAddress: localhost:43323}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:43323/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenshot(CaptureScreen.java:9) at StepDefinitions.CommonDefinitions.DeloitteSecurityLayerSD.prepareFailureEvidence(DeloitteSecurityLayerSD.java:24) at StepDefinitions.CommonDefinitions.DeloitteSecurityLayerSD.testScenarioCondition(DeloitteSecurityLayerSD.java:35)	FAILED	0.002 s
	AFTER - StepDefinitions.CommonDefinitions.BrowserOperationsSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.kPSasI}, goog:chromeOptions: {debuggerAddress: localhost:43323}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:43323/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenshot(CaptureScreen.java:9)	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	at StepDefinitions.CommonDefinitions.BrowserOperationsSD.prepareFailureEvidence(BrowserOperationsSD.java:15) at StepDefinitions.CommonDefinitions.BrowserOperationsSD.testScenarioCondition(BrowserOperationsSD.java:26)		
	AFTER - StepDefinitions.CommonDefinitions.FeedTestDataToFilesSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.kPSasI}, goog:chromeOptions: {debuggerAddress: localhost:43323}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:43323/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.CommonDefinitions.FeedTestDataToFilesSD.prepareFailureEvidence(FeedTestDataToFilesSD.java:19) at StepDefinitions.CommonDefinitions.FeedTestDataToFilesSD.testScenarioCondition(FeedTestDataToFilesSD.java:30)	FAILED	0.002 s
	AFTER - StepDefinitions.CommonDefinitions.GoogleOktaLoginSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.kPSasI}, goog:chromeOptions: {debuggerAddress: localhost:43323}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:43323/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.CommonDefinitions.GoogleOktaLoginSD.prepareFailureEvidence(GoogleOktaLoginSD.java:16)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	at StepDefinitions.CommonDefinitions.GoogleOktaLoginSD.testScenarioCondition(GoogleOktaLoginSD.java:27)		
	AFTER - StepDefinitions.CommonDefinitions.FacebookOktaLoginSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.kPSas)}, goog:chromeOptions: {debuggerAddress: localhost:43323}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:43323/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.CommonDefinitions.FacebookOktaLoginSD.prepareFailureEvidence(FacebookOktaLoginSD.java:17) at StepDefinitions.CommonDefinitions.FacebookOktaLoginSD.testScenarioCondition(FacebookOktaLoginSD.java:28)	FAILED	0.001 s



US01-01 New_Bank: Customer should open a new account by providing Gov.t ID and then verify the QR Code should be generated

<div>PASSED</div> <div>DURATION - 6.762 s</div>		<div><table><thead><tr><th>Step</th><th>Count</th></tr></thead><tbody><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>1</td></tr><tr><td>3</td><td>0.3</td></tr><tr><td>4</td><td>0.3</td></tr><tr><td>5</td><td>0.4</td></tr><tr><td>6</td><td>4.1</td></tr><tr><td>7</td><td>0</td></tr><tr><td>8</td><td>0</td></tr><tr><td>9</td><td>0.2</td></tr></tbody></table></div>	Step	Count	1	1	2	1	3	0.3	4	0.3	5	0.4	6	4.1	7	0	8	0	9	0.2	<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div>9</div></div>
Step	Count																							
1	1																							
2	1																							
3	0.3																							
4	0.3																							
5	0.4																							
6	4.1																							
7	0																							
8	0																							
9	0.2																							
/ 7:01:11.438 PM // 7:01:18.200 PM /																								
New_Bank_US01 01 Open An Account Test																								
@US01 @open-an-account-govt-id @new-bank																								

#	Step / Hook Details	Status	Duration
1	Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK" User has opened the link: https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.	PASSED	0.986 s
2	Given User provides access token to Deloitte security page for New Banking App	PASSED	0.615 s

#	Step / Hook Details	Status	Duration
	User is clicked on AccessThroughEntryToken User has provided Access Token User has received the Access to Deloitte		
3	And User verifies the new bank site is accessible New Bank Page has been appeared as expected Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/	PASSED	0.252 s
4	And User clicks on OpenAnAccount on new Bank app User has clicked on Open An New Account	PASSED	0.266 s
5	Given User provides the account creation using "GOVT_ID" and submit User has clicked on Sign-Up through Gov.t Issued ID Verification	PASSED	0.386 s
6	Given User provides the "pleasedude@mailinator.com" to complete the verification "negative" and continue Welcome On Board URL has been verified User has provided the email address User has clicked on T&C check box User has clicked on Continue pleasedude@mailinator.com has been already registered error message verified	PASSED	4.137 s
7	Then User completes Identity Verification for "pleasedude@mailinator.com" and clicks on continue "negative" Skipping the Test as it falls under Negative testing	PASSED	0.000 s
8	Then User clicks waits for QR code to appear along with the secret code "negative" Skipping the Test as it falls under Negative testing	PASSED	0.001 s
9	Then User terminates all windows of the browser All windows have been terminated by the User	PASSED	0.104 s



US01-02 New_Bank: Customer should open a new account by providing email for MFA verification and then verify the user should be logged-in to the platform

<div>PASSED</div>	<div>DURATION - 25.803 s</div>	<div></div>	<div>Steps</div> <div>Total - 11</div> <div>Pass - 11</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 7:01:18.242 PM // 7:01:44.045 PM /				
New_Bank_US01 01 Open An Account Test				
@US01 @open-an-account-email-mfa @new-bank				

#	Step / Hook Details	Status	Duration
1	Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK" User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.	PASSED	1.542 s
2	Given User provides access token to Deloitte security page for New Banking App User is clicked on AccessThroughEntryToken User has provided Access Token User has received the Access to Deloitte	PASSED	0.435 s
3	And User verifies the new bank site is accessible New Bank Page has been appeared as expected Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/	PASSED	0.687 s
4	And User clicks on OpenAnAccount on new Bank app User has clicked on Open An New Account	PASSED	0.852 s
5	Given User provides the account creation using "EMAIL" and submit User has clicked on Sign-Up through Email MFA	PASSED	0.494 s
6	Given User provides "newbankregistrationviaemail@mailinator.com", "automation", "automation", "newbankregistrationviaemail", "positive" and password for Signup page of new Bank app Registration via Email Page has been appeared as expected Registration via Email Page URL is verified as expected User has provided the Email address User has provided the FirstName User has provided the LastName User has provided the Username User has provided the password User has provided the confirm password User has enabled the T&C User has clicked on Register button User has landed on Select MFA page and URL has been verified as expected User has skipped the MFA device registration	PASSED	10.094 s
7	Then User feeds the test data of new Bank "newbankregistrationviaemail@mailinator.com", "automation", "automation", "positive" to csv file Test Data is loaded to CSV file in this path:/data/automationFiles/ciamsgo-cucumber-test-framework/TestData/NewBankRegisterEmailMFADData.csv	PASSED	0.008 s
8	Then User should able to login with "automation" on new Bank app "positive" User is registered an account on new Bank app and Firstname is appeared as expected Profile Option page URL is verified	PASSED	5.548 s
9	Then Verify the "newbankregistrationviaemail@mailinator.com", "automation", "automation" and "positive" of logged-in user details on new bank app User has landed on Profile Options page in personal details section	PASSED	3.141 s

#	Step / Hook Details	Status	Duration
	Email is appeared as expected Firstname is appeared as expected Lastname is appeared as expected		
10	And User logs out from new Bank app "positive" User has clicked on Logout arrow button User has clicked on Logout button User has successfully logged-out from the new bank app and landed on welcome page	PASSED	2.884 s
11	Then User terminates all windows of the browser All windows have been terminated by the User	PASSED	0.106 s



US01-02 New_Bank: Customer should open a new account by providing email for MFA verification and then verify the user should be logged-in to the platform

PASSED	DURATION - 12.209 s		Steps Total - 11 Pass - 11 Fail - 0 Skip - 0	
/ 7:01:44.103 PM // 7:01:56.312 PM /				
New_Bank_US01 01 Open An Account Test				
@US01 @open-an-account-email-mfa @new-bank				



#	Step / Hook Details	Status	Duration
1	Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK" User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.	PASSED	1.352 s
2	Given User provides access token to Deloitte security page for New Banking App User is clicked on AccessThroughEntryToken User has provided Access Token User has received the Access to Deloitte	PASSED	1.209 s
3	And User verifies the new bank site is accessible New Bank Page has been appeared as expected Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/	PASSED	0.309 s
4	And User clicks on OpenAnAccount on new Bank app User has clicked on Open An New Account	PASSED	0.298 s
5	Given User provides the account creation using "EMAIL" and submit User has clicked on Sign-Up through Email MFA	PASSED	0.348 s

#	Step / Hook Details	Status	Duration
6	<p>Given User provides "pleasedude@mailinator.com", "automation", "automation", "newbankregistrationviaemail", "negative" and password for Signup page of new Bank app</p> <p>Registration via Email Page has been appeared as expected</p> <p>Registration via Email Page URL is verified as expected</p> <p>User has provided the Email address</p> <p>User has provided the firstname</p> <p>User has provided the lastname</p> <p>User has provided the Username</p> <p>User has provided the password</p> <p>User has provided the confirm password</p> <p>User has enabled the T&C</p> <p>User has clicked on Register button</p> <p>"email: is unique but a non-unique value is provided" error message has been verified</p>	PASSED	8.574 s
7	<p>Then User feeds the test data of new Bank "pleasedude@mailinator.com", "automation", "automation", "negative" to csv file</p> <p>Skipping the Test as it falls under Negative testing</p>	PASSED	0.000 s
8	<p>Then User should able to login with "automation" on new Bank app "negative"</p> <p>Skipping the Test as it falls under Negative testing</p>	PASSED	0.001 s
9	<p>Then Verify the "pleasedude@mailinator.com", "automation", "automation" and "negative" of logged-in user details on new bank app</p> <p>Skipping the Test as it falls under Negative testing</p>	PASSED	0.000 s
10	<p>And User logs out from new Bank app "negative"</p> <p>Skipping the Test as it falls under Negative testing</p>	PASSED	0.000 s
11	<p>Then User terminates all windows of the browser</p> <p>All windows have been terminated by the User</p>	PASSED	0.104 s

New_Bank_US11 11 Utilities/Pay a Bill Test

PASSED	DURATION - 2 m 44.654 s	Scenarios		Steps	
/ 7:01:56.353 PM // 7:04:41.007 PM /		Total - 2		Total - 22	
		Pass - 2		Pass - 22	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	



US11-01 New_Bank: User can able to pay a bill via payment link on utilities option

PASSED		DURATION - 1 m 22.385 s			Steps Total - 11 Pass - 11 Fail - 0 Skip - 0			
/ 7:01:56.354 PM // 7:03:18.739 PM /								
New_Bank_US11 11 Utilities/Pay a Bill Test								
@pay-a-bill-utilities @US11 @new-bank								

#	Step / Hook Details	Status	Duration
1	Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK" User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.	PASSED	0.876 s
2	Given User provides access token to Deloitte security page for New Banking App User is clicked on AccessThroughEntryToken User has provided Access Token User has received the Access to Deloitte	PASSED	1.045 s
3	And User verifies the new bank site is accessible New Bank Page has been appeared as expected Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/	PASSED	0.685 s
4	And User waits until the login section appears for new Bank app Login Section has appeared	PASSED	18.260 s
5	Given User provides "newbankregistrationviaemail16" and password for new bank app - static User has provided username User has provided password User has clicked on Sign-On button	PASSED	2.454 s
6	Then User should able to login with "automation" and land on dashboard of new Bank app "positive" User is registered an account on new Bank app and Firstname is appeared as expected Dashboard page URL is verified	PASSED	2.267 s
7	And User clicks on utilities option on dashboard page of new Bank app User has clicked on Utilities option link on dashboard	PASSED	0.240 s
8	And User provides the details of payments like "Verizon", "My Credit Card", "500.98" and click on confirm payment User has landed on Payments/Utilities page Utilities page URL has been verified User has selected a service provider User has selected account type User has provided the amount to transfer	PASSED	7.534 s

#	Step / Hook Details	Status	Duration
	User has clicked on Confirm Payment button		
9	Then User gets the verification code and verify the QR code page UI text QR Code Section has been appeared QR page URL has been verified Verification Code has been generated. CODE:200464	PASSED	1.146 s
10	And User logs out from new Bank app "positive" User has clicked on Logout arrow button User has clicked on Logout button User has successfully logged-out from the new bank app and landed on welcome page	PASSED	47.674 s
11	Then User terminates all windows of the browser All windows have been terminated by the User	PASSED	0.187 s

US011-02 New_Bank: User can able to pay a bill via payment link on dashboard

PASSED	DURATION - 1 m 22.229 s	 <table border="1"><caption>Step Durations (Estimated)</caption><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>1</td></tr><tr><td>3</td><td>1</td></tr><tr><td>4</td><td>19</td></tr><tr><td>5</td><td>2</td></tr><tr><td>6</td><td>2</td></tr><tr><td>7</td><td>1</td></tr><tr><td>8</td><td>8</td></tr><tr><td>9</td><td>1</td></tr><tr><td>10</td><td>47</td></tr><tr><td>11</td><td>1</td></tr></tbody></table>	Step	Duration (s)	1	1	2	1	3	1	4	19	5	2	6	2	7	1	8	8	9	1	10	47	11	1	<div>Steps</div> <div>Total - 11</div> <div>Pass - 11</div> <div>Fail - 0</div> <div>Skip - 0</div> <div><div>11</div></div>
Step	Duration (s)																										
1	1																										
2	1																										
3	1																										
4	19																										
5	2																										
6	2																										
7	1																										
8	8																										
9	1																										
10	47																										
11	1																										
/ 7:03:18.778 PM // 7:04:41.007 PM /																											
New_Bank_US11 11 Utilities/Pay a Bill Test																											
@US11 @pay-a-bill-dashboard @new-bank																											

#	Step / Hook Details	Status	Duration
1	Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK" User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.	PASSED	0.894 s
2	Given User provides access token to Deloitte security page for New Banking App User is clicked on AccessThroughEntryToken User has provided Access Token User has received the Access to Deloitte	PASSED	0.545 s
3	And User verifies the new bank site is accessible New Bank Page has been appeared as expected Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/	PASSED	0.344 s
4	And User waits until the login section appears for new Bank app Login Section has appeared	PASSED	18.738 s
5	Given User provides "newbankregistrationviaemail16" and password for new bank app - static	PASSED	2.211 s



#	Step / Hook Details	Status	Duration
	User has provided username User has provided password User has clicked on Sign-On button		
6	Then User should able to login with "automation" and land on dashboard of new Bank app "positive" User is registered an account on new Bank app and Firstname is appeared as expected Dashboard page URL is verified	PASSED	2.444 s
7	And User clicks on pay a bill option on dashboard page of new Bank app User has clicked on Pay A Bill option link on dashboard	PASSED	0.242 s
8	And User provides the details of payments like "Alliant Gas", "My Savings Account", "100" and click on confirm payment User has landed on Payments/Utilities page Utilities page URL has been verified User has selected a service provider User has selected account type User has provided the amount to transfer User has clicked on Confirm Payment button	PASSED	7.480 s
9	Then User gets the verification code and verify the QR code page UI text QR Code Section has been appeared QR page URL has been verified Verification Code has been generated. CODE:055470	PASSED	1.144 s
10	And User logs out from new Bank app "positive" User has clicked on Logout arrow button User has clicked on Logout button User has successfully logged-out from the new bank app and landed on welcome page	PASSED	48.071 s
11	Then User terminates all windows of the browser All windows have been terminated by the User	PASSED	0.106 s

New_Bank_US07 07 Preferences Test

PASSED	DURATION - 30.720 s	Scenarios		Steps	
/ 7:04:41.071 PM // 7:05:11.791 PM /		Total - 1		Total - 11	
		Pass - 1		Pass - 11	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	





US07-01 New_Bank: User completes the Preferences check

<div>PASSED</div>	<div>DURATION - 30.719 s</div>	<div></div>	<div>Steps</div> <div>Total - 11</div> <div>Pass - 11</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:04:41.072 PM // 7:05:11.791 PM /</div>				
<div>New_Bank_US07 07 Preferences Test</div>				
<div>@preferences @US07 @new-bank</div>				



#	Step / Hook Details	Status	Duration
1	Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK" with CORS Unblock Plugin "BANK_PREF" User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.	PASSED	0.907 s
2	Given User provides access token to Deloitte security page for New Banking App User is clicked on AccessThroughEntryToken User has provided Access Token User has received the Access to Deloitte	PASSED	0.437 s
3	And User verifies the new bank site is accessible New Bank Page has been appeared as expected Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/	PASSED	0.747 s
4	And User waits until the login section appears for new Bank app Login Section has appeared	PASSED	18.622 s
5	Given User provides "newbankregistrationviaemail17" and password for new bank app - static User has provided username User has provided password User has clicked on Sign-On button	PASSED	3.129 s
6	Then User should able to login with "automation" and land on dashboard of new Bank app "positive" User is registered an account on new Bank app and Firstname is appeared as expected Dashboard page URL is verified	PASSED	2.739 s
7	Then User clicks on profile option on dashboard page of new Bank app User has clicked on Profile option link on dashboard	PASSED	0.201 s
8	Then User clicks on Preferences tab in account details of new Bank app Preferences tab is appeared User has clicked on Preferences Link	PASSED	0.806 s
9	And User waits until the Preferences i-frame appears and validate the details for new Bank app User has navigated to Preferences screen	PASSED	0.038 s

#	Step / Hook Details	Status	Duration
	Advertisement & Language Preferences is appeared in Preferences Undo Changes button is appeared in Preferences Change Preferences button is appeared in Preferences		
10	And User logs out from new Bank app "positive" User has clicked on Logout arrow button User has clicked on Logout button User has successfully logged-out from the new bank app and landed on welcome page	PASSED	2.970 s
11	Then User terminates all windows of the browser All windows have been terminated by the User	PASSED	0.113 s

New_Bank_US08 08 Privacy And Consent Test

PASSED	DURATION - 29.163 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 11 Pass - 11 Fail - 0 Skip - 0	
/ 7:05:11.839 PM // 7:05:41.002 PM /					



US08-01 New_Bank: User completes the Privacy and Consent Check

PASSED		DURATION - 29.162 s			Steps	
/ 7:05:11.840 PM // 7:05:41.002 PM /		Total - 11				
New_Bank_US08 08 Privacy And Consent Test		Pass - 11				
@privacy-and-consent @US08 @new-bank		Fail - 0				
					Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK" with CORS Unblock Plugin "BANK_PREF" User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.	PASSED	0.804 s
2	Given User provides access token to Deloitte security page for New Banking App User is clicked on AccessThroughEntryToken	PASSED	0.559 s

#	Step / Hook Details	Status	Duration
	User has provided Access Token User has received the Access to Deloitte		
3	And User verifies the new bank site is accessible New Bank Page has been appeared as expected Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/	PASSED	0.325 s
4	And User waits until the login section appears for new Bank app Login Section has appeared	PASSED	18.533 s
5	Given User provides "newbankregistrationviaemail17" and password for new bank app - static User has provided username User has provided password User has clicked on Sign-On button	PASSED	2.207 s
6	Then User should able to login with "automation" and land on dashboard of new Bank app "positive" User is registered an account on new Bank app and Firstname is appeared as expected Dashboard page URL is verified	PASSED	2.597 s
7	Then User clicks on profile option on dashboard page of new Bank app User has clicked on Profile option link on dashboard	PASSED	0.238 s
8	Then User clicks on Privacy and Consent tab in account details of new Bank app Privacy And Consent tab is appeared User has clicked on PrivacyAndConsent Link	PASSED	0.802 s
9	And User waits until the Privacy and Consent i-frame appears and validate the details for new Bank app User has navigated to Privacy And Consent screen Consent Management is appeared in Privacy and Consent Undo Changes button is appeared in Privacy and Consent Change Preferences button is appeared in Privacy and Consent	PASSED	0.036 s
10	And User logs out from new Bank app "positive" User has clicked on Logout arrow button User has clicked on Logout button User has successfully logged-out from the new bank app and landed on welcome page	PASSED	2.879 s
11	Then User terminates all windows of the browser All windows have been terminated by the User	PASSED	0.110 s

New_Bank_US06 06 Profile Items Test

FAILED	DURATION - 3 m 46.820 s	Scenarios Total - 3 Pass - 2 Fail - 1 Skip - 0		Steps Total - 84 Pass - 73 Fail - 1 Skip - 10	
/ 7:05:41.123 PM // 7:09:27.943 PM /					


US06-01 New_Bank: User can able to update FirstName, Lastname, Email and Mobile details

<div>FAILED</div> <div>DURATION - 1 m 33.580 s</div>		 <table border="1"><thead><tr><th>Step</th><th>Count</th></tr></thead><tbody><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>1</td></tr><tr><td>3</td><td>0.5</td></tr><tr><td>4</td><td>0.2</td></tr><tr><td>5</td><td>0.5</td></tr><tr><td>6</td><td>10</td></tr><tr><td>7</td><td>0</td></tr><tr><td>8</td><td>2.5</td></tr><tr><td>9</td><td>3</td></tr><tr><td>10</td><td>2.5</td></tr><tr><td>11</td><td>0.2</td></tr><tr><td>12</td><td>2.5</td></tr><tr><td>13</td><td>2.5</td></tr><tr><td>14</td><td>2.5</td></tr><tr><td>15</td><td>0.2</td></tr></tbody></table>	Step	Count	1	1	2	1	3	0.5	4	0.2	5	0.5	6	10	7	0	8	2.5	9	3	10	2.5	11	0.2	12	2.5	13	2.5	14	2.5	15	0.2	<div>Steps</div> <div>Total - 28</div> <div>Pass - 17</div> <div>Fail - 1</div> <div>Skip - 10</div>	 <div>28</div>
Step	Count																																			
1	1																																			
2	1																																			
3	0.5																																			
4	0.2																																			
5	0.5																																			
6	10																																			
7	0																																			
8	2.5																																			
9	3																																			
10	2.5																																			
11	0.2																																			
12	2.5																																			
13	2.5																																			
14	2.5																																			
15	0.2																																			
/ 7:05:41.126 PM // 7:07:14.706 PM /																																				
New_Bank_US06 06 Profile Items Test																																				
@US06 @update-personal-information @update-email-firstname-lastname-mobile @new-bank																																				

#	Step / Hook Details	Status	Duration
1	Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK" User has opened the link: https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.	PASSED	1.232 s
2	Given User provides access token to Deloitte security page for New Banking App User is clicked on AccessThroughEntryToken User has provided Access Token User has received the Access to Deloitte	PASSED	1.190 s
3	And User verifies the new bank site is accessible New Bank Page has been appeared as expected Page URI is appeared as expected, URL: https://bank.ciam.sandbox.ciamsgo.com/	PASSED	0.666 s
4	And User clicks on OpenAnAccount on new Bank app User has clicked on Open An New Account	PASSED	0.139 s
5	Given User provides the account creation using "EMAIL" and submit User has clicked on Sign-Up through Email MFA	PASSED	0.545 s
6	Given User provides "newbankregistrationviaemail@mailinator.com", "automation", "automation", "newbankregistrationviaemail", "positive" and password for Signup page of new Bank app Registration via Email Page has been appeared as expected Registration via Email Page URL is verified as expected User has provided the Email address	PASSED	10.790 s

#	Step / Hook Details	Status	Duration
	User has provided the FirstName User has provided the LastName User has provided the Username User has provided the password User has provided the confirm password User has enabled the T&C User has clicked on Register button User has landed on Select MFA page and URL has been verified as expected User has skipped the MFA device registration		
7	Then User feeds the test data of new Bank "newbankregistrationviaemail@mailinator.com", "automation", "automation", "positive" to csv file Test Data is loaded to CSV file in this path:/data/automationFiles/ciamsgo-cucumber-test-framework/TestData/NewBankRegisterEmailMFADData.csv	PASSED	0.002 s
8	Then User should able to login with "automation" on new Bank app "positive" User is registered an account on new Bank app and Firstname is appeared as expected Profile Option page URL is verified	PASSED	2.618 s
9	Then Verify the "newbankregistrationviaemail@mailinator.com", "automation", "automation" and "positive" of logged-in user details on new bank app User has landed on Profile Options page in personal details section Email is appeared as expected Firstname is appeared as expected Lastname is appeared as expected	PASSED	3.151 s
10	And User logs out from new Bank app "positive" User has clicked on Logout arrow button User has clicked on Logout button User has successfully logged-out from the new bank app and landed on welcome page	PASSED	2.644 s
11	And User verifies the new bank site is accessible New Bank Page has been appeared as expected Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/	PASSED	0.188 s
12	And User waits until the login section appears for new Bank app Login Section has appeared	PASSED	2.556 s
13	Given User provides "newbankregistrationviaemail" and password for new bank app - previous User has provided username User has provided password User has clicked on Sign-On button	PASSED	2.496 s
14	Then User should able to login with "automation" and land on dashboard of new Bank app "positive" User is registered an account on new Bank app and Firstname is appeared as expected	PASSED	2.349 s

#	Step / Hook Details	Status	Duration
	Dashboard page URL is verified		
15	And User clicks on profile option on dashboard page of new Bank app	PASSED	0.275 s
	User has clicked on Profile option link on dashboard		
16	Then User updates "updatedemail123@mailinator.com", "updatedfirstname", "updatedlastname", "9090909090" in personal details of new Bank app	PASSED	12.224 s
	User has landed on Profile Options page in personal details section		
	Profile Details URL has been verified		
	User has entered new email		
	User has entered new firstname		
	User has entered new lastname		
	User has entered mobile number		
17	And User clicks on update details and confirm as NO	PASSED	0.469 s
	User has landed on Profile Options page in personal details section		
	Profile Details URL has been verified		
	User has clicked on UpdateYourInformationButton		
	Update Your Information Pop Up/Notification Box has been appeared		
	User has declined the Update Information details		
	User has landed again on Personal Details section as expected		
18	And User clicks on update details and confirm as YES and verifies the confirmation message	FAILED	49.487 s
	User has landed on Profile Options page in personal details section		
	Profile Details URL has been verified		
	User has clicked on UpdateYourInformationButton		
	Update Your Information Pop Up/Notification Box has been appeared		
	User has accepted the Update Information details		
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //*[contains(text(),'Details Updated Successfully !!')] (tried for 45 second(s) with 500 milliseconds interval) Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.7Vv3BE), goog:chromeOptions: {debuggerAddress: localhost:39701}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:39701/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 98edf187cf5589ed24f48396e38691a6 at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at Utilities.WaitUtil.elementToBeLocated(WaitUtil.java:29) at StepDefinitions.NewBank.NewBankProfileOptionsScreenSD.		

#	Step / Hook Details	Status	Duration
	<p>userClicksOnUpdateDetailsAndConfirmAsYESAndVerifiesTheConfirmationMessage(NewBankProfileOptionsScreenSD.java:335) at ?.User clicks on update details and confirm as YES and verifies the confirmation message(file:///data/automationFiles/ciamsgo-cucumber-test-framework/src/test/java/Features/Banking/newUI/NewBankProfileItems.feature:28) * Not displayable characters are replaced by '?'. </p>		
19	Then Verify the "updatedemail123@mailinator.com", "updatedfirstname", "updatedlastname", "9090909090" and "positive" of logged-in user details on new bank app	SKIPPED	0.000 s
20	And User logs out from new Bank app "positive"	SKIPPED	0.000 s
21	And User verifies the new bank site is accessible	SKIPPED	0.000 s
22	And User waits until the login section appears for new Bank app	SKIPPED	0.000 s
23	Given User provides "newbankregistrationviaemail" and password for new bank app - previous	SKIPPED	0.000 s
24	Then User should able to login with "updatedfirstname" and land on dashboard of new Bank app "positive"	SKIPPED	0.000 s
25	And User clicks on profile option on dashboard page of new Bank app	SKIPPED	0.000 s
26	Then Verify the "updatedemail123@mailinator.com", "updatedfirstname", "updatedlastname", "9090909090" and "positive" of logged-in user details on new bank app	SKIPPED	0.000 s
27	And User logs out from new Bank app "positive"	SKIPPED	0.000 s
28	Then User terminates all windows of the browser	SKIPPED	0.000 s
	<p>AFTER - StepDefinitions.NewBank.NewBankRegistrationScreenSD.testScenarioCondition()</p> <p>Above scenario has been failed. Ref: Attachment</p> <p>PageURL: https://bank.ciam.sandbox.ciamsgo.com/profile/details</p> <p>Terminated the browser as a failure noticed in above scenario</p> 	PASSED	0.480 s
	<p>AFTER - StepDefinitions.NewBank.NewBankWelcomeScreenSD.testScenarioCondition()</p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.7Vv3BE}, goog:chromeOptions: {debuggerAddress: localhost:39701}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:39701/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)</p>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.NewBank.NewBankWelcomeScreenSD.prepareFailureEvidence(NewBankWelcomeScreenSD.java:20) at StepDefinitions.NewBank.NewBankWelcomeScreenSD.testScenarioCondition(NewBankWelcomeScreenSD.java:31) </pre>		
	<p>AFTER - StepDefinitions.NewBank.NewBankProfileOptionsScreenSD.testScenarioCondition()</p> <pre> org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.7Vv3BE}, goog:chromeOptions: {debuggerAddress: localhost:39701}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:39701/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.NewBank.NewBankProfileOptionsScreenSD.prepareFailureEvidence(NewBankProfileOptionsScreenSD.java:26) at StepDefinitions.NewBank.NewBankProfileOptionsScreenSD.testScenarioCondition(NewBankProfileOptionsScreenSD.java:37) </pre>	FAILED	0.002 s
	<p>AFTER - StepDefinitions.Retail.RetailProfileOptionsScreenSD.testScenarioCondition()</p> <pre> org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.7Vv3BE}, goog:chromeOptions: {debuggerAddress: localhost:39701}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:39701/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) </pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Retail.RetailProfileOptionsScreenSD.prepareFailureEvidence(RetailProfileOptionsScreenSD.java:22) at StepDefinitions.Retail.RetailProfileOptionsScreenSD.testScenarioCondition(RetailProfileOptionsScreenSD.java:33)		
	AFTER - StepDefinitions.Retail.RetailOctaSignInScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.7Vv3BE}, goog:chromeOptions: {debuggerAddress: localhost:39701}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:39701/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Retail.RetailOctaSignInScreenSD.prepareFailureEvidence(RetailOctaSignInScreenSD.java:26) at StepDefinitions.Retail.RetailOctaSignInScreenSD.testScenarioCondition(RetailOctaSignInScreenSD.java:37)	FAILED	0.001 s
	AFTER - StepDefinitions.Retail.RetailPrivacyWebFormScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.7Vv3BE}, goog:chromeOptions: {debuggerAddress: localhost:39701}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:39701/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Retail.RetailPrivacyWebFormScreenSD.prepareFailureEvidence(RetailPrivacyWebFormScreenSD.java:18) at StepDefinitions.Retail.RetailPrivacyWebFormScreenSD.testScenarioCondition(RetailPrivacyWebFormScreenSD.java:29)		
	AFTER - StepDefinitions.Retail.RetailWelcomeScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.7Vv3BE}, goog:chromeOptions: {debuggerAddress: localhost:39701}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:39701/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Retail.RetailWelcomeScreenSD.prepareFailureEvidence(RetailWelcomeScreenSD.java:21) at StepDefinitions.Retail.RetailWelcomeScreenSD.testScenarioCondition(RetailWelcomeScreenSD.java:32)	FAILED	0.001 s
	AFTER - StepDefinitions.Retail.RetailSignUpScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.7Vv3BE}, goog:chromeOptions: {debuggerAddress: localhost:39701}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:39701/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Retail.RetailSignUpScreenSD.prepareFailureEvidence(RetailSignUpScreenSD.java:18) at StepDefinitions.Retail.RetailSignUpScreenSD.testScenarioCondition(RetailSignUpScreenSD.java:29)		
	AFTER - StepDefinitions.Retail.RetailLoginScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.7Vv3BE}, goog:chromeOptions: {debuggerAddress: localhost:39701}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:39701/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Retail.RetailLoginScreenSD.prepareFailureEvidence(RetailLoginScreenSD.java:23) at StepDefinitions.Retail.RetailLoginScreenSD.testScenarioCondition(RetailLoginScreenSD.java:34)	FAILED	0.001 s
	AFTER - StepDefinitions.Banking.BankingSignUpEmailSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.7Vv3BE}, goog:chromeOptions: {debuggerAddress: localhost:39701}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:39701/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Banking.BankingSignUpEmailSD.prepareFailureEvidence(BankingSignUpEmailSD.java:16) at StepDefinitions.Banking.BankingSignUpEmailSD.testScenarioCondition(BankingSignUpEmailSD.java:27)		
	AFTER - StepDefinitions.Banking.BankingProfileOptionsSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.7Vv3BE}, goog:chromeOptions: {debuggerAddress: localhost:39701}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:39701/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Banking.BankingProfileOptionsSD.prepareFailureEvidence(BankingProfileOptionsSD.java:19) at StepDefinitions.Banking.BankingProfileOptionsSD.testScenarioCondition(BankingProfileOptionsSD.java:30)	FAILED	0.001 s
	AFTER - StepDefinitions.Banking.BankingLoggedInScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.7Vv3BE}, goog:chromeOptions: {debuggerAddress: localhost:39701}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:39701/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Banking.BankingLoggedInScreenSD.prepareFailureEvidence(BankingLoggedInScreenSD.java:16) at StepDefinitions.Banking.BankingLoggedInScreenSD.testScenarioCondition(BankingLoggedInScreenSD.java:27)		
	AFTER - StepDefinitions.Banking.BankingLoginScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.7Vv3BE}, goog:chromeOptions: {debuggerAddress: localhost:39701}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:39701/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Banking.BankingLoginScreenSD.prepareFailureEvidence(BankingLoginScreenSD.java:15) at StepDefinitions.Banking.BankingLoginScreenSD.testScenarioCondition(BankingLoginScreenSD.java:26)	FAILED	0.001 s
	AFTER - StepDefinitions.Banking.BankingBrokerageAccountSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.7Vv3BE}, goog:chromeOptions: {debuggerAddress: localhost:39701}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:39701/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	at Utilities.CaptureScreen.takeScreenshot(CaptureScreen.java:9) at StepDefinitions.Banking.BankingBrokerageAccountSD.prepareFailureEvidence(BankingBrokerageAccountSD.java:14) at StepDefinitions.Banking.BankingBrokerageAccountSD.testScenarioCondition(BankingBrokerageAccountSD.java:25)		
	AFTER - StepDefinitions.Banking.BankingWelcomeScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.7Vv3BE}, goog:chromeOptions: {debuggerAddress: localhost:39701}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:39701/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenshot(CaptureScreen.java:9) at StepDefinitions.Banking.BankingWelcomeScreenSD.prepareFailureEvidence(BankingWelcomeScreenSD.java:15) at StepDefinitions.Banking.BankingWelcomeScreenSD.testScenarioCondition(BankingWelcomeScreenSD.java:26)	FAILED	0.003 s
	AFTER - StepDefinitions.Banking.BankTransfersSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.7Vv3BE}, goog:chromeOptions: {debuggerAddress: localhost:39701}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:39701/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenshot(CaptureScreen.java:9)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	at StepDefinitions.Banking.BankTransfersSD.prepareFailureEvidence(BankTransfersSD.java:12) at StepDefinitions.Banking.BankTransfersSD.testScenarioCondition(BankTransfersSD.java:23)		
	AFTER - StepDefinitions.Banking.BankingTransferScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.7Vv3BE}, goog:chromeOptions: {debuggerAddress: localhost:39701}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:39701/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Banking.BankingTransferScreenSD.prepareFailureEvidence(BankingTransferScreenSD.java:16) at StepDefinitions.Banking.BankingTransferScreenSD.testScenarioCondition(BankingTransferScreenSD.java:27)	FAILED	0.001 s
	AFTER - StepDefinitions.Banking.BankingPaymentsSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.7Vv3BE}, goog:chromeOptions: {debuggerAddress: localhost:39701}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:39701/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Banking.BankingPaymentsSD.prepareFailureEvidence(BankingPaymentsSD.java:12)	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	at StepDefinitions.Banking.BankingPaymentsSD.testScenarioCondition(BankingPaymentsSD.java:23)		
	AFTER - StepDefinitions.Health.HealthLoggedInHomeScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.7Vv3BE}, goog:chromeOptions: {debuggerAddress: localhost:39701}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:39701/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Health.HealthLoggedInHomeScreenSD.prepareFailureEvidence(HealthLoggedInHomeScreenSD.java:26) at StepDefinitions.Health.HealthLoggedInHomeScreenSD.testScenarioCondition(HealthLoggedInHomeScreenSD.java:40)	FAILED	0.001 s
	AFTER - StepDefinitions.Health.HealthLoginScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.7Vv3BE}, goog:chromeOptions: {debuggerAddress: localhost:39701}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:39701/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Health.HealthLoginScreenSD.prepareFailureEvidence(HealthLoginScreenSD.java:20) at StepDefinitions.Health.HealthLoginScreenSD.testScenarioCondition(HealthLoginScreenSD.java:31)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	AFTER - StepDefinitions.Health.HealthConfigureRegistrationSD.testScenarioCondition() <pre> org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.7Vv3BE}, goog:chromeOptions: {debuggerAddress: localhost:39701}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:39701/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Health.HealthConfigureRegistrationSD.prepareFailureEvidence(HealthConfigureRegistrationSD.java:14) at StepDefinitions.Health.HealthConfigureRegistrationSD.testScenarioCondition(HealthConfigureRegistrationSD.java:25) </pre>	FAILED	0.002 s
	AFTER - StepDefinitions.Health.HealthRegisterScreenSD.testScenarioCondition() <pre> org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.7Vv3BE}, goog:chromeOptions: {debuggerAddress: localhost:39701}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:39701/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Health.HealthRegisterScreenSD.prepareFailureEvidence(HealthRegisterScreenSD.java:19) at StepDefinitions.Health.HealthRegisterScreenSD.testScenarioCondition(HealthRegisterScreenSD.java:30) </pre>	FAILED	0.002 s
	AFTER - StepDefinitions.Health.HealthWelcomeScreenSD.testScenarioCondition()	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.7Vv3BE), goog:chromeOptions: {debuggerAddress: localhost:39701}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se.cdp: ws://localhost:39701/devtoo..., se.cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Health.HealthWelcomeScreenSD.prepareFailureEvidence(HealthWelcomeScreenSD.java:15) at StepDefinitions.Health.HealthWelcomeScreenSD.testScenarioCondition(HealthWelcomeScreenSD.java:26)</p>		
	<p>AFTER - StepDefinitions.CommonDefinitions.DeloitteSecurityLayerSD.testScenarioCondition()</p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.7Vv3BE), goog:chromeOptions: {debuggerAddress: localhost:39701}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se.cdp: ws://localhost:39701/devtoo..., se.cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.CommonDefinitions.DeloitteSecurityLayerSD.prepareFailureEvidence(DeloitteSecurityLayerSD.java:24) at StepDefinitions.CommonDefinitions.DeloitteSecurityLayerSD.testScenarioCondition(DeloitteSecurityLayerSD.java:35)</p>	FAILED	0.001 s
	<p>AFTER - StepDefinitions.CommonDefinitions.BrowserOperationsSD.testScenarioCondition()</p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision:</p>	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.7Vv3BE), goog:chromeOptions: {debuggerAddress: localhost:39701}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:39701/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.CommonDefinitions.BrowserOperationsSD.prepareFailureEvidence(BrowserOperationsSD.java:15) at StepDefinitions.CommonDefinitions.BrowserOperationsSD.testScenarioCondition(BrowserOperationsSD.java:26)		
	AFTER - StepDefinitions.CommonDefinitions.FeedTestDataToFilesSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.7Vv3BE), goog:chromeOptions: {debuggerAddress: localhost:39701}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:39701/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.CommonDefinitions.FeedTestDataToFilesSD.prepareFailureEvidence(FeedTestDataToFilesSD.java:19) at StepDefinitions.CommonDefinitions.FeedTestDataToFilesSD.testScenarioCondition(FeedTestDataToFilesSD.java:30)	FAILED	0.001 s
	AFTER - StepDefinitions.CommonDefinitions.GoogleOktaLoginSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version:	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<p>'4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.7Vv3BE}, goog:chromeOptions: {debuggerAddress: localhost:39701}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:39701/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.CommonDefinitions.GoogleOktaLoginSD.prepareFailureEvidence(GoogleOktaLoginSD.java:16) at StepDefinitions.CommonDefinitions.GoogleOktaLoginSD.testScenarioCondition(GoogleOktaLoginSD.java:27)</p>		
	<p>AFTER - StepDefinitions.CommonDefinitions.FacebookOktaLoginSD.testScenarioCondition()</p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.7Vv3BE}, goog:chromeOptions: {debuggerAddress: localhost:39701}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:39701/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.CommonDefinitions.FacebookOktaLoginSD.prepareFailureEvidence(FacebookOktaLoginSD.java:17) at StepDefinitions.CommonDefinitions.FacebookOktaLoginSD.testScenarioCondition(FacebookOktaLoginSD.java:28)</p>	FAILED	0.003 s

US06-02 New_Bank: User can able to update FirstName, Lastname and Mobile details (Except Email)

PASSED	DURATION - 1 m 5.628 s	<table border="1"> <caption>Step Durations (Approximate)</caption> <thead> <tr> <th>Step</th> <th>Duration (s)</th> </tr> </thead> <tbody> <tr><td>1</td><td>0.934</td></tr> <tr><td>2</td><td>1.042</td></tr> <tr><td>3</td><td>0.758</td></tr> <tr><td>4</td><td>0.099</td></tr> <tr><td>5</td><td>0.956</td></tr> <tr><td>6</td><td>9.727</td></tr> <tr><td>7</td><td>0.000</td></tr> <tr><td>8</td><td>0.000</td></tr> <tr><td>9</td><td>0.000</td></tr> <tr><td>10</td><td>0.000</td></tr> <tr><td>11</td><td>0.000</td></tr> <tr><td>12</td><td>0.000</td></tr> <tr><td>13</td><td>0.000</td></tr> <tr><td>14</td><td>0.000</td></tr> <tr><td>15</td><td>0.000</td></tr> </tbody> </table>	Step	Duration (s)	1	0.934	2	1.042	3	0.758	4	0.099	5	0.956	6	9.727	7	0.000	8	0.000	9	0.000	10	0.000	11	0.000	12	0.000	13	0.000	14	0.000	15	0.000	Steps Total - 28 Pass - 28 Fail - 0 Skip - 0	<div>28</div>
Step	Duration (s)																																			
1	0.934																																			
2	1.042																																			
3	0.758																																			
4	0.099																																			
5	0.956																																			
6	9.727																																			
7	0.000																																			
8	0.000																																			
9	0.000																																			
10	0.000																																			
11	0.000																																			
12	0.000																																			
13	0.000																																			
14	0.000																																			
15	0.000																																			
/ 7:07:14.780 PM // 7:08:20.408 PM /																																				
New_Bank_US06 06 Profile Items Test																																				
@US06 @update-personal-information @update-firstname-lastname-mobile @new-bank																																				



#	Step / Hook Details	Status	Duration
1	Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK" User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.	PASSED	0.934 s
2	Given User provides access token to Deloitte security page for New Banking App User is clicked on AccessThroughEntryToken User has provided Access Token User has received the Access to Deloitte	PASSED	1.042 s
3	And User verifies the new bank site is accessible New Bank Page has been appeared as expected Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/	PASSED	0.758 s
4	And User clicks on OpenAnAccount on new Bank app User has clicked on Open An New Account	PASSED	0.099 s
5	Given User provides the account creation using "EMAIL" and submit User has clicked on Sign-Up through Email MFA	PASSED	0.956 s
6	Given User provides "newbankregistrationviaemail@mailinator.com", "automation", "automation", "newbankregistrationviaemail", "positive" and password for Signup page of new Bank app Registration via Email Page has been appeared as expected Registration via Email Page URL is verified as expected User has provided the Email address User has provided the FirstName User has provided the LastName User has provided the Username User has provided the password User has provided the confirm password User has enabled the T&C User has clicked on Register button User has landed on Select MFA page and URL has been verified as expected User has skipped the MFA device registration	PASSED	9.727 s

#	Step / Hook Details	Status	Duration
7	Then User feeds the test data of new Bank "newbankregistrationviaemail@mailinator.com", "automation", "automation", "positive" to csv file	PASSED	0.002 s
	Test Data is loaded to CSV file in this path:/data/automationFiles/ciamsgo-cucumber-test-framework/TestData/NewBankRegisterEmailMFADData.csv		
8	Then User should able to login with "automation" on new Bank app "positive"	PASSED	2.471 s
	User is registered an account on new Bank app and Firstname is appeared as expected Profile Option page URL is verified		
9	Then Verify the "newbankregistrationviaemail@mailinator.com", "automation", "automation" and "positive" of logged-in user details on new bank app	PASSED	3.674 s
	User has landed on Profile Options page in personal details section Email is appeared as expected Firstname is appeared as expected Lastname is appeared as expected		
10	And User logs out from new Bank app "positive"	PASSED	2.851 s
	User has clicked on Logout arrow button User has clicked on Logout button User has successfully logged-out from the new bank app and landed on welcome page		
11	And User verifies the new bank site is accessible	PASSED	0.656 s
	New Bank Page has been appeared as expected Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/		
12	And User waits until the login section appears for new Bank app	PASSED	2.199 s
	Login Section has appeared		
13	Given User provides "newbankregistrationviaemail" and password for new bank app - previous	PASSED	2.754 s
	User has provided username User has provided password User has clicked on Sign-On button		
14	Then User should able to login with "automation" and land on dashboard of new Bank app "positive"	PASSED	2.437 s
	User is registered an account on new Bank app and Firstname is appeared as expected Dashboard page URL is verified		
15	And User clicks on profile option on dashboard page of new Bank app	PASSED	0.306 s
	User has clicked on Profile option link on dashboard		
16	Then User updates "updatedfirstname", "updatedlastname", "9090909090" in personal details of new Bank app	PASSED	8.732 s
	User has landed on Profile Options page in personal details section Profile Details URL has been verified User has entered new firstname User has entered new lastname		

#	Step / Hook Details	Status	Duration
	User has entered mobile number		
17	And User clicks on update details and confirm as NO User has landed on Profile Options page in personal details section Profile Details URL has been verified User has clicked on UpdateYourInformationButton Update Your Information Pop Up/Notification Box has been appeared User has declined the Update Information details User has landed again on Personal Details section as expected	PASSED	0.555 s
18	And User clicks on update details and confirm as YES and verifies the confirmation message User has landed on Profile Options page in personal details section Profile Details URL has been verified User has clicked on UpdateYourInformationButton Update Your Information Pop Up/Notification Box has been appeared User has accepted the Update Information details Details have been updated confirmation message has been verified User has landed again on Personal Details section as expected	PASSED	5.234 s
19	Then Verify the "updatedfirstname", "updatedlastname", "9090909090" and "positive" of logged-in user details except email on new bank app User has landed on Profile Options page in personal details section Firstname is appeared as expected Lastname is appeared as expected Mobile number is appeared as expected	PASSED	3.118 s
20	And User logs out from new Bank app "positive" User has clicked on Logout arrow button User has clicked on Logout button User has successfully logged-out from the new bank app and landed on welcome page	PASSED	2.380 s
21	And User verifies the new bank site is accessible New Bank Page has been appeared as expected Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/	PASSED	0.045 s
22	And User waits until the login section appears for new Bank app Login Section has appeared	PASSED	3.259 s
23	Given User provides "newbankregistrationviaemail" and password for new bank app - previous User has provided username User has provided password User has clicked on Sign-On button	PASSED	2.540 s
24	Then User should able to login with "updatedfirstname" and land on dashboard of new Bank app "positive"	PASSED	2.290 s

#	Step / Hook Details	Status	Duration
	User is registered an account on new Bank app and Firstname is appeared as expected Dashboard page URL is verified		
25	And User clicks on profile option on dashboard page of new Bank app User has clicked on Profile option link on dashboard	PASSED	0.270 s
26	Then Verify the "updatedfirstname", "updatedlastname", "9090909090" and "positive" of logged-in user details except email on new bank app User has landed on Profile Options page in personal details section Firstname is appeared as expected Lastname is appeared as expected Mobile number is appeared as expected	PASSED	3.657 s
27	And User logs out from new Bank app "positive" User has clicked on Logout arrow button User has clicked on Logout button User has successfully logged-out from the new bank app and landed on welcome page	PASSED	2.545 s
28	Then User terminates all windows of the browser All windows have been terminated by the User	PASSED	0.106 s

US06-03 New_Bank: User can able to update StreetAddress, Country, State, City and ZipCode details

PASSED	DURATION - 1 m 7.484 s		Steps Total - 28 Pass - 28 Fail - 0 Skip - 0	
/ 7:08:20.459 PM // 7:09:27.943 PM /				
New_Bank_US06 06 Profile Items Test				
@US06 @update-all-location-details @update-address-details @new-bank				

#	Step / Hook Details	Status	Duration
1	Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK" User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.	PASSED	0.979 s
2	Given User provides access token to Deloitte security page for New Banking App User is clicked on AccessThroughEntryToken User has provided Access Token User has received the Access to Deloitte	PASSED	0.984 s
3	And User verifies the new bank site is accessible	PASSED	0.344 s



#	Step / Hook Details	Status	Duration
	New Bank Page has been appeared as expected Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/		
4	And User clicks on OpenAnAccount on new Bank app User has clicked on Open An New Account	PASSED	0.394 s
5	Given User provides the account creation using "EMAIL" and submit User has clicked on Sign-Up through Email MFA	PASSED	0.364 s
6	Given User provides "newbankregistrationviaemail@mailinator.com", "automation", "automation", "newbankregistrationviaemail", "positive" and password for Signup page of new Bank app Registration via Email Page has been appeared as expected Registration via Email Page URL is verified as expected User has provided the Email address User has provided the FirstName User has provided the LastName User has provided the Username User has provided the password User has provided the confirm password User has enabled the T&C User has clicked on Register button User has landed on Select MFA page and URL has been verified as expected User has skipped the MFA device registration	PASSED	10.246 s
7	Then User feeds the test data of new Bank "newbankregistrationviaemail@mailinator.com", "automation", "automation", "positive" to csv file Test Data is loaded to CSV file in this path:/data/automationFiles/ciamsgo-cucumber-test-framework/TestData/NewBankRegisterEmailMFADData.csv	PASSED	0.002 s
8	Then User should able to login with "automation" on new Bank app "positive" User is registered an account on new Bank app and Firstname is appeared as expected Profile Option page URL is verified	PASSED	1.844 s
9	Then Verify the "newbankregistrationviaemail@mailinator.com", "automation", "automation" and "positive" of logged-in user details on new bank app User has landed on Profile Options page in personal details section Email is appeared as expected Firstname is appeared as expected Lastname is appeared as expected	PASSED	3.727 s
10	And User logs out from new Bank app "positive" User has clicked on Logout arrow button User has clicked on Logout button User has successfully logged-out from the new bank app and landed on welcome page	PASSED	2.942 s

#	Step / Hook Details	Status	Duration
11	And User verifies the new bank site is accessible New Bank Page has been appeared as expected Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/	PASSED	0.663 s
12	And User waits until the login section appears for new Bank app Login Section has appeared	PASSED	2.226 s
13	Given User provides "newbankregistrationviaemail" and password for new bank app - previous User has provided username User has provided password User has clicked on Sign-On button	PASSED	2.536 s
14	Then User should able to login with "automation" and land on dashboard of new Bank app "positive" User is registered an account on new Bank app and Firstname is appeared as expected Dashboard page URL is verified	PASSED	2.229 s
15	And User clicks on profile option on dashboard page of new Bank app User has clicked on Profile option link on dashboard	PASSED	0.235 s
16	Then User updates "Mapple Street", "United States", "California", "San Jose" and "94088" address details in location section of new Bank app User has landed on Profile Options page in location details section Profile Details URL has been verified User has entered street address User has selected Country name from the list User has selected State name from the list User has entered city name User has entered zipcode detail	PASSED	12.922 s
17	And User clicks on update details and confirm as NO User has landed on Profile Options page in personal details section Profile Details URL has been verified User has clicked on UpdateYourInformationButton Update Your Information Pop Up/Notification Box has been appeared User has declined the Update Information details User has landed again on Personal Details section as expected	PASSED	0.446 s
18	And User clicks on update details and confirm as YES and verifies the confirmation message User has landed on Profile Options page in personal details section Profile Details URL has been verified User has clicked on UpdateYourInformationButton Update Your Information Pop Up/Notification Box has been appeared User has accepted the Update Information details	PASSED	5.015 s



#	Step / Hook Details	Status	Duration
	Details have been updated confirmation message has been verified User has landed again on Personal Details section as expected		
19	Then Verify the "Mapple Street", "United States", "California", "San Jose", "94088" and "positive" of address details on new bank app User has landed on Profile Options page in personal details section Street Address is appeared as expected Country name is appeared as expected State name is appeared as expected City name is appeared as expected Zipcode is appeared as expected	PASSED	3.185 s
20	And User logs out from new Bank app "positive" User has clicked on Logout arrow button User has clicked on Logout button User has successfully logged-out from the new bank app and landed on welcome page	PASSED	2.305 s
21	And User verifies the new bank site is accessible New Bank Page has been appeared as expected Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/	PASSED	0.051 s
22	And User waits until the login section appears for new Bank app Login Section has appeared	PASSED	3.079 s
23	Given User provides "newbankregistrationviaemail" and password for new bank app - previous User has provided username User has provided password User has clicked on Sign-On button	PASSED	2.263 s
24	Then User should able to login with "automation" and land on dashboard of new Bank app "positive" User is registered an account on new Bank app and Firstname is appeared as expected Dashboard page URL is verified	PASSED	2.145 s
25	And User clicks on profile option on dashboard page of new Bank app User has clicked on Profile option link on dashboard	PASSED	0.194 s
26	Then Verify the "Mapple Street", "United States", "California", "San Jose", "94088" and "positive" of address details on new bank app User has landed on Profile Options page in personal details section Street Address is appeared as expected Country name is appeared as expected State name is appeared as expected City name is appeared as expected Zipcode is appeared as expected	PASSED	3.702 s

#	Step / Hook Details	Status	Duration
27	And User logs out from new Bank app "positive" User has clicked on Logout arrow button User has clicked on Logout button User has successfully logged-out from the new bank app and landed on welcome page	PASSED	2.337 s
28	Then User terminates all windows of the browser All windows have been terminated by the User	PASSED	0.106 s

New_Bank_US04 04 Terms And Conditions Test

PASSED	DURATION - 51.631 s	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0		Steps Total - 16 Pass - 16 Fail - 0 Skip - 0	
/ 7:09:27.989 PM // 7:10:19.620 PM /					



US04-01 New_Bank: T&C link should be worked and information should be appeared as expected

PASSED	DURATION - 45.433 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 7:09:27.990 PM // 7:10:13.423 PM /				
New_Bank_US04 04 Terms And Conditions Test				
@US04 @terms-and-condition-govt @new-bank				

#	Step / Hook Details	Status	Duration
1	Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK" User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.	PASSED	0.909 s
2	Given User provides access token to Deloitte security page for New Banking App User is clicked on AccessThroughEntryToken User has provided Access Token User has received the Access to Deloitte	PASSED	0.460 s
3	And User verifies the new bank site is accessible New Bank Page has been appeared as expected	PASSED	0.676 s

#	Step / Hook Details	Status	Duration
	Page URI is appeared as expected, URL: https://bank.ciam.sandbox.ciamsgo.com/		
4	And User clicks on OpenAnAccount on new Bank app User has clicked on Open An New Account	PASSED	0.123 s
5	Given User provides the account creation using "GOVT_ID" and submit User has clicked on Sign-Up through Gov.t Issued ID Verification	PASSED	0.952 s
6	And User clicks on Terms and Condition link on Welcome On Board Page Welcome On Board URL has been verified User has clicked on Terms & Conditions hyper link	PASSED	0.740 s
7	Then User opens Terms and Conditions page in new window, Page URL and Information should be appeared as expected User has switched from Welcome On Board page > Terms & Condition page Terms & Conditions Page UI text is appeared as expected T&C Page URL has been verified	PASSED	41.459 s
8	Then User terminates all windows of the browser All windows have been terminated by the User	PASSED	0.105 s



US04-02 New_Bank: T&C link should be worked and information should be appeared as expected

<div>PASSED</div> <div>DURATION - 6.159 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 7:10:13.461 PM // 7:10:19.620 PM /				
New_Bank_US04 04 Terms And Conditions Test				
@US04 @terms-and-condition-email-mfa @new-bank				



#	Step / Hook Details	Status	Duration
1	Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK" User has opened the link: https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.	PASSED	0.936 s
2	Given User provides access token to Deloitte security page for New Banking App User is clicked on AccessThroughEntryToken User has provided Access Token User has received the Access to Deloitte	PASSED	1.139 s
3	And User verifies the new bank site is accessible New Bank Page has been appeared as expected Page URI is appeared as expected, URL: https://bank.ciam.sandbox.ciamsgo.com/	PASSED	0.917 s

#	Step / Hook Details	Status	Duration
4	And User clicks on OpenAnAccount on new Bank app User has clicked on Open An New Account	PASSED	0.136 s
5	Given User provides the account creation using "EMAIL" and submit User has clicked on Sign-Up through Email MFA	PASSED	0.983 s
6	And User clicks on Terms and Condition link on Registration Welcome On Board Page Welcome On Board URL has been verified User has clicked on Terms & Conditions hyper link	PASSED	0.665 s
7	Then User opens Terms and Conditions page in new window, Page URL and Information should be appeared as expected User has switched from Welcome On Board page > Terms & Condition page Terms & Conditions Page UI text is appeared as expected T&C Page URL has been verified	PASSED	1.269 s
8	Then User terminates all windows of the browser All windows have been terminated by the User	PASSED	0.107 s

New_Bank_US12 12 Transfer/Send Money Test


FAILED	DURATION - 3 m 16.663 s	Scenarios Total - 3 Pass - 1 Fail - 2 Skip - 0		Steps Total - 42 Pass - 31 Fail - 2 Skip - 9	
/ 7:10:19.672 PM // 7:13:36.335 PM /					

US12-01 New_Bank: User can able to Transfer or send money

FAILED	DURATION - 1 m 20.411 s		Steps	
/ 7:10:19.673 PM // 7:11:40.084 PM /			Total - 13	
New_Bank_US12 12 Transfer/Send Money Test			Pass - 10	
@US12 @pay-a-bill-make-a-payment-valid @new-bank			Fail - 1	
			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK"	PASSED	1.019 s

#	Step / Hook Details	Status	Duration
	User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.		
2	Given User provides access token to Deloitte security page for New Banking App	PASSED	1.190 s
	User is clicked on AccessThroughEntryToken		
	User has provided Access Token		
	User has received the Access to Deloitte		
3	And User verifies the new bank site is accessible	PASSED	0.711 s
	New Bank Page has been appeared as expected		
	Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/		
4	And User waits until the login section appears for new Bank app	PASSED	18.858 s
	Login Section has appeared		
5	Given User provides "newbankregistrationviaemail32" and password for new bank app - static	PASSED	3.020 s
	User has provided username		
	User has provided password		
	User has clicked on Sign-On button		
6	Then User should able to login with "automation" and land on dashboard of new Bank app "positive"	PASSED	2.618 s
	User is registered an account on new Bank app and Firstname is appeared as expected		
	Dashboard page URL is verified		
7	And User clicks on transfer option on dashboard page of new Bank app	PASSED	0.296 s
	User has clicked on Transfer option link on dashboard		
8	Then User clicks on make a new payment button	PASSED	0.305 s
	Transfer Page has been appeared		
	User has clicked on make a new payment		
9	Given User provides the transfer details like "Automation User", "123", "123", "500", "positive" and click on continue	PASSED	6.077 s
	User has landed on Send Money page		
	User has provided PayeeName		
	User has provided AccountNumber		
	User has provided ConfirmAccountNumber		
	User has provided Transfer Amount		
	User has clicked on Confirm Payment		
10	Then User confirms the transaction risk	PASSED	0.745 s
	Transaction Risk Page has been appeared		
	User has clicked on Transaction Risk Continue Button		
11	Then User gets the Success message for the transaction	FAILED	45.158 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //*[contains(text(),'Success')]/following::button[1] (tried for 45 second(s) with 500 milliseconds interval) Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version:		

#	Step / Hook Details	Status	Duration
	<p>'4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.YGsH7k}, goog:chromeOptions: {debuggerAddress: localhost:40019}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:40019/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f2c7f6fc27dcf5be500dca384d4712bf</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at Utilities.WaitUtil.elementToBeLocated(WaitUtil.java:29)</p> <p>at StepDefinitions.NewBank.NewBankProfileOptionsScreenSD.userGetsTheSuccessMessageForTheTransaction(NewBankProfileOptionsScreenSD.java:417)</p> <p>at ?.User gets the Success message for the transaction(file:///data/automationFiles/ciamsgo-cucumber-test-framework/src/test/java/Features/Banking/newUI/NewBankTransfers.feature:20)</p> <p>* Not displayable characters are replaced by '?'. </p>		
12	And User logs out from new Bank app "positive"	SKIPPED	0.000 s
13	Then User terminates all windows of the browser	SKIPPED	0.000 s
	AFTER - StepDefinitions.NewBank.NewBankRegistrationScreenSD.testScenarioCondition()	PASSED	0.367 s
	Above scenario has been failed. Ref: Attachment		
	PageURL: https://bank.ciam.sandbox.ciamsgo.com/profile/transfers		
	Terminated the browser as a failure noticed in above scenario		
			
	AFTER - StepDefinitions.NewBank.NewBankWelcomeScreenSD.testScenarioCondition()	FAILED	0.001 s
	<p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.YGsH7k}, goog:chromeOptions: {debuggerAddress: localhost:40019}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:40019/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)</p>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.NewBank.NewBankWelcomeScreenSD.prepareFailureEvidence(NewBankWelcomeScreenSD.java:20) at StepDefinitions.NewBank.NewBankWelcomeScreenSD.testScenarioCondition(NewBankWelcomeScreenSD.java:31)		
	AFTER - StepDefinitions.NewBank.NewBankProfileOptionsScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.YGsH7k}, goog:chromeOptions: {debuggerAddress: localhost:40019}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:40019/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.NewBank.NewBankProfileOptionsScreenSD.prepareFailureEvidence(NewBankProfileOptionsScreenSD.java:26) at StepDefinitions.NewBank.NewBankProfileOptionsScreenSD.testScenarioCondition(NewBankProfileOptionsScreenSD.java:37)	FAILED	0.001 s
	AFTER - StepDefinitions.Retail.RetailProfileOptionsScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.YGsH7k}, goog:chromeOptions: {debuggerAddress: localhost:40019}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:40019/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Retail.RetailProfileOptionsScreenSD.prepareFailureEvidence(RetailProfileOptionsScreenSD.java:22) at StepDefinitions.Retail.RetailProfileOptionsScreenSD.testScenarioCondition(RetailProfileOptionsScreenSD.java:33)		
	AFTER - StepDefinitions.Retail.RetailOctaSignInScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.YGsH7k}, goog:chromeOptions: {debuggerAddress: localhost:40019}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:40019/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Retail.RetailOctaSignInScreenSD.prepareFailureEvidence(RetailOctaSignInScreenSD.java:26) at StepDefinitions.Retail.RetailOctaSignInScreenSD.testScenarioCondition(RetailOctaSignInScreenSD.java:37)	FAILED	0.000 s
	AFTER - StepDefinitions.Retail.RetailPrivacyWebFormScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.YGsH7k}, goog:chromeOptions: {debuggerAddress: localhost:40019}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:40019/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Retail.RetailPrivacyWebFormScreenSD.prepareFailureEvidence(RetailPrivacyWebFormScreenSD.java:18) at StepDefinitions.Retail.RetailPrivacyWebFormScreenSD.testScenarioCondition(RetailPrivacyWebFormScreenSD.java:29)		
	AFTER - StepDefinitions.Retail.RetailWelcomeScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.YGsH7k}, goog:chromeOptions: {debuggerAddress: localhost:40019}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:40019/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Retail.RetailWelcomeScreenSD.prepareFailureEvidence(RetailWelcomeScreenSD.java:21) at StepDefinitions.Retail.RetailWelcomeScreenSD.testScenarioCondition(RetailWelcomeScreenSD.java:32)	FAILED	0.001 s
	AFTER - StepDefinitions.Retail.RetailSignUpScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.YGsH7k}, goog:chromeOptions: {debuggerAddress: localhost:40019}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:40019/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Retail.RetailSignUpScreenSD.prepareFailureEvidence(RetailSignUpScreenSD.java:18) at StepDefinitions.Retail.RetailSignUpScreenSD.testScenarioCondition(RetailSignUpScreenSD.java:29)		
	AFTER - StepDefinitions.Retail.RetailLoginScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.YGsH7k}, goog:chromeOptions: {debuggerAddress: localhost:40019}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:40019/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Retail.RetailLoginScreenSD.prepareFailureEvidence(RetailLoginScreenSD.java:23) at StepDefinitions.Retail.RetailLoginScreenSD.testScenarioCondition(RetailLoginScreenSD.java:34)	FAILED	0.001 s
	AFTER - StepDefinitions.Banking.BankingSignUpEmailSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.YGsH7k}, goog:chromeOptions: {debuggerAddress: localhost:40019}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:40019/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	at Utilities.CaptureScreen.takeScreenshot(CaptureScreen.java:9) at StepDefinitions.Banking.BankingSignUpEmailSD.prepareFailureEvidence(BankingSignUpEmailSD.java:16) at StepDefinitions.Banking.BankingSignUpEmailSD.testScenarioCondition(BankingSignUpEmailSD.java:27)		
	AFTER - StepDefinitions.Banking.BankingProfileOptionsSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.YGsH7k}, goog:chromeOptions: {debuggerAddress: localhost:40019}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:40019/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenshot(CaptureScreen.java:9) at StepDefinitions.Banking.BankingProfileOptionsSD.prepareFailureEvidence(BankingProfileOptionsSD.java:19) at StepDefinitions.Banking.BankingProfileOptionsSD.testScenarioCondition(BankingProfileOptionsSD.java:30)	FAILED	0.000 s
	AFTER - StepDefinitions.Banking.BankingLoggedInScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.YGsH7k}, goog:chromeOptions: {debuggerAddress: localhost:40019}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:40019/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenshot(CaptureScreen.java:9)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	at StepDefinitions.Banking.BankingLoggedInScreenSD.prepareFailureEvidence(BankingLoggedInScreenSD.java:16) at StepDefinitions.Banking.BankingLoggedInScreenSD.testScenarioCondition(BankingLoggedInScreenSD.java:27)		
	AFTER - StepDefinitions.Banking.BankingLoginScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.YGsH7k}, goog:chromeOptions: {debuggerAddress: localhost:40019}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:40019/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Banking.BankingLoginScreenSD.prepareFailureEvidence(BankingLoginScreenSD.java:15) at StepDefinitions.Banking.BankingLoginScreenSD.testScenarioCondition(BankingLoginScreenSD.java:26)	FAILED	0.000 s
	AFTER - StepDefinitions.Banking.BankingBrokerageAccountSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.YGsH7k}, goog:chromeOptions: {debuggerAddress: localhost:40019}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:40019/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Banking.BankingBrokerageAccountSD.prepareFailureEvidence(BankingBrokerageAccountSD.java:14)	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	at StepDefinitions.Banking.BankingBrokerageAccountSD.testScenarioCondition(BankingBrokerageAccountSD.java:25)		
	AFTER - StepDefinitions.Banking.BankingWelcomeScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.YGsH7k}, goog:chromeOptions: {debuggerAddress: localhost:40019}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:40019/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Banking.BankingWelcomeScreenSD.prepareFailureEvidence(BankingWelcomeScreenSD.java:15) at StepDefinitions.Banking.BankingWelcomeScreenSD.testScenarioCondition(BankingWelcomeScreenSD.java:26)	FAILED	0.001 s
	AFTER - StepDefinitions.Banking.BankTransfersSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.YGsH7k}, goog:chromeOptions: {debuggerAddress: localhost:40019}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:40019/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Banking.BankTransfersSD.prepareFailureEvidence(BankTransfersSD.java:12) at StepDefinitions.Banking.BankTransfersSD.testScenarioCondition(BankTransfersSD.java:23)	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	AFTER - StepDefinitions.Banking.BankingTransferScreenSD.testScenarioCondition() <pre> org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.YGSH7k}, goog:chromeOptions: {debuggerAddress: localhost:40019}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:40019/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Banking.BankingTransferScreenSD.prepareFailureEvidence(BankingTransferScreenSD.java:16) at StepDefinitions.Banking.BankingTransferScreenSD.testScenarioCondition(BankingTransferScreenSD.java:27) </pre>	FAILED	0.000 s
	AFTER - StepDefinitions.Banking.BankingPaymentsSD.testScenarioCondition() <pre> org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.YGSH7k}, goog:chromeOptions: {debuggerAddress: localhost:40019}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:40019/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Banking.BankingPaymentsSD.prepareFailureEvidence(BankingPaymentsSD.java:12) at StepDefinitions.Banking.BankingPaymentsSD.testScenarioCondition(BankingPaymentsSD.java:23) </pre>	FAILED	0.001 s
	AFTER - StepDefinitions.Health.HealthLoggedInHomeScreenSD.testScenarioCondition()	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.YGSh7k}, goog:chromeOptions: {debuggerAddress: localhost:40019}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se.cdp: ws://localhost:40019/devtoo..., se.cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Health.HealthLoggedInHomeScreenSD.prepareFailureEvidence(HealthLoggedInHomeScreenSD.java:26) at StepDefinitions.Health.HealthLoggedInHomeScreenSD.testScenarioCondition(HealthLoggedInHomeScreenSD.java:40)</p>		
	<p>AFTER - StepDefinitions.Health.HealthLoginScreenSD.testScenarioCondition()</p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.YGSh7k}, goog:chromeOptions: {debuggerAddress: localhost:40019}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se.cdp: ws://localhost:40019/devtoo..., se.cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Health.HealthLoginScreenSD.prepareFailureEvidence(HealthLoginScreenSD.java:20) at StepDefinitions.Health.HealthLoginScreenSD.testScenarioCondition(HealthLoginScreenSD.java:31)</p>	FAILED	0.000 s
	<p>AFTER - StepDefinitions.Health.HealthConfigureRegistrationSD.testScenarioCondition()</p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision:</p>	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.YGSH7k}, goog:chromeOptions: {debuggerAddress: localhost:40019}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:40019/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Health.HealthConfigureRegistrationSD.prepareFailureEvidence(HealthConfigureRegistrationSD.java:14) at StepDefinitions.Health.HealthConfigureRegistrationSD.testScenarioCondition(HealthConfigureRegistrationSD.java:25)		
	AFTER - StepDefinitions.Health.HealthRegisterScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.YGSH7k}, goog:chromeOptions: {debuggerAddress: localhost:40019}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:40019/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Health.HealthRegisterScreenSD.prepareFailureEvidence(HealthRegisterScreenSD.java:19) at StepDefinitions.Health.HealthRegisterScreenSD.testScenarioCondition(HealthRegisterScreenSD.java:30)	FAILED	0.001 s
	AFTER - StepDefinitions.Health.HealthWelcomeScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version:	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<p>'4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.YGSH7k}, goog:chromeOptions: {debuggerAddress: localhost:40019}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:40019/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Health.HealthWelcomeScreenSD.prepareFailureEvidence(HealthWelcomeScreenSD.java:15) at StepDefinitions.Health.HealthWelcomeScreenSD.testScenarioCondition(HealthWelcomeScreenSD.java:26)</p>		
	<p>AFTER - StepDefinitions.CommonDefinitions.DeloitteSecurityLayerSD.testScenarioCondition()</p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.YGSH7k}, goog:chromeOptions: {debuggerAddress: localhost:40019}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:40019/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.CommonDefinitions.DeloitteSecurityLayerSD.prepareFailureEvidence(DeloitteSecurityLayerSD.java:24) at StepDefinitions.CommonDefinitions.DeloitteSecurityLayerSD.testScenarioCondition(DeloitteSecurityLayerSD.java:35)</p>	FAILED	0.002 s
	<p>AFTER - StepDefinitions.CommonDefinitions.BrowserOperationsSD.testScenarioCondition()</p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}]</p>	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<p>Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.YGsH7k}, goog:chromeOptions: {debuggerAddress: localhost:40019}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:40019/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.CommonDefinitions.BrowserOperationsSD.prepareFailureEvidence(BrowserOperationsSD.java:15) at StepDefinitions.CommonDefinitions.BrowserOperationsSD.testScenarioCondition(BrowserOperationsSD.java:26)</p>		
	<p>AFTER - StepDefinitions.CommonDefinitions.FeedTestDataToFilesSD.testScenarioCondition()</p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.YGsH7k}, goog:chromeOptions: {debuggerAddress: localhost:40019}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:40019/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.CommonDefinitions.FeedTestDataToFilesSD.prepareFailureEvidence(FeedTestDataToFilesSD.java:19) at StepDefinitions.CommonDefinitions.FeedTestDataToFilesSD.testScenarioCondition(FeedTestDataToFilesSD.java:30)</p>	FAILED	0.002 s
	<p>AFTER - StepDefinitions.CommonDefinitions.GoogleOktaLoginSD.testScenarioCondition()</p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion:</p>	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<p>105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.YGsH7k, goog:chromeOptions: {debuggerAddress: localhost:40019}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:40019/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.CommonDefinitions.GoogleOktaLoginSD.prepareFailureEvidence(GoogleOktaLoginSD.java:16) at StepDefinitions.CommonDefinitions.GoogleOktaLoginSD.testScenarioCondition(GoogleOktaLoginSD.java:27)</p>		
	<p>AFTER - StepDefinitions.CommonDefinitions.FacebookOktaLoginSD.testScenarioCondition()</p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.YGsH7k, goog:chromeOptions: {debuggerAddress: localhost:40019}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:40019/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.CommonDefinitions.FacebookOktaLoginSD.prepareFailureEvidence(FacebookOktaLoginSD.java:17) at StepDefinitions.CommonDefinitions.FacebookOktaLoginSD.testScenarioCondition(FacebookOktaLoginSD.java:28)</p>	FAILED	0.002 s

US12-01 New_Bank: User can able to make another payment again



#	Step / Hook Details	Status	Duration
1	Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK" User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.	PASSED	0.970 s
2	Given User provides access token to Deloitte security page for New Banking App User is clicked on AccessThroughEntryToken User has provided Access Token User has received the Access to Deloitte	PASSED	0.994 s
3	And User verifies the new bank site is accessible New Bank Page has been appeared as expected Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/	PASSED	0.762 s
4	And User waits until the login section appears for new Bank app Login Section has appeared	PASSED	18.966 s
5	Given User provides "newbankregistrationviaemail30" and password for new bank app - static User has provided username User has provided password User has clicked on Sign-On button	PASSED	2.776 s
6	Then User should able to login with "automation" and land on dashboard of new Bank app "positive" User is registered an account on new Bank app and Firstname is appeared as expected Dashboard page URL is verified	PASSED	2.494 s
7	And User clicks on transfer option on dashboard page of new Bank app User has clicked on Transfer option link on dashboard	PASSED	0.224 s
8	Then User clicks on make a new payment button Transfer Page has been appeared User has clicked on make a new payment	PASSED	0.311 s
9	Given User provides the transfer details like "Automation User", "123123", "123123", "500", "positive" and click on continue User has landed on Send Money page User has provided PayeeName	PASSED	6.599 s

#	Step / Hook Details	Status	Duration
	User has provided AccountNumber User has provided ConfirmAccountNumber User has provided Transfer Amount User has clicked on Confirm Payment		
10	Then User confirms the transaction risk Transaction Risk Page has been appeared User has clicked on Transaction Risk Continue Button	PASSED	1.295 s
11	Then User gets the Success message for the transaction org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //*[contains(text(),'Success')]/following::button[1] (tried for 45 second(s) with 500 milliseconds interval) Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.w43jc4}, goog:chromeOptions: {debuggerAddress: localhost:37445}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:37445/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 452849d2a50ee840f70c4f8cb691ddb5 at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at Utilities.WaitUtil.elementToBeLocated(WaitUtil.java:29) at StepDefinitions.NewBank.NewBankProfileOptionsScreenSD. userGetsTheSuccessMessageForTheTransaction(NewBankProfileOptionsScreenSD.java:417) at ?.User gets the Success message for the transaction(file:///data/automationFiles/ciamsgo-cucumber-test-framework/src/test/java/Features/Banking/newUI/NewBankTransfers.feature:38) * Not displayable characters are replaced by '?'.	FAILED	45.459 s
12	And User clicks on make another payment	SKIPPED	0.000 s
13	Then User clicks on make a new payment button	SKIPPED	0.000 s
14	Given User provides the transfer details like "Automation User", "123123", "123123", "500", "positive" and click on continue	SKIPPED	0.000 s
15	Then User confirms the transaction risk	SKIPPED	0.000 s
16	Then User gets the Success message for the transaction	SKIPPED	0.000 s
17	And User logs out from new Bank app "positive"	SKIPPED	0.000 s
18	Then User terminates all windows of the browser	SKIPPED	0.000 s
	AFTER - StepDefinitions.NewBank.NewBankRegistrationScreenSD.testScenarioCondition() Above scenario has been failed. Ref: Attachment PageURL: https://bank.ciam.sandbox.ciamsgo.com/profile/transfers Terminated the browser as a failure noticed in above scenario	PASSED	0.570 s

#	Step / Hook Details	Status	Duration
			
	<p>AFTER - StepDefinitions.NewBank.NewBankWelcomeScreenSD.testScenarioCondition()</p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.w43jc4}, goog:chromeOptions: {debuggerAddress: localhost:37445}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se.cdp: ws://localhost:37445/devtoo..., se.cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.NewBank.NewBankWelcomeScreenSD.prepareFailureEvidence(NewBankWelcomeScreenSD.java:20) at StepDefinitions.NewBank.NewBankWelcomeScreenSD.testScenarioCondition(NewBankWelcomeScreenSD.java:31)</p>	FAILED	0.001 s
	<p>AFTER - StepDefinitions.NewBank.NewBankProfileOptionsScreenSD.testScenarioCondition()</p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.w43jc4}, goog:chromeOptions: {debuggerAddress: localhost:37445}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se.cdp: ws://localhost:37445/devtoo..., se.cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)</p>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.NewBank.NewBankProfileOptionsScreenSD.prepareFailureEvidence(NewBankProfileOptionsScreenSD.java:26) at StepDefinitions.NewBank.NewBankProfileOptionsScreenSD.testScenarioCondition(NewBankProfileOptionsScreenSD.java:37)		
	AFTER - StepDefinitions.Retail.RetailProfileOptionsScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.w43jc4}, goog:chromeOptions: {debuggerAddress: localhost:37445}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:37445/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Retail.RetailProfileOptionsScreenSD.prepareFailureEvidence(RetailProfileOptionsScreenSD.java:22) at StepDefinitions.Retail.RetailProfileOptionsScreenSD.testScenarioCondition(RetailProfileOptionsScreenSD.java:33)	FAILED	0.003 s
	AFTER - StepDefinitions.Retail.RetailOctaSignInScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.w43jc4}, goog:chromeOptions: {debuggerAddress: localhost:37445}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:37445/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Retail.RetailOctaSignInScreenSD.prepareFailureEvidence(RetailOctaSignInScreenSD.java:26) at StepDefinitions.Retail.RetailOctaSignInScreenSD.testScenarioCondition(RetailOctaSignInScreenSD.java:37)		
	AFTER - StepDefinitions.Retail.RetailPrivacyWebFormScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.w43jc4}, goog:chromeOptions: {debuggerAddress: localhost:37445}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:37445/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Retail.RetailPrivacyWebFormScreenSD.prepareFailureEvidence(RetailPrivacyWebFormScreenSD.java:18) at StepDefinitions.Retail.RetailPrivacyWebFormScreenSD.testScenarioCondition(RetailPrivacyWebFormScreenSD.java:29)	FAILED	0.003 s
	AFTER - StepDefinitions.Retail.RetailWelcomeScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.w43jc4}, goog:chromeOptions: {debuggerAddress: localhost:37445}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:37445/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	at Utilities.CaptureScreen.takeScreenshot(CaptureScreen.java:9) at StepDefinitions.Retail.RetailWelcomeScreenSD.prepareFailureEvidence(RetailWelcomeScreenSD.java:21) at StepDefinitions.Retail.RetailWelcomeScreenSD.testScenarioCondition(RetailWelcomeScreenSD.java:32)		
	AFTER - StepDefinitions.Retail.RetailSignUpScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.w43jc4}, goog:chromeOptions: {debuggerAddress: localhost:37445}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:37445/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenshot(CaptureScreen.java:9) at StepDefinitions.Retail.RetailSignUpScreenSD.prepareFailureEvidence(RetailSignUpScreenSD.java:18) at StepDefinitions.Retail.RetailSignUpScreenSD.testScenarioCondition(RetailSignUpScreenSD.java:29)	FAILED	0.001 s
	AFTER - StepDefinitions.Retail.RetailLoginScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.w43jc4}, goog:chromeOptions: {debuggerAddress: localhost:37445}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:37445/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenshot(CaptureScreen.java:9)	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	at StepDefinitions.Retail.RetailLoginScreenSD.prepareFailureEvidence(RetailLoginScreenSD.java:23) at StepDefinitions.Retail.RetailLoginScreenSD.testScenarioCondition(RetailLoginScreenSD.java:34)		
	AFTER - StepDefinitions.Banking.BankingSignUpEmailSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.w43jc4}, goog:chromeOptions: {debuggerAddress: localhost:37445}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:37445/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Banking.BankingSignUpEmailSD.prepareFailureEvidence(BankingSignUpEmailSD.java:16) at StepDefinitions.Banking.BankingSignUpEmailSD.testScenarioCondition(BankingSignUpEmailSD.java:27)	FAILED	0.001 s
	AFTER - StepDefinitions.Banking.BankingProfileOptionsSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.w43jc4}, goog:chromeOptions: {debuggerAddress: localhost:37445}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:37445/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Banking.BankingProfileOptionsSD.prepareFailureEvidence(BankingProfileOptionsSD.java:19)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	at StepDefinitions.Banking.BankingProfileOptionsSD.testScenarioCondition(BankingProfileOptionsSD.java:30)		
	AFTER - StepDefinitions.Banking.BankingLoggedInScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.w43jc4}, goog:chromeOptions: {debuggerAddress: localhost:37445}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:37445/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Banking.BankingLoggedInScreenSD.prepareFailureEvidence(BankingLoggedInScreenSD.java:16) at StepDefinitions.Banking.BankingLoggedInScreenSD.testScenarioCondition(BankingLoggedInScreenSD.java:27)	FAILED	0.002 s
	AFTER - StepDefinitions.Banking.BankingLoginScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.w43jc4}, goog:chromeOptions: {debuggerAddress: localhost:37445}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:37445/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Banking.BankingLoginScreenSD.prepareFailureEvidence(BankingLoginScreenSD.java:15) at StepDefinitions.Banking.BankingLoginScreenSD.testScenarioCondition(BankingLoginScreenSD.java:26)	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	AFTER - StepDefinitions.Banking.BankingBrokerageAccountSD.testScenarioCondition() <pre> org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.w43jc4}, goog:chromeOptions: {debuggerAddress: localhost:37445}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:37445/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Banking.BankingBrokerageAccountSD.prepareFailureEvidence(BankingBrokerageAccountSD.java:14) at StepDefinitions.Banking.BankingBrokerageAccountSD.testScenarioCondition(BankingBrokerageAccountSD.java:25) </pre>	FAILED	0.000 s
	AFTER - StepDefinitions.Banking.BankingWelcomeScreenSD.testScenarioCondition() <pre> org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.w43jc4}, goog:chromeOptions: {debuggerAddress: localhost:37445}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:37445/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Banking.BankingWelcomeScreenSD.prepareFailureEvidence(BankingWelcomeScreenSD.java:15) at StepDefinitions.Banking.BankingWelcomeScreenSD.testScenarioCondition(BankingWelcomeScreenSD.java:26) </pre>	FAILED	0.001 s
	AFTER - StepDefinitions.Banking.BankTransfersSD.testScenarioCondition()	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.w43jc4}, goog:chromeOptions: {debuggerAddress: localhost:37445}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se.cdp: ws://localhost:37445/devtoo..., se.cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Banking.BankTransfersSD.prepareFailureEvidence(BankTransfersSD.java:12) at StepDefinitions.Banking.BankTransfersSD.testScenarioCondition(BankTransfersSD.java:23)</p>		
	<p>AFTER - StepDefinitions.Banking.BankingTransferScreenSD.testScenarioCondition()</p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.w43jc4}, goog:chromeOptions: {debuggerAddress: localhost:37445}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se.cdp: ws://localhost:37445/devtoo..., se.cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Banking.BankingTransferScreenSD.prepareFailureEvidence(BankingTransferScreenSD.java:16) at StepDefinitions.Banking.BankingTransferScreenSD.testScenarioCondition(BankingTransferScreenSD.java:27)</p>	FAILED	0.002 s
	<p>AFTER - StepDefinitions.Banking.BankingPaymentsSD.testScenarioCondition()</p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision:</p>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.w43jc4}, goog:chromeOptions: {debuggerAddress: localhost:37445}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:37445/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Banking.BankingPaymentsSD.prepareFailureEvidence(BankingPaymentsSD.java:12) at StepDefinitions.Banking.BankingPaymentsSD.testScenarioCondition(BankingPaymentsSD.java:23)		
	AFTER - StepDefinitions.Health.HealthLoggedInHomeScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.w43jc4}, goog:chromeOptions: {debuggerAddress: localhost:37445}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:37445/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Health.HealthLoggedInHomeScreenSD.prepareFailureEvidence(HealthLoggedInHomeScreenSD.java:26) at StepDefinitions.Health.HealthLoggedInHomeScreenSD.testScenarioCondition(HealthLoggedInHomeScreenSD.java:40)	FAILED	0.001 s
	AFTER - StepDefinitions.Health.HealthLoginScreenSD.testScenarioCondition() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version:	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<p>'4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.w43jc4}, goog:chromeOptions: {debuggerAddress: localhost:37445}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:37445/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Health.HealthLoginScreenSD.prepareFailureEvidence(HealthLoginScreenSD.java:20) at StepDefinitions.Health.HealthLoginScreenSD.testScenarioCondition(HealthLoginScreenSD.java:31)</p>		
	<p>AFTER - StepDefinitions.Health.HealthConfigureRegistrationSD.testScenarioCondition()</p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.w43jc4}, goog:chromeOptions: {debuggerAddress: localhost:37445}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:37445/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Health.HealthConfigureRegistrationSD.prepareFailureEvidence(HealthConfigureRegistrationSD.java:14) at StepDefinitions.Health.HealthConfigureRegistrationSD.testScenarioCondition(HealthConfigureRegistrationSD.java:25)</p>	FAILED	0.001 s
	<p>AFTER - StepDefinitions.Health.HealthRegisterScreenSD.testScenarioCondition()</p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}]</p>	FAILED	0.005 s



#	Step / Hook Details	Status	Duration
	<p>Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.w43jc4}, goog:chromeOptions: {debuggerAddress: localhost:37445}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:37445/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Health.HealthRegisterScreenSD.prepareFailureEvidence(HealthRegisterScreenSD.java:19) at StepDefinitions.Health.HealthRegisterScreenSD.testScenarioCondition(HealthRegisterScreenSD.java:30)</p>		
	<p>AFTER - StepDefinitions.Health.HealthWelcomeScreenSD.testScenarioCondition()</p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.w43jc4}, goog:chromeOptions: {debuggerAddress: localhost:37445}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:37445/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Health.HealthWelcomeScreenSD.prepareFailureEvidence(HealthWelcomeScreenSD.java:15) at StepDefinitions.Health.HealthWelcomeScreenSD.testScenarioCondition(HealthWelcomeScreenSD.java:26)</p>	FAILED	0.003 s
	<p>AFTER - StepDefinitions.CommonDefinitions.DeloitteSecurityLayerSD.testScenarioCondition()</p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion:</p>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<p>105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.w43jc4}, goog:chromeOptions: {debuggerAddress: localhost:37445}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:37445/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.CommonDefinitions.DeloitteSecurityLayerSD.prepareFailureEvidence(DeloitteSecurityLayerSD.java:24) at StepDefinitions.CommonDefinitions.DeloitteSecurityLayerSD.testScenarioCondition(DeloitteSecurityLayerSD.java:35)</p>		
	<p>AFTER - StepDefinitions.CommonDefinitions.BrowserOperationsSD.testScenarioCondition()</p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.w43jc4}, goog:chromeOptions: {debuggerAddress: localhost:37445}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:37445/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.CommonDefinitions.BrowserOperationsSD.prepareFailureEvidence(BrowserOperationsSD.java:15) at StepDefinitions.CommonDefinitions.BrowserOperationsSD.testScenarioCondition(BrowserOperationsSD.java:26)</p>	FAILED	0.001 s
	<p>AFTER - StepDefinitions.CommonDefinitions.FeedTestDataToFilesSD.testScenarioCondition()</p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.w43jc4}, goog:chromeOptions: {debuggerAddress: localhost:37445},</p>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<p>networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:37445/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.CommonDefinitions.FeedTestDataToFilesSD.prepareFailureEvidence(FeedTestDataToFilesSD.java:19) at StepDefinitions.CommonDefinitions.FeedTestDataToFilesSD.testScenarioCondition(FeedTestDataToFilesSD.java:30)</p>		
	<p>AFTER - StepDefinitions.CommonDefinitions.GoogleOktaLoginSD.testScenarioCondition()</p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.w43jc4}, goog:chromeOptions: {debuggerAddress: localhost:37445}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:37445/devtoo..., se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.CommonDefinitions.GoogleOktaLoginSD.prepareFailureEvidence(GoogleOktaLoginSD.java:16) at StepDefinitions.CommonDefinitions.GoogleOktaLoginSD.testScenarioCondition(GoogleOktaLoginSD.java:27)</p>	FAILED	0.003 s
	<p>AFTER - StepDefinitions.CommonDefinitions.FacebookOktaLoginSD.testScenarioCondition()</p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'csfr01.ciamsgo.com', ip: '127.0.0.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.18.0-372.26.1.el8_6.x86_64', java.version: '11.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: /tmp/.com.google.Chrome.w43jc4}, goog:chromeOptions: {debuggerAddress: localhost:37445}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:37445/devtoo...,</p>	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	<pre> se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.CommonDefinitions.FacebookOktaLoginSD.prepareFailureEvidence(FacebookOktaLoginSD.java:17) at StepDefinitions.CommonDefinitions.FacebookOktaLoginSD.testScenarioCondition(FacebookOktaLoginSD.java:28) </pre>		

US12-02 New_Bank: User cannot able to Transfer or send money if User doesn't provide the same PayeeAccount Number and ConfirmPayeeAccount Number

<div>PASSED</div>	<div>DURATION - 34.521 s</div>	<div></div>	<div>Steps</div> <div>Total - 11</div> <div>Pass - 11</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:13:01.814 PM // 7:13:36.335 PM /</div>				
<div>New_Bank_US12 12 Transfer/Send Money Test</div>				
<div>@pay-a-bill-invalid @US12 @new-bank</div>				

#	Step / Hook Details	Status	Duration
1	Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK" User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.	PASSED	1.243 s
2	Given User provides access token to Deloitte security page for New Banking App User is clicked on AccessThroughEntryToken User has provided Access Token User has received the Access to Deloitte	PASSED	1.048 s
3	And User verifies the new bank site is accessible New Bank Page has been appeared as expected Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/	PASSED	0.885 s
4	And User waits until the login section appears for new Bank app	PASSED	18.743 s

#	Step / Hook Details	Status	Duration
	Login Section has appeared		
5	Given User provides "newbankregistrationviaemail31" and password for new bank app - static	PASSED	2.585 s
	User has provided username		
	User has provided password		
	User has clicked on Sign-On button		
6	Then User should able to login with "automation" and land on dashboard of new Bank app "negative"	PASSED	0.000 s
	Skipping the Test as it falls under Negative testing		
7	And User clicks on transfer option on dashboard page of new Bank app	PASSED	2.937 s
	User has clicked on Transfer option link on dashboard		
8	Then User clicks on make a new payment button	PASSED	0.299 s
	Transfer Page has been appeared		
	User has clicked on make a new payment		
9	Given User provides the transfer details like "Automation User", "123123", "123125", "500", "negative" and click on continue	PASSED	6.643 s
	User has landed on Send Money page		
	User has provided PayeeName		
	User has provided AccountNumber		
	User has provided different ConfirmAccountNumber		
	User has provided Transfer Amount		
	User has clicked on Confirm Payment		
	Payee Account Number and Confirm Payee Account Number should be matched verification has been done		
10	And User logs out from new Bank app "negative"	PASSED	0.000 s
	Skipping the Test as it falls under Negative testing		
11	Then User terminates all windows of the browser	PASSED	0.105 s
	All windows have been terminated by the User		