Fractions Exercise 2A

Solution 01

Answer:

We have the following:

(i) 58 and 712

By cross multiplication, we get: $5 \times 12 = 60$ and $7 \times 8 = 56$ However, 60 > 56 $\therefore 58 > 712$

(ii) 59and1115 By cross multiplication, we get: $5 \times 15 = 75$ and $9 \times 11 = 99$ However, 75 < 99 $\therefore 59 < 1115$

(iii) 1112and1516 By cross multiplication, we get: 11 × 16 = 176 and 12 × 15 = 180 However, 176 < 180 ∴ 1112<1516

Answer:

(i) The given fractions are $\frac{3}{4}$, $\frac{5}{6}$, $\frac{7}{9}$ and $\frac{11}{12}$

LCM of 4, 6, 9 and 12 = 36

Now, let us change each of the given fractions into an equivalent fraction with 72 as its denominator.

$$\frac{3}{4} = \frac{3 \times 9}{4 \times 9} = \frac{27}{36}$$

$$\frac{5}{6} = \frac{5 \times 6}{6 \times 6} = \frac{30}{36}$$

$$\frac{7}{9} = \frac{7 \times 4}{9 \times 4} = \frac{28}{36}$$

$$\frac{11}{12} = \frac{11 \times 3}{12 \times 3} = \frac{33}{36}$$

Clearly,
$$\frac{27}{36} < \frac{28}{36} < \frac{30}{36} < \frac{33}{36}$$

Hence,
$$\frac{3}{4} < \frac{7}{9} < \frac{5}{6} < \frac{11}{12}$$

:. The given fractions in ascending order are $\frac{3}{4}$, $\frac{7}{9}$, $\frac{5}{6}$ and $\frac{11}{12}$.

(ii) The given fractions are: $\frac{4}{5}\,,\,\,\frac{7}{10}\,,\,\,\frac{11}{15}\,$ and $\,\frac{17}{20}\,.$

LCM of 5, 10, 15 and 20 = 60

Now, let us change each of the given fractions into an equivalent fraction with 60 as its denominator.

$$\frac{4}{5} = \frac{4 \times 12}{5 \times 12} = \frac{48}{60}$$

$$\frac{7}{10} = \frac{7 \times 6}{10 \times 6} = \frac{42}{60}$$

$$\frac{11}{15} = \frac{11 \times 4}{15 \times 4} = \frac{44}{60}$$

$$\frac{17}{20} = \frac{17 \times 3}{20 \times 3} = \frac{51}{60}$$

Clearly, $\frac{42}{60} < \frac{44}{60} < \frac{48}{60} < \frac{51}{60}$

Hence, $\frac{7}{10} < \frac{11}{15} < \frac{4}{5} < \frac{17}{20}$

 \therefore The given fractions in ascending order are $\frac{7}{1}$. $\frac{11}{1}$. $\frac{4}{1}$ and $\frac{17}{1}$

Solution 03

Answer:

We have the following:

(i) The given fractions are $\frac{3}{4}$, $\frac{7}{8}$, $\frac{7}{12}$ and $\frac{17}{24}$.

LCM of 4,8,12 and 24 = 24

Now, let us change each of the given fractions into an equivalent fraction with 24 as its denominator.

$$\frac{3}{4} = \frac{3 \times 6}{4 \times 6} = \frac{18}{24}$$

$$\frac{7}{8} = \frac{7 \times 3}{8 \times 3} = \frac{21}{24}$$

$$\frac{7}{12} = \frac{7 \times 2}{12 \times 2} = \frac{14}{24}$$

$$\frac{17}{24} = \frac{17 \times 1}{24 \times 1} = \frac{17}{24}$$

Clearly, $\frac{21}{24} > \frac{18}{24} > \frac{17}{24} > \frac{14}{24}$

Hence,
$$\frac{7}{8} > \frac{3}{4} > \frac{17}{24} > \frac{7}{12}$$

 $\cdot\cdot$ The given fractions in descending order are $\frac{7}{8}\,,\;\frac{3}{4}\,,\;\frac{17}{24}\;\;and\;\;\frac{7}{12}$.

(ii) The given fractions are $\frac{2}{3}$, $\frac{3}{5}$, $\frac{7}{10}$ and $\frac{8}{15}$.

LCM of 3,5,10 and 15 = 30

Now, let us change each of the given fractions into an equivalent fraction with 30 as its denominator. $\frac{2}{3} = \frac{2 \times 10}{3 \times 10} = \frac{20}{30}$

$$\frac{2}{3} = \frac{2 \times 10}{3 \times 10} = \frac{20}{30}$$

$$\frac{3}{5} = \frac{3 \times 6}{5 \times 6} = \frac{18}{30}$$

$$\frac{7}{10} = \frac{7 \times 3}{10 \times 3} = \frac{21}{30}$$

$$\frac{8}{15} = \frac{8 \times 2}{15 \times 2} = \frac{16}{30}$$

Clearly,
$$\frac{21}{30} > \frac{20}{30} > \frac{18}{30} > \frac{16}{30}$$

Hence,
$$\frac{7}{10} > \frac{2}{3} > \frac{3}{5} > \frac{8}{15}$$

 \therefore The given fractions in descending order are $\frac{7}{10}\,,\,\,\frac{2}{3}\,,\,\,\frac{3}{5}\,$ and $\,\frac{8}{15}$

Solution 04

Answer:

We will compare the given fractions $\frac{2}{7}$ and $\frac{4}{5}$ in order to know who got the larger part of the apple.

By cross multiplication, we get

$$2 \times 5 = 10$$
 and $4 \times 7 = 28$

However, 10 < 28

$$\therefore \frac{2}{7} < \frac{4}{5}$$

Thus, Sonal got the larger part of the apple

Now,
$$\frac{4}{5} - \frac{2}{7} = \frac{28-10}{35} = \frac{18}{35}$$

 \therefore Sonal got $\frac{18}{35}$ part of the apple more than Reenu

Solution 05

Answer:

(i)
$$\frac{5}{9} + \frac{3}{9} = \frac{8}{9}$$

(ii)
$$\frac{8}{9} + \frac{7}{12}$$

$$=\frac{32}{36}+\frac{21}{36}$$
 [: LCM of 9 and 12 = 36]

$$=\frac{32+21}{36}$$

$$=\frac{53}{36}=1\frac{17}{36}$$

(iii)
$$\frac{5}{6} + \frac{7}{8}$$

$$=\frac{20}{24}+\frac{21}{24}$$
 [: LCM of 6 and 8 = 24]

$$=\frac{20+21}{24}$$

$$=\frac{41}{24}=1\frac{17}{24}$$

(iv)
$$\frac{7}{12} + \frac{11}{16} + \frac{9}{24}$$

$$\frac{28}{48} + \frac{33}{48} + \frac{18}{48}$$
 [: LCM of 12, 16 and 24 = 48]

$$= \frac{28 + 33 + 18}{48}$$

$$=\frac{79}{48}=1\frac{31}{48}$$

$$(v) \ 3\frac{4}{5} + 2\frac{3}{10} + 1\frac{1}{15}$$

$$= \frac{19}{5} + \frac{23}{10} + \frac{16}{15}$$

$$= \frac{114}{30} + \frac{69}{30} + \frac{32}{30} \qquad [\because LCM \text{ of } 5, 10 \text{ and } 15 = 30]$$

$$= \frac{114+69+32}{30}$$

$$= \frac{215}{30} = 7\frac{5}{30} = 7\frac{1}{6}$$

$$(vi) \ 8\frac{3}{4} + 10\frac{2}{5}$$

$$= \frac{35}{4} + \frac{52}{5}$$

$$= \frac{175}{20} + \frac{208}{20} \qquad [\because LCM \text{ of } 4 \text{ and } 5 = 20]$$

$$= \frac{175+208}{20}$$

$$= \frac{383}{20} = 19\frac{3}{20}$$

Solution 06

Answer:

(i)
$$\frac{5}{7} - \frac{2}{7} = \frac{5-2}{7} = \frac{3}{7}$$

(ii)
$$\frac{5}{6} - \frac{3}{4}$$

$$= \frac{10}{12} - \frac{9}{12} \qquad [\because LCM \text{ of 6 and 4 = 12}]$$

$$= \frac{10-9}{12}$$

$$= \frac{1}{12}$$

(iii)
$$3\frac{1}{5} - \frac{7}{10}$$

$$= \frac{16}{5} - \frac{7}{10}$$

$$= \frac{32}{10} - \frac{7}{10}$$
 [: LCM of 5 and 10 = 10]
$$= \frac{32-7}{10}$$

$$= \frac{25}{10} = \frac{5}{2} = 2\frac{1}{2}$$

(iv)
$$7-4\frac{2}{3}$$

= $\frac{7}{1}-\frac{14}{3}$
= $\frac{21-14}{3}$ [: LCM of 1 and 3 = 3]
= $\frac{7}{3}=2\frac{1}{3}$

$$=\frac{33}{10}-\frac{22}{15}$$

$$=\frac{99-44}{30} \qquad [\because LCM \text{ of } 10 \text{ and } 15=30]$$

$$=\frac{55}{30}=\frac{11}{6}=1\frac{5}{6}$$
(vi) $2\frac{5}{9}-1\frac{7}{15}$

$$=\frac{23}{9}-\frac{22}{15}$$

$$=\frac{115-66}{45} \qquad [\because LCM \text{ of } 9 \text{ and } 15=45]$$

$$=\frac{49}{45}=1\frac{4}{45}$$

Solution 07

(v) $3\frac{3}{10} - 1\frac{7}{15}$

Answer:

(i)
$$\frac{2}{3} + \frac{5}{6} - \frac{1}{9}$$

= $\frac{12+15-2}{18}$ [\because LCM of 3, 6 and 9 = 18]
= $\frac{27-2}{18} = \frac{25}{18} = 1 \frac{7}{18}$
(ii) $8 - 4 \frac{1}{2} - 2 \frac{1}{4}$
= $\frac{8}{1} - \frac{9}{2} - \frac{9}{4}$
= $\frac{32-18-9}{4}$ [\because LCM of 1, 2 and 4 = 4]
= $\frac{32-27}{4} = \frac{5}{4} = 1 \frac{1}{4}$
(iii) $8 \frac{5}{6} - 3 \frac{3}{8} + 1 \frac{7}{12}$
= $\frac{53}{6} - \frac{27}{8} + \frac{19}{12}$
= $\frac{212-81+38}{24}$ [\because LCM of 6, 8 and 12 = 24]
= $\frac{250-81}{24} = \frac{169}{24} = 7 \frac{1}{24}$

Solution 08

Answer:

Total weight of fruits bought by Aneeta = $\left(3\,\frac{3}{4}\,+\,4\,\frac{1}{2}\right)\,{
m kg}$ Now, we have:

$$3\frac{3}{4} + 4\frac{1}{2} = \frac{15}{4} + \frac{9}{2}$$


$$= \frac{15+18}{4} \quad [\because LCM \text{ of 2 and 4 = 4}]$$

$$= \frac{15+18}{4} = \frac{33}{4} = 8\frac{1}{4}$$

Hence, the total weight of the fruits purchased by Aneeta is $8\,\frac{1}{4}~$ kg.

Solution 09

We have:



Perimeter of the rectangle ABCD = AB + BC + CD +DA
$$= \left(15\,\frac{3}{4}\,\,+\,\,12\,\frac{1}{2}\,\,+\,\,15\,\frac{3}{4}\,\,+\,\,12\,\frac{1}{2}\right)\,\mathbf{cm} \\ = \left(\frac{63}{4}\,\,+\,\,\frac{25}{2}\,\,+\,\,\frac{63}{4}\,\,+\,\,\frac{25}{2}\right)\,\mathbf{cm} \\ = \left(\frac{63+50+63+50}{4}\right)\,\mathbf{cm} \qquad [\because \, \text{LCM of 2 and 4 = 4}] \\ = \left(\frac{226}{4}\right)\,\mathbf{cm} = \left(\frac{113}{2}\right)\,\mathbf{cm} = 56\,\frac{1}{2}\,\,\mathbf{cm}$$

Hence, the perimeter of ABCD is $56\frac{1}{2}$ cm

Solution 10

Answer:

Actual width of the picture =
$$7\frac{3}{5}$$
 cm = $\frac{38}{5}$ cm
Required width of the picture = $7\frac{3}{10}$ cm = $\frac{73}{10}$ cm
$$\therefore \text{ Extra width } = \left(\frac{38}{5} - \frac{73}{10}\right)$$
 cm = $\left(\frac{76-73}{10}\right)$ cm [:: LCM of 5 and 10 is 10] = $\frac{3}{10}$ cm
Hence, the width of the picture should be trimmed by $\frac{3}{10}$ cm.

Solution 11

Answer:

Required number to be added = $18-7\frac{3}{5}$

$$= \frac{18}{1} - \frac{38}{5}$$

$$= \frac{90 - 38}{5} \qquad [\because LCM \text{ of 1 and 5 = 5}]$$

$$= \frac{52}{5} = 10 \frac{2}{5}$$

Hence, the required number is $10\frac{2}{5}$

Solution 12

Answer:

Required number to be added = $8\frac{2}{5} - 7\frac{4}{15}$

$$= \frac{42}{5} - \frac{109}{15}$$

$$= \frac{126 - 109}{15} \quad [\because LCM \text{ of 5 and 15} = 15]$$

$$= \frac{17}{15} = 1 \frac{2}{15}$$

Hence, the required number should be $1\frac{2}{15}$

Solution 13

Required length of other piece of wire = $\left(3\,\frac{3}{4}-1\,\frac{1}{2}\right)m$

$$= \left(\frac{15}{4} - \frac{3}{2}\right) \mathbf{m}$$

$$= \left(\frac{15-6}{4}\right) \mathbf{m} \quad [\because \text{LCM of 4 and 2 = 4}]$$

$$= \frac{9}{4} \mathbf{m} = 2\frac{1}{4} \mathbf{m}$$

Hence, the length of the other piece of wire is $2\frac{1}{4}\,m$

Solution 14

Answer:

Actual duration of the film =
$$\left(3\,\frac{2}{3}-1\,\frac{1}{2}\right)$$
 hours
$$= \left(\frac{11}{3}-\frac{3}{2}\right)$$
 hours
$$= \left(\frac{22-9}{6}\right)$$
 hours [:: LCM of 3 and 2 = 6]
$$= \frac{13}{6}$$
 hours = $2\,\frac{1}{6}$ hours

Hence, the actual duration of the film was $2\frac{1}{6}\,hours$

Solution 15

Answer:

First we have to compare the fractions: $\frac{2}{3}$ and $\frac{5}{9}$ By cross multiplication, we have: $2 \times 9 = 18$ and $5 \times 3 = 15$

However,
$$18 > 15$$

$$\therefore \frac{2}{3} > \frac{5}{9}$$

So,
$$\frac{2}{3}$$
 is larger than $\frac{5}{9}$ Now, $\frac{2}{3} - \frac{5}{9}$

$$=\frac{6-5}{9} \quad [\because LCM \text{ of } 3 \text{ and } 9=9]$$

$$=\frac{1}{9}$$
Hence, $\frac{2}{3}$ is $\frac{1}{9}$ part more than $\frac{5}{9}$.

Solution 16

First, we have to compare the cost of the pen and the pencil. Cost of the pen = Rs $16\frac{3}{5}=Rs\frac{83}{5}$

Cost of the pencil = Rs $4\frac{3}{4}=Rs\frac{19}{4}$ Now, we have to compare fractions $\frac{83}{5}$ and $\frac{19}{4}$. By cross multiplication, we get:

$$83 \times 4 = 332$$
 and $19 \times 5 = 95$

However, 332 > 95

$$\frac{83}{5} > \frac{19}{4}$$

So, the cost of pen is more than that of the pencil.

Now, Rs
$$\left(\frac{83}{5} - \frac{19}{4}\right)$$

=
$$\mathbf{Rs} \left(\frac{332 - 95}{20} \right)$$
 [:: LCM of 4 and 5 = 20]

= Rs
$$\frac{237}{20}$$
 = Rs $11\frac{17}{20}$

 \therefore The pen costs Rs $11\,\frac{17}{20}$ more than the pencil.

Fractions Exercise 2B

solution 01

Answer:

(i)
$$\frac{3}{5} \times \frac{7}{11} = \frac{3 \times 7}{5 \times 11} = \frac{21}{55}$$

(ii)
$$\frac{5}{8} \times \frac{4}{7} = \frac{5 \times 4}{8 \times 7} = \frac{5 \times 1}{2 \times 7} = \frac{5}{14}$$

(iii)
$$\frac{4}{9} \times \frac{15}{16} = \frac{4 \times 15}{9 \times 16} = \frac{1 \times 5}{3 \times 4} = \frac{5}{12}$$

(iv)
$$\frac{2}{5} \times 15 = \frac{2}{5} \times \frac{15}{1} = \frac{2 \times 15}{5 \times 1} = \frac{2 \times 3}{1 \times 1} = 6$$

(v)
$$\frac{8}{15} \times 20 = \frac{8}{15} \times \frac{20}{1} = \frac{8 \times 20}{15 \times 1} = \frac{8 \times 4}{3 \times 1} = \frac{32}{3} = 10 \frac{2}{3}$$

(vi)
$$\frac{5}{8} \times 1000 = \frac{5}{8} \times \frac{1000}{1} = \frac{5 \times 1000}{8 \times 1} = \frac{5 \times 125}{1 \times 1} = 625$$

(Vii)
$$3\frac{1}{8} \times 16 = \frac{25}{8} \times \frac{16}{1} = \frac{25 \times 16}{8 \times 1} = \frac{25 \times 2}{1 \times 1} = 50$$

$$\text{(viii) } 2\,\tfrac{4}{15}\times 12 = \tfrac{34}{15}\times \tfrac{12}{1} = \tfrac{34\times 12}{15\times 1} = \tfrac{34\times 4}{5\times 1} = \tfrac{136}{5} = 27\,\tfrac{1}{5}$$

(ix)
$$3\frac{6}{7} \times 4\frac{2}{3} = \frac{27}{7} \times \frac{14}{3} = \frac{27 \times 14}{7 \times 3} = \frac{9 \times 2}{1 \times 1} = 18$$

(x)
$$9\frac{1}{2} \times 1\frac{9}{19} = \frac{19}{2} \times \frac{28}{19} = \frac{19 \times 28}{2 \times 19} = \frac{1 \times 14}{1 \times 1} = 14$$

(Xi)
$$4\frac{1}{8} \times 2\frac{10}{11} = \frac{33}{8} \times \frac{32}{11} = \frac{33 \times 32}{8 \times 11} = \frac{3 \times 4}{1 \times 1} = 12$$

(Xii)
$$5\frac{5}{6} \times 1\frac{5}{7} = \frac{35}{6} \times \frac{12}{7} = \frac{35 \times 12}{6 \times 7} = \frac{5 \times 2}{1 \times 1} = 10$$

solution 02

Answer:

We have the following:

(i)
$$\frac{2}{3} \times \frac{5}{44} \times \frac{33}{35} = \frac{2 \times 5 \times 33}{3 \times 44 \times 35} = \frac{1 \times 1 \times 11}{1 \times 22 \times 7} = \frac{1 \times 1 \times 1}{1 \times 2 \times 7} = \frac{1}{14}$$

(ii)
$$\frac{12}{25} \times \frac{15}{28} \times \frac{35}{36} = \frac{1 \times 3 \times 5}{5 \times 4 \times 3} = \frac{1 \times 1 \times 1}{1 \times 4 \times 1} = \frac{1}{4}$$

(iii)
$$\frac{10}{27} imes \frac{28}{65} imes \frac{39}{56} = \frac{10 imes 1 imes 3}{27 imes 5 imes 2} = \frac{1 imes 1 imes 3}{27 imes 1 imes 1} = \frac{3}{27} = \frac{1}{9}$$

(iv)
$$1\frac{4}{7} \times 1\frac{13}{22} \times 1\frac{1}{15}$$

$$=\frac{11}{7} \times \frac{35}{22} \times \frac{16}{15} = \frac{11 \times 35 \times 16}{7 \times 22 \times 15} = \frac{1 \times 5 \times 16}{1 \times 2 \times 15} = \frac{1 \times 1 \times 8}{1 \times 1 \times 3} = \frac{8}{3} = 2\frac{2}{3}$$

(v)
$$2\frac{2}{17} \times 7\frac{2}{9} \times 1\frac{33}{59}$$

$$=\frac{36}{17}\times\frac{65}{9}\times\frac{85}{9}=\frac{36\times65\times85}{17\times9\times52}=\frac{4\times5\times5}{1\times1\times4}=\frac{1\times5\times5}{1\times1\times1}=25$$

(vi)
$$3\frac{1}{16} \times 7\frac{3}{7} \times 1\frac{25}{30}$$

$$=\frac{49}{16}\times\frac{52}{7}\times\frac{64}{39}=\frac{7\times4\times4}{1\times1\times3}=\frac{112}{3}=37\frac{1}{3}$$

solution 03

Answer:

We have the following:

(i)
$$\frac{1}{3}$$
 of 24 = $24 \times \frac{1}{3} = \frac{24}{1} \times \frac{1}{3} = \frac{24 \times 1}{1 \times 3} = 8$

(ii)
$$\frac{3}{4}$$
 of 32 = $32 \times \frac{3}{4} = \frac{32}{1} \times \frac{3}{4} = \frac{32 \times 3}{1 \times 4} = \frac{8 \times 3}{1 \times 1} = 24$

(iii)
$$\frac{5}{9}$$
 of 45 = $45\times\frac{5}{9}=\frac{45}{1}\times\frac{5}{9}=\frac{45\times5}{1\times9}=\frac{5\times5}{1\times1}=25$

(iv)
$$\frac{7}{50}$$
 of 1000 = $1000 imes \frac{7}{50} = \frac{1000}{1} imes \frac{7}{50} = \frac{20 imes 7}{1 imes 1} = 140$

(v)
$$\frac{3}{20}$$
 of 1020 = $1020 imes \frac{3}{20} = \frac{1020}{1} imes \frac{3}{20} = \frac{51 imes 3}{1 imes 1} = 153$

(vi)
$$\frac{5}{11}$$
 of Rs 220 = Rs $\left(220 \times \frac{5}{11}\right)$ = Rs (20 \times 5) = Rs 100

(vii)
$$\frac{4}{9}$$
 of 54 m = $\left(\frac{4}{9}\times54\right)\!m$ = (4 \times 6) m = 24 m

(viii)
$$\frac{6}{7}$$
 of 35 L = $\left(\frac{6}{7}\times35\right)$ L = (6 \times 5) L = 30 L

(ix)
$$\frac{1}{6}$$
 of 1 h = $\frac{1}{6}$ of 60 min = $\left(60 \times \frac{1}{6}\right)$ min = 10 min

(x)
$$\frac{5}{6}$$
 of an year = $\frac{5}{6}$ of 12 months = $\left(12 \times \frac{5}{6}\right)$ months = (2 \times 5) months = 10 months

(xi)
$$\frac{7}{20}$$
 of a kg = $\frac{7}{20}$ of 1000 g = $\left(1000 \times \frac{7}{20}\right)$ g = (50 × 7) gm = 350 g

(xii)
$$\frac{9}{20}$$
 of 1 m = $\frac{9}{20}$ of 100 cm = $\left(100 \times \frac{9}{20}\right)$ cm = (5 × 9) cm = 45 cm

(xiii)
$$\frac{7}{8}$$
 of a day = $\frac{7}{8}$ of 24 h = $\left(24 \times \frac{7}{8}\right)$ h = (3×7) = 21 h

(xiv)
$$\frac{3}{7}$$
 of a week = $\frac{3}{7}$ of 7 days = $\left(7 \times \frac{3}{7}\right)$ days = 3 days

(xv)
$$\frac{7}{50}$$
 of 1 L = $\frac{7}{50}$ of 1000 mI = $\left(1000 \times \frac{7}{50}\right)$ mI = (20 \times 7) mI = 140 mI

solution 04

Cost of 1kg of apples =
$$\mathbf{Rs}$$
 $18\frac{2}{5} = \mathbf{Rs}$ $\frac{92}{5}$
 \therefore Cost of $3\frac{3}{4}$ \mathbf{kg} of apples = \mathbf{Rs} $\left(\frac{92}{5} \times 3\frac{3}{4}\right)$
= \mathbf{Rs} $\left(\frac{92}{5} \times \frac{15}{4}\right) = \mathbf{Rs}$ $\left(\frac{23 \times 3}{1 \times 1}\right) = \mathbf{Rs}$ 69

Hence, the cost of $3\frac{3}{4}$ kg of apples is Rs 69.

solution 05

Answer:

Cost of 1 m of cloth =
$$\mathbf{Rs}$$
 $42\frac{1}{2} = \mathbf{Rs}$ $\frac{85}{2}$
 \therefore Cost of $5\frac{3}{5}$ \mathbf{m} of cloth = \mathbf{Rs} $\left(\frac{85}{2} \times 5\frac{3}{5}\right)$
= \mathbf{Rs} $\left(\frac{85}{2} \times \frac{28}{5}\right) = \mathbf{Rs}$ $\left(\frac{85 \times 28}{2 \times 5}\right) = \mathbf{Rs}$ $\left(17 \times 14\right) = \mathbf{Rs}$ 238
Hence, the cost of $5\frac{3}{5}$ \mathbf{m} of cloth is \mathbf{Rs} 238.

solution 06

Answer:

Distance covered by the car in 1 h = $66\frac{2}{3}$ kmDistance covered by the car in 9 h = $\left(66\frac{2}{3}\times9\right)$ km $=\left(\frac{200}{3}\times9\right)$ km $=\left(\frac{200\times9}{3\times1}\right)$ km $=(200\times3)$ km =600 km

Hence, the distance covered by the car in 9 h will be 600 km.

solution 07

Answer:

Capacity of 1 tin =
$$12\frac{3}{4}$$
 $\mathbf{L} = \frac{51}{4}$ \mathbf{L}
 \therefore Capacity of 26 such tins = $\left(26 \times \frac{51}{4}\right)$ \mathbf{L}
= $\left(\frac{26}{1} \times \frac{51}{4}\right)$ $\mathbf{L} = \left(\frac{26 \times 51}{1 \times 4}\right)$ $\mathbf{L} = \left(\frac{13 \times 51}{1 \times 2}\right)$ $\mathbf{L} = \left(\frac{663}{2}\right)$ $\mathbf{L} = 331\frac{1}{2}$ \mathbf{L}

Hence, 26 such tins can hold $331\frac{1}{2}$ L of oil.

solution 08

Answer:

Cost of 1 ticket = Rs
$$35\frac{1}{2}$$
 = Rs $\frac{71}{2}$
 \therefore Cost of 308 tickets = Rs $\left(\frac{71}{2}\times308\right)$ = Rs $\left(\frac{71}{2}\times\frac{308}{1}\right)$ = Rs $\left(71\times154\right)$ = Rs 10934

Hence, 308 tickets were sold for Rs 10,934.

solution 09

Answer:

Thickness of 1 board =
$$3\frac{2}{3}$$
 cm
 .: Thickness of 9 boards = $\left(9\times 3\frac{2}{3}\right)$ cm
 = $\left(\frac{9}{1}\times\frac{11}{3}\right)$ cm = (3 × 11) cm = 33 cm

Hence, the height of the stack is 33 cm.

solution 10

Answer:

Time taken by Rohit to complete one round of the circular park = $4\frac{4}{5}$ min = $\frac{24}{5}$ min

$$\therefore$$
 Time taken to complete 15 rounds = $\left(15 \times \frac{24}{5}\right)$ min = (3×24) min = 72 min = 1 h 12 min [\because 1 hr = 60 min]

Hence, Rohit will take 1 h 12 min to make 15 complete rounds of the circular park.

Weight of Amit = 35 kg

Weight of Kavita = $\frac{3}{5}$ of Amit's weight

= 35 kg x
$$\frac{3}{5}$$
 = $\left(35 \times \frac{3}{5}\right)$ kg = $\left(7 \times 3\right)$ kg = 21 kg

B

Hence, Kavita's weight is 21 kg.

solution 12

Answer:

Number of boys in the class = $\frac{5}{7}$ of the total no. of students

$$=\frac{5}{7} \times 42 = \left(\frac{5 \times 42}{7}\right) = 5 \times 6 = 30$$

∴ Number of girls in the class = 42 - 30 = 12

Hence, there are 12 girls in the class.

solution 13

Answer:

Sapna's total monthly income = Rs 12000

Monthly expenditure = $\frac{7}{8}$ of Rs 12000

= Rs
$$\left(\frac{7}{8} \times 12000\right)$$
 = Rs (7×1500) = Rs 10500

∴ Monthly savings = Rs 12000 - Rs 10500

= Rs 1500

Hence, Sapna deposits Rs 1500 in the bank every month.

solution 14

Answer:

Side of the square field = $4\frac{2}{3}$ m

 \therefore Area of the square = (side)²

$$= \left(4\frac{2}{3} \text{ m}\right)^2$$

$$= \left(\frac{14}{3} \text{ m}\right)^2 = \frac{14}{3} \text{ m} \times \frac{14}{3} \text{ m} = \left(\frac{14 \times 14}{3 \times 3}\right) \text{ m}^2 = \frac{196}{9} \text{ m}^2 = 21\frac{7}{9} \text{ m}^2$$

Hence, the area of the square field is $21\,\frac{7}{9}\,\,m^2$

Solution 15

Answer:

Length of the rectangular park = $41\,\frac{2}{3}\,$ $m=\frac{125}{3}\,$ m

Its breadth = $18\frac{3}{5}$ m = $\frac{93}{5}$ m

: Its area = length × breadth

=
$$\left(\frac{125}{3} \times \frac{93}{5}\right) \mathbf{m}^2$$

= $(25 \times 31) \text{ m} = 775 \text{ m}^2$

Hence, the area of the rectangular park is 775 m².

Fractions Exercise 2C

01

Answer:

(i) Reciprocal of $\frac{5}{8}$ = $\frac{8}{5}$ [$\because \frac{5}{8} \times \frac{8}{5} = 1$]

(iii) Reciprocal of $\, \frac{1}{12}$ = 12 $\, [\, \because \, \frac{1}{12} \times 12 = 1] \,$

(iv) Reciprocal of $12\,\frac{3}{5}$ = Reciprocal of $\frac{63}{5}$ = $\frac{5}{63}$ [$\because \frac{63}{5} \times \frac{5}{63} = 1$]

02

Answer:

(i) $\frac{4}{7} \div \frac{9}{14} = \frac{4}{7} \times \frac{14}{9}$ [: Reciprocal of $\frac{9}{14} = \frac{14}{9}$]

 $=\frac{8}{9}$

(ii) $\frac{7}{10} \div \frac{3}{5} = \frac{7}{10} \times \frac{5}{3}$ [: Reciprocal of $\frac{3}{5} = \frac{5}{3}$]

 $=\frac{7}{6}=1\frac{1}{6}$

(iii) $\frac{8}{9} \div 16 = \frac{8}{9} \times \frac{1}{16}$ [: Reciprocal of 16 = $\frac{1}{16}$]

 $=\frac{1}{18}$

(iv)
$$9\div\frac{1}{3}=9\times3$$
 [: Reciprocal of $\frac{1}{3}$ = 3] = 27

(v)
$$24 \div \frac{6}{7} = 24 \times \frac{7}{6}$$
 [: Reciprocal of $\frac{6}{7} = \frac{7}{6}$]
$$= 4 \times 7 = 28$$

(vi)
$$3\frac{3}{5} \div \frac{4}{5} = \frac{18}{5} \div \frac{4}{5}$$

$$= \frac{18}{5} \times \frac{5}{4} \qquad [\because \text{Reciprocal of } \frac{4}{5} = \frac{5}{4}]$$

$$= \frac{18}{4} = \frac{9}{2} = 4\frac{1}{2}$$

(vii)
$$3\frac{3}{7}\div\frac{8}{21}=\frac{24}{7}\div\frac{8}{21}$$

$$=\frac{24}{7}\times\frac{21}{8} \qquad [\because \text{Reciprocal of }\frac{8}{21}=\frac{21}{8}]$$

$$=3 \ \ 3=9$$

$$\begin{array}{l} \text{(Viii) } 5\,\frac{4}{7}\,\div\,1\,\frac{3}{10} = \frac{39}{7}\,\div\,\frac{13}{10} \\ \\ = \frac{39}{7}\,\times\,\frac{10}{13} \qquad \qquad [\because \text{Reciprocal of } \frac{13}{10} = \frac{10}{13}] \\ \\ = \frac{30}{7} = 4\,\frac{2}{7} \end{array}$$

(ix)
$$15\frac{3}{7} \div 1\frac{23}{49} = \frac{108}{7} \div \frac{72}{49}$$

$$= \frac{108}{7} \times \frac{49}{72} \qquad [\because \text{Reciprocal of } \frac{72}{49} = \frac{49}{72}]$$

$$= \frac{9 \times 7}{1 \times 6} = \frac{3 \times 7}{1 \times 2} = \frac{21}{2} = 10\frac{1}{2}$$

03

Answer:

(i)
$$\frac{11}{24} \div \frac{7}{8}$$

$$= \frac{11}{24} \times \frac{8}{7}$$
 [: Reciprocal of $\frac{7}{8} = \frac{8}{7}$]
$$= \frac{11}{21}$$

(ii)
$$6\frac{7}{8} \div \frac{11}{16} = \frac{55}{8} \div \frac{11}{16}$$

$$= \frac{55}{8} \times \frac{16}{11} \qquad [\because \text{Reciprocal of } \frac{11}{16} = \frac{16}{11}]$$

$$= 5 \times 2 = 10$$

(iii)
$$5\frac{5}{9} \div 3\frac{1}{3} = \frac{50}{9} \div \frac{10}{3}$$

$$= \frac{50}{9} \times \frac{3}{10} \qquad [\because \text{Reciprocal of } \frac{10}{3} = \frac{3}{10}]$$

$$= \frac{5}{3} = 1\frac{2}{3}$$

(iv)
$$32 \div 1\frac{3}{5} = 32 \div \frac{8}{5}$$

$$= 32 \times \frac{5}{8} \qquad [\because \text{Reciprocal of } \frac{8}{5} = \frac{5}{8}]$$

$$= 4 \times 5 = 20$$
(v) $45 \div 1\frac{4}{5} = 45 \div \frac{9}{5}$

$$= 45 \times \frac{5}{9} \qquad [\because \text{Reciprocal of } \frac{9}{5} = \frac{5}{9}]$$

$$= 5 \times 5 = 25$$

=
$$5 \times 5 = 25$$

(vi) $63 \div 2\frac{1}{4} = 63 \div \frac{9}{4}$
= $63 \times \frac{4}{9}$ [: Reciprocal of $\frac{9}{4} = \frac{4}{9}$]
= $7 \times 4 = 28$

04

Answer

Length of the rope = $13\frac{1}{2}$ m = $\frac{27}{2}$ m Number of equal pieces = 9

∴ Length of each piece =
$$\left(\frac{27}{2} \div 9\right)$$
 m
$$= \left(\frac{27}{2} \times \frac{1}{9}\right)$$
 m [∴ Reciprocal of 9 = $\frac{1}{9}$]
$$= \frac{3}{2}$$
 m = $1\frac{1}{2}$ m

Hence, the length of each piece of rope is $1\frac{1}{2}$ m.

05

Answer:

Weight of 18 boxes of nails =
$$49\frac{1}{2}$$
 kg = $\frac{99}{2}$ kg
 \therefore Weight of 1 box = $\left(\frac{99}{2} \div 18\right)$ kg
= $\left(\frac{99}{2} \times \frac{1}{18}\right)$ kg [\because Reciprocal of 18 = $\frac{1}{18}$]
= $\left(\frac{99 \times 1}{2 \times 18}\right)$ kg = $\left(\frac{11 \times 1}{2 \times 2}\right)$ kg = $\frac{11}{4}$ kg = $2\frac{3}{4}$ kg

Hence, the weight of each box is $2\frac{3}{4}$ kg.

06

Answer:

Cost of 1 orange = Rs $3\frac{3}{4}$ = Rs $\frac{15}{4}$ Total cost of the oranges sold by the man = Rs 210

$$\therefore$$
 Required number of oranges = $\left(210\div\frac{15}{4}\right)$
$$= \left(210\times\frac{4}{15}\right) \qquad [\because \text{Reciprocal of }\frac{15}{4} = \frac{4}{15}]$$

$$= (14\times4) = 56$$

Hence, the man sold 56 oranges.

Answer:

Cost of 1 kg of mangoes = Rs $18\frac{1}{2}$ = Rs $\frac{37}{2}$ Total cost of the required mangoes = Rs $157\frac{1}{4}$ = Rs $\frac{629}{4}$ \therefore Weight of the required mangoes = $\left(\frac{629}{4} \div \frac{37}{2}\right)$ kg = $\left(\frac{629}{4} \times \frac{2}{37}\right)$ kg [\because Reciprocal of $\frac{37}{2} = \frac{2}{37}$] = $\left(\frac{17}{2}\right)$ kg = $8\frac{1}{2}$ kg

Hence, the weight of the mangoes available for Rs $157\frac{1}{4}$ is $8\frac{1}{2}$ kg.

Distance covered by Vikas in $7\frac{3}{4}$ h = $20\frac{2}{3}$ km

 $\begin{array}{l} \therefore \text{ Distance covered by him in 1 h} = \left(20\,\frac{2}{3}\,\div\,7\,\frac{3}{4}\right)\,\text{km} \\ = \left(\frac{62}{3}\,\div\,\frac{31}{4}\right)\,\text{km} \\ = \left(\frac{62}{3}\,\times\,\frac{4}{31}\right)\,\text{km} \\ = \left(\frac{2\times4}{3}\right)\,\text{km} = \left(\frac{8}{3}\right)\,\text{km} = 2\,\frac{2}{3}\,\,\text{km} \end{array}$

Hence, the distance covered by Vikas in 1 h is $2\frac{2}{3}$ km.

08

Answer:

Cost of $8\frac{1}{2}$ kg of sugar = Rs $148\frac{3}{4}$ \therefore Cost of 1 kg of sugar = Rs $\left(148\frac{3}{4} \div 8\frac{1}{2}\right)$ = Rs $\left(\frac{595}{4} \div \frac{17}{2}\right)$ = Rs $\left(\frac{595}{4} \times \frac{2}{17}\right)$ = Rs $\left(\frac{35}{2}\right)$ = Rs $17\frac{1}{2}$

Hence, the cost of 1 kg of sugar is Rs $17\frac{1}{2}$.

09

10

Answer:

Cost of 1 notebook = Rs $7\frac{3}{4}$ = Rs $\frac{31}{4}$

 $\text{∴ Number of notebooks purchased for Rs } 69\,\frac{3}{4} = \left(69\,\frac{3}{4}\,\div\,\frac{31}{4}\right) \\ = \left(\frac{279}{4}\,\div\,\frac{31}{4}\right) \\ = \left(\frac{279}{4}\,\times\,\frac{4}{31}\right) \quad [\because \text{Reciprocal of } \frac{31}{4}\,=\,\frac{4}{13}] \\ = \left(\frac{279}{31}\right) = 9$

Hence, 9 notebooks can be purchased for Rs $69\frac{3}{4}$

11

Answer:

Cost of 1 ticket = Rs $10\frac{1}{2}$ = Rs $\frac{21}{2}$ Total amount collected by the boy = Rs $283\frac{1}{2}$ = Rs $\frac{567}{2}$ \therefore Number of tickets sold = $\left(\frac{567}{2} \div \frac{21}{2}\right)$ $= \left(\frac{567}{2} \times \frac{2}{21}\right) \quad [\because \text{Reciprocal of } \frac{21}{2} = \frac{2}{21}]$ $= \frac{567}{21} = 27$

Hence, the boy sold 27 tickets of the charity show.

12

Answer:

Amount contributed by 1 student = Rs $61\frac{1}{2}$ = Rs $\frac{123}{2}$ Total amount collected = Rs $676\frac{1}{2}$ = Rs $\frac{1353}{2}$ \therefore Number of students in the group = $\left(\frac{1353}{2} \div \frac{123}{2}\right)$ = $\left(\frac{1353}{2} \times \frac{2}{123}\right)$ [\because Reciprocal of $\frac{123}{2} = \frac{2}{123}$]

= $\left(\frac{1353}{123}\right) = 11$

Hence, there are 11 students in the group

Quantity of milk given to each student = $\frac{2}{5}$ L

Total quantity of milk distributed among all the students = 24 L

∴ Number of students =
$$\left(24 \div \frac{2}{5}\right)$$

= $\left(24 \times \frac{5}{2}\right)$ [∵ Reciprocal of $\frac{2}{5} = \frac{5}{2}$]
= $(12 \times 5) = 60$

Hence, there are 60 students in the hostel.

14

Answer:

Capacity of the small jug = $\frac{3}{4}$ L
Capacity of the bucket = $20\,\frac{1}{4}$ L = $\frac{81}{4}$ L \therefore Required number of small jugs = $\left(\frac{81}{4}\,\div\,\frac{3}{4}\right)$
= $\left(\frac{81}{4}\,\times\,\frac{4}{3}\right)$ [: Reciprocal of $\frac{3}{4}=\frac{4}{3}$]
= $\left(\frac{81}{3}\,\right)$ = 27

Hence, the small jug has to be filled 27 times to empty the water from the bucket.

15

Answer:

Product of the two numbers = $15\frac{5}{6} = \frac{95}{6}$

One of the numbers = $6\frac{1}{3} = \frac{19}{3}$

$$\therefore$$
 The other number = $\left(\frac{95}{6} \div \frac{19}{3}\right)$ = $\left(\frac{95}{6} \times \frac{3}{19}\right)$ [\because Reciprocal of $\frac{19}{3} = \frac{3}{19}$] = $\left(\frac{5}{2}\right) = 2\frac{1}{2}$

Hence, the other number is $2\,\frac{1}{2}.$

16

Answer:

Product of the two numbers = 42
One of the numbers = $9\frac{4}{5} = \frac{49}{5}$ \therefore The other number = $\left(42 \div \frac{49}{5}\right)$ $= \left(42 \times \frac{5}{49}\right) \qquad [\because \text{Reciprocal of } \frac{49}{5} = \frac{5}{49}]$ $= \left(\frac{6 \times 5}{7}\right) = \frac{30}{7} = 4\frac{2}{7}$

Hence, the required number is $4\frac{2}{7}$.

17

Answer:

$$\begin{aligned} \text{Required number} &= \left(6\,\frac{2}{9}\,\,\div\,\,4\,\frac{2}{3}\right) \\ &= \left(\frac{56}{9}\,\,\div\,\,\frac{14}{3}\right) \\ &= \left(\frac{56}{9}\,\,\times\,\,\frac{3}{14}\right) \quad [\,\,\because\,\text{Reciprocal of}\,\,\frac{14}{3}\,=\,\frac{3}{14}] \\ &= \left(\frac{4}{3}\right) = 1\,\frac{1}{3} \end{aligned}$$

Hence, we have to divide $6\,\frac{2}{9}$ by $1\,\frac{1}{3}$ to get $4\,\frac{2}{3}$

Fractions Exercise 2D

Q1

Answer:

(C) $\frac{10}{3}$

 $\frac{10}{3}$ is a vulgar fraction, because its denominator is other than 10, 100, 1000, etc.

Q2

Answer:

(c) $\frac{9}{7}$

 $\frac{9}{7}$ is an improper fraction, because its numerator is greater than its denominator.

Q3

Answer:

(a) $\frac{105}{112}$

A fraction that is reducible can be reduced by dividing both the numerator and denominator by a common factor.

$$\frac{105 \div 7}{112 \div 7} = \frac{15}{16}$$

Thus, $\frac{105}{112}$ is a reducible fraction.

Answer:

(c) equivalent fractions

Equivalent fractions are those which are the same but look different.

Thus,
$$\frac{2}{3}$$
, $\frac{4}{6} = \frac{2}{3}$, $\frac{6}{9} = \frac{2}{3}$, $\frac{8}{12} = \frac{2}{3}$ are equivalent fractions.

Q5

Answer:

(C)
$$\frac{9}{16} > \frac{13}{24}$$

(c) $\frac{9}{16}>\frac{13}{24}$ The two fraction are $\frac{9}{16}$ and $\frac{13}{24}$

By cross multiplication, we have:

$$9 \times 24 = 216$$
 and $13 \times 16 = 208$

However, 216 > 208

$$\frac{9}{16} > \frac{13}{24}$$

Q6

Answer:

(d) none of these Reciprocal of $1\frac{3}{4}$ = Reciprocal of $\frac{7}{4}$ = $\frac{4}{7}$ Q7

Answer:

(c) $\frac{5}{6}$

$$\left(\frac{3}{10} + \frac{8}{15}\right) = \left(\frac{9+16}{30}\right) \qquad [\because LCM \text{ of 10 and 15 = 30}]$$
$$= \frac{25}{30} = \frac{5}{6}$$

Q8

Answer:

(d) $\frac{11}{12}$

$$\left(3\frac{1}{4} - 2\frac{1}{3}\right) = \left(\frac{13}{4} - \frac{7}{3}\right)$$

$$= \left(\frac{39 - 28}{12}\right) \qquad [\because LCM \text{ of 4 and 3 = 12}]$$

$$= \frac{11}{12}$$

Q9

Answer:

(d) 144

$$36 \div \frac{1}{4} = 36 \times 4 \quad [\because \text{Reciprocal of } \frac{1}{4} \text{= 4}]$$
 = 144

Q10

Answer:

(b) $\frac{5}{7}$

Required number = $1\frac{6}{7}\div 2\frac{3}{5}$ = $\frac{13}{7}\div \frac{13}{5}$ = $\frac{13}{7}\times \frac{5}{13}$ [: Reciprocal of $\frac{13}{5}=\frac{5}{13}$]

Q11

(d) $2\frac{1}{4}$

Required number =
$$1\,\frac{1}{2}\,\div\,\frac{2}{3}$$
 = $\frac{3}{2}\,\div\,\frac{2}{3}$ = $\frac{3}{2}\,\times\,\frac{3}{2}$ [: Reciprocal of $\frac{2}{3}=\frac{3}{2}$] = $\frac{9}{4}=2\,\frac{1}{4}$

Q12

Answer:

(c) $2\frac{2}{5}$

$$\begin{aligned} 1\,\frac{3}{5} \div \frac{2}{3} &= \frac{8}{5} \div \frac{2}{3} \\ &= \frac{8}{5} \times \frac{3}{2} \qquad [\because \text{Reciprocal of } \frac{2}{3} &= \frac{3}{2}] \\ &= \left(\frac{4\times 3}{5}\right) &= \frac{12}{5} &= 2\,\frac{2}{5} \end{aligned}$$

Q13

Answer:

(d) $1\frac{5}{6}$

$$\begin{array}{l} 2\,\frac{1}{5}\,\div\,1\,\frac{1}{5}=\frac{11}{5}\,\div\,\frac{6}{5}\\\\ =\frac{11}{5}\times\frac{5}{6} \qquad \left[\because \operatorname{Reciprocal} \text{ of }\frac{6}{5}=\frac{5}{6}\right]\\\\ =\frac{11}{6}=1\,\frac{5}{6} \end{array}$$

Q14

Answer:

(d) $\frac{3}{5}$

Reciprocal of $1\frac{2}{3}$ = Reciprocal of $\frac{5}{3}$ = $\frac{3}{5}$

Q15

Answer:

(b)
$$\frac{3}{5} < \frac{2}{3} < \frac{14}{15}$$

The given fractions are $\frac{3}{5}$, $\frac{2}{3}$ and $\frac{14}{15}$.

LCM of 5, 3 and 15 = 15

Now, we have:

$$\frac{2}{3} imes \frac{5}{5} = \frac{10}{15}, \, \frac{3}{5} imes \frac{3}{3} = \frac{9}{15} \, \, \text{and} \, \, \frac{14}{15} imes \frac{1}{1} = \frac{14}{15}$$

Clearly,
$$\frac{9}{15}<\frac{10}{15}<\frac{14}{15}$$

$$\therefore \frac{3}{5} < \frac{2}{3} < \frac{14}{15}$$

Q16

(c) 44 km

Distance covered by the car on $2\,\frac{3}{4}$ L of petrol = $\left(16\times2\,\frac{3}{4}\right)$ km

=
$$\left(16 \times \frac{11}{4}\right)$$
 km

$$= (4 \times 11) \text{ km} = 44 \text{ km}$$

Q17

Answer:

(a) $10\frac{1}{2}$ hours

Time taken by Lalit to read the entire book = $\left(6 \times 1\,\frac{3}{4}\right)$ h

=
$$\left(6 \times \frac{7}{4}\right)$$
 h

$$= \left(\frac{21}{2}\right) \, \mathsf{h} = 10 \, \frac{1}{2} \, \, \mathsf{h}$$