

ELECTROFISHING DATA SUMMARY FORM – PART 2

***** TO BE COMPLETED IN THE OFFICE *****

Electrofishing Session ID#: _____

Date (yyyy-mm-dd): _____

Water Name: _____

Site ID#: _____

Area of Site (m²): _____

Enter the average length, average weight, density, biomass, and PHS for each age class of each species.

| Species Code (below) | Age Class | Length Code (below) | Average Length (mm) | Average Weight (g) | Density (no. / 100 m ²) | Biomass (g / 100 m ²) | Percent Habitat Saturation |
|-------------------------|-----------|------------------------|------------------------|-----------------------|--|--------------------------------------|----------------------------------|
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

***** CODES *****

Fish Species Codes:

| Code | Species Name | Code | Species Name |
|------|---|------|--|
| ALE | Alewife (<i>Alosa pseudoharengus</i>) | LKC | Lake chub (<i>Couesius plumbeus</i>) |
| EEL | American eel (<i>Anguilla rostrata</i>) | LKT | Lake trout (<i>Salvelinus namaycush</i>) |
| AMS | American shad (<i>Alosa sapidissima</i>) | LWF | Lake whitefish (<i>Coregonus clupeaformis</i>) |
| ARC | Arctic char (<i>Salvelinus alpinus</i>) | LLS | Landlocked salmon (<i>Salmo salar</i>) |
| ATS | Atlantic salmon (<i>Salmo salar</i>) | LNS | Longnose sucker (<i>Catostomus catostomus</i>) |
| AST | Atlantic sturgeon (<i>Acipenser oxyrhynchus</i>) | MUM | Mummichog (<i>Fundulus heteroclitus</i>) |
| ATC | Atlantic tomcod (<i>Microgadus tomcod</i>) | MUS | Muskellunge (<i>Esox masquinongy</i>) |
| BKF | Banded killifish (<i>Fundulus diaphanus</i>) | 9SB | Ninespine stickleback (<i>Pungitius pungitius</i>) |
| BND | Blacknose dace (<i>Rhinichthys atratulus</i>) | NRD | Northern redbelly dace (<i>Chrosomus eos</i>) |
| BNS | Blacknose shiner (<i>Notropis heterolepis</i>) | PLD | Pearl dace (<i>Semotilus margarita</i>) |
| BSS | Blackspotted stickleback (<i>Gasterosteus wheatlandi</i>) | PSF | Pumpkinseed Sunfish (<i>Lepomis gibbosus</i>) |
| BLH | Blueback herring (<i>Alosa aestivalis</i>) | RBS | Rainbow smelt (<i>Osmerus mordax</i>) |
| BKS | Brook stickleback (<i>Culaea inconstans</i>) | RBT | Rainbow trout (<i>Salmo gairdneri</i>) |
| BKT | Brook trout (<i>Salvelinus fontinalis</i>) | RSF | Redbreast sunfish (<i>Lepomis auritus</i>) |
| BBH | Brown bullhead (<i>Ictalurus nebulosus</i>) | RWF | Round whitefish (<i>Prosopium cylindraceum</i>) |
| BNT | Brown trout (<i>Salmo trutta</i>) | SLP | Sea lamprey (<i>Petromyzon marinus</i>) |
| BUR | Burbot (<i>Lota lota</i>) | SST | Shortnose sturgeon (<i>Acipenser brevirostrum</i>) |
| CHP | Chain pickerel (<i>Esox niger</i>) | SLS | Slimy sculpin (<i>Cottus cognatus</i>) |
| CSH | Common shiner (<i>Notropis cornutus</i>) | SMB | Smallmouth bass (<i>Micropterus dolomieu</i>) |
| CRC | Creek chub (<i>Semotilus atromaculatus</i>) | SPL | Splake (<i>S. namaycush</i> x <i>S. fontinalis</i>) |
| FLF | Fallfish (<i>Semotilus corporalis</i>) | STB | Striped bass (<i>Morone saxatilis</i>) |
| FHM | Fathead minnow (<i>Pimephales promelas</i>) | 3SB | Threespine stickleback (<i>Gasterosteus aculeatus</i>) |
| FSD | Finescale dace (<i>Chrosomus neogaeus</i>) | WHP | White perch (<i>Morone americana</i>) |
| 4SB | Fourspine stickleback (<i>Apeltes quadracus</i>) | WHS | White sucker (<i>Catostomus commersoni</i>) |
| GSH | Golden shiner (<i>Notemigonus crysoleucas</i>) | YLP | Yellow perch (<i>Perca flavescens</i>) |
| GLF | Goldfish (<i>Carassius auratus</i>) | | |

Length Codes:

| Code | Length Type |
|------|--------------|
| FL | Fork Length |
| TL | Total Length |