



What We Do

Allegan County GIS
www.allegancounty.org/gis

July 9, 2018

Contents

I	Brand	1
1	Awards	3
1.1	The GIS Champion Award	3
1.1.1	GIS Champion Award Code	3
II	Methods	7
2	Documentation	9
2.1	About Documentation	9
2.1.1	How This Book Works	9
2.2	Document Storage Concepts	12
2.2.1	GIS File Standard	12
2.3	Team Concept	13
2.3.1	Paired Programming	13
III	Service	15
3	Tools	17
3.1	QGIS Tools	17
3.1.1	Using COGO Tools in QGIS	17
3.2	L ^A T _E X Packages	27
3.2.1	float Package	27
3.2.2	graphicx Package	27
3.2.3	hyperref Package	27
3.2.4	import Package	28
3.2.5	wrapfig Package	28
3.3	L ^A T _E X Templates	28
3.3.1	L ^A T _E X Section Template	28
3.3.2	L ^A T _E X Subsection Template	29

Part I

Brand

Chapter 1

Awards

1.1 The GIS Champion Award

1.1.1 GIS Champion Award Code

```
\documentclass[landscape]{article}
\usepackage{wallpaper}
\usepackage{niceframe}
\usepackage{xcolor}
\usepackage{ulem}
\usepackage{graphicx}
\usepackage{geometry}
\geometry{tmargin=.75cm,bmargin=.25cm,lmargin=.8cm,rmargin=.2cm}
\usepackage{multicol}
\setlength{\columnseprule}{0.4pt}
\columnwidth=0.3\textwidth

\begin{document}

%\TileWallPaper{4cm}{2cm}{CoLogo133x200.png}

\centering
\scalebox{3}{\color{green!30!black!60}}
\begin{minipage}{.33\textwidth}
\font\border=umrandb
\generalframe
{\border \char113} % up left
{\border \char109} % up
{\border \char112} % up right
{\border \char108} % left
{\border \char110} % right
```

```

{\border \char114} % lower left
{\border \char111} % bottom
{\border \char115} % lower right
{\centering

\includegraphics[height=1.25cm]{GIS_Logo_better.jpg}
%\end{minipage}
\vspace{-8mm}

\curlyframe[.9\columnwidth]{

\textcolor{red!10!black!90}
{\small Allegan County GIS Services}\\
\textcolor{green!10!black!90}{
\tiny recognizes}

\\
\uline{\textcolor{black}
{Ian Hanes}}
\\
\smallskip
\tiny Chief Equalization Technician
\smallskip

\textcolor{green!10!black!90}
{
\tiny as a
}
\smallskip
\tiny
\\
\textcolor{black}{\large \textsc{GIS Champion}}
\\
\vspace{1mm}
\textcolor{green!10!black!90}
{
\tiny for outstanding dedication and service to the community
\\while using GIS technology on this day
\itshape June 29, 2018
}
\vspace{3mm}

{\color{blue!40!black}
\scalebox{.6}{

\begin{tabular}{ccc}

```



```
\cline{1-1}
%\cline{2-2}
\cline{3-3}
%\cline{4-4}
%\cline{5-5}
\\
Neil Besteman & & Bryan May \\
GIS Manager & & GIS Analyst \\
\end{tabular}
}}}}
\end{minipage}

}
\end{document}
```


Part II

Methods

Chapter 2

Documentation

2.1 About Documentation

2.1.1 How This Book Works

Project General Notes:

- Book folder can be renamed and moved.
- This project is coded with relative paths from processing folder down.

Project file structure:

J:\LIS\GIS_Doc\book\build

pdf docs created by the underlying .tex docs and copied here manually.

J:\LIS\GIS_Doc\Book\source

images that appear in

`\GIS_Documentation.tex`

J:\LIS\GIS_Doc\Book\processing

the Tex workspace.

`\GIS_Documentation.tex`

top level of documentation of type "book" in L^AT_EX. Where book properties and book parts are managed and chapters are imported.

`\archive`

archive copies of entire processing folder.

`\brandPart`

L^AT_EX "book part" about the brand.

`\methodsPart`

L^AT_EX "book part" about the methods.

`\servicePart`

L^AT_EX "book part" about services.

`\build`

folder for temp docs when created by compiling of:

`GIS_Documentation.tex`

*** Note:** each level from here down has a build folder for temp Latex files like this.

Service Book Part Detail

relative path:

```
\processing\servicePart\toolsChapter.tex
```

intermediate level of "book" in \LaTeX . Where (service part, tool) chapter properties are managed and sections are imported.

toolsChapter

relative path:

```
\processing\servicePart\toolsChapter
```

intermed level of "book" in \LaTeX . Where book section properties are managed and subsections are imported.

2.2 Document Storage Concepts

2.2.1 GIS File Standard

Folders inside the project folder

- archive
- build
- delivered
- documentation
- processing
- source

2.3 Team Concept

2.3.1 Paired Programming

some point about pp

Part III

Service

Chapter 3

Tools

3.1 QGIS Tools

3.1.1 Using COGO Tools in QGIS

Set up the Azimuth and Distance Plugin
(Azd Plugin).

In the Plugins drop down(1), under the topography group select the **Azd Plugin(2)**(see fig.).




Figure 3.1: launch plugin

Note here which layer is active (see fig.).




Figure 3.2: check active layer

If necessary, left click the layer *traverse 1* in Layer Panel to activate it(see fig.).




Figure 3.3: activate layer

Configure Options On Options Tab: Select Boundary, Bearing, Feet, and Degree radio buttons.




Figure 3.4: Plugin Options

Using the tool Boundary descriptions are entered into the Drawing Tab. Azimuth (bearing) and Distance are the important boxes (Set Offset = 0 and Zenith = 90 and ignore)(see below).




Figure 3.5: Entering Bounds

Configure editing environment

Use Settings Dropdown and Snapping Options to enable snapping to Sections, Quarter Sections, and or Parcels if desired (see fig.).




Figure 3.6: Configure editing environment

Locate Point of Commencement

To get to the Point of Commencement,

Use **any combination** of the following methods:

- Using Reference Layer
- Using Measuring Tool
- Search by Parcel Number (Search Layers Plugin)
- Draw COGO lines (Azd Plugin)(as described earlier)

Using Reference Layer Use reference layers; Units, AC_SectionsQu, Sections, and Parcels. Toggle layers on and off in Layers Panel and zoom in and out with mouse wheel.

Using Measuring Tool Use the measuring tool, make sure to set units to feet. To exit current measurement right click (see fig.).




Figure 3.7: Measuring Tool

3.2 L^AT_EX Packages

3.2.1 float Package

BLAH
(BLAH).

3.2.2 graphicx Package

BLAH
(BLAH).

3.2.3 hyperref Package

usepackage

Add the *hyperref package* to the preamble **last**.

```
\usepackage[options]{hyperref}
```

Simple Use

Use `\href{URL}{DESCRIPTION}` to add a link with description

Example:

```
\href{https://www.latex-tutorial.com}{Website with tutorials}
```

produces:

Website with tutorials

Options

Add optional arguments to the usepackage line:

Useful options:

- **pdftex**
enables other options like breaklines
- **breaklinks**
allow links to be broken across several lines
eg. <https://lists.gnu.org/archive/html/emacs-orgmode/2013-06/msg00776.html>
- **colorlinks**
Colors the text of links and anchors.(default is false)
- **linkcolor**
Color for normal internal links(default is red).

- **anchorcolor**
Color for anchor text.
- **citecolor**
Color for bibliographic citations in text.
- **urlcolor**
Color for linked URLs

Use with options

```
\usepackage[breaklinks,colorlinks,citecolor=blue,urlcolor=green]{hyperref}
```

Commands

```
\href{URL}{text}  Makes text a link to URL.
```

[Manual for hyperref](#)

```
\hyperref[label]{text}
    Makes text a link to where
    \ref{label} would point.
\hypertarget{name}{text}  Sets an anchor on text with the label name.
\hyperlink{name}{text}  Makes text a link that takes you to the anchor labeled name.
Pair with \hypertarget.
\phantomsection  Used in conjunction with
\addcontentsline to make the correct link in the Table of Contents.
```

3.2.4 import Package

BLAH
(BLAH).

3.2.5 wrapfig Package

BLAH
(BLAH).

3.3 L^AT_EX Templates

3.3.1 L^AT_EX Section Template

```
%\documentclass[class=report , crop=false, multi={itemize, figure}, float=false]{standalone}
\documentclass[class=book , crop=false]{standalone}

\input{../../../preamble}
```



```

\def\titlename{Section Template}

\title{\input{../../../commonTitle}} % closing brace for title

\begin{document}% Document Begins

\input{../../../commonFront} % provides standalone options

\section{SECTION NAME HERE}

\subimport{RELATIVE PATH TO NEW Section/}{NEW SUBSECTION Subsection.tex}

%eg.
%\subimport{latexTemplatesSection/}{subsectionTemplateSubsection.tex}
% etc...

\end{document}

```

3.3.2 L^AT_EX Subsection Template

```

%\documentclass[class=report , crop=false, multi={itemize, figure}, float=false]{standalone}%Expe
\documentclass[class=book , crop=false]{standalone}

\input{../../../preamble}

\def\titlename{Subsection Template}

\title{\input{../../../commonTitle}} % closing brace for title

\begin{document}% Document Begins

\input{../../../commonFront} % provides standalone options

% NEW INFO GOs HERE.
\subsection{Subsection Template}
\medskip

```