

## Lecture 22 - Stress Concentration

Dr. Nicholas Smith

Wichita State University, Department of Aerospace Engineering

17 November, 2020

1

## schedule

- 17 Nov - Stress Concentration
- 19 Nov - Buckling
- 20 Nov - Project 3 Due
- 1 Dec - Bucking, Final Review
- 3 Dec - Final Review, Problem Solving, HW 11 Due
- 8 Dec - Final Exam (comprehensive, same format as other exams)

2

- stress concentration factors

## stress concentration

- Our textbook splits the idea of concentration factors across multiple chapters
- 4.7, 5.8, 6.9
- The basic idea of a stress concentration factor is that some geometry causes the maximum stress to be greater than the 'nominal' stress

## stress concentration

- Stress concentrations occur when there is a sudden change in cross-sectional area
- Features such as holes and fillets will have a stress concentration factor


$$K = \frac{\sigma_{max}}{\sigma_{avg}}$$

5


## stress concentration

- The exact value of the stress concentration factor can be derived for simple shapes, but in practice it is usually looked up on a chart or figure
- The value of  $K$  depends on the ratio of the radius and depth of the feature relative to the total object depth

6




7



8

## example



If  $\sigma_{allow} = 120$  MPa, find the maximum axial force,  $P$ .


9

## stress concentration in torsion

- We can also have stress concentration in torsion
- For circular shafts, this is usually around a filleted shaft as shown in the next slide
- The maximum shear can be found with


$$\tau_{max} = K \frac{Tc}{J}$$

10



11

### example 5.14



Determine the maximum stress in the shaft due to the applied torques. The shoulder fillet has a radius of  $r=6$  mm


12

- We can also have a stress concentration in a beam
- The maximum stress can be found with


$$\sigma_{max} = K \frac{Mc}{I}$$

13

## fillet




14



15

## example 6.20



Determine the maximum normal stress for a steel bar with a shoulder fillet as shown.

16