

**Started on** Thursday, 31 July 2025, 9:19 AM

**State** Finished

**Completed on** Thursday, 31 July 2025, 9:26 AM

**Time taken** 6 mins 15 secs

**Marks** 1.00/1.00

**Grade** 10.00 out of 10.00 (100%)

Convert the following algorithm into a program and find its time complexity using counter method.

```
void reverse(int n)
{
    int rev = 0, remainder;
    while (n != 0)
    {
        remainder = n % 10;
        rev = rev * 10 + remainder;
        n /= 10;
    }
}
print(rev);
}
```

**Note:** No need of counter increment for declarations and scanf() and count variable printf() statements.

**Input:**

A positive Integer n

**Output:**

Print the value of the counter variable

**Answer:**

[Reset answer](#)

```
1  #include<stdio.h>
2
3  void reverse(int);
4
5  void reverse(int n)
6  { int c=0;
7      int rev = 0;
8      c++;
9      int remainder;
10     while (n != 0)
11     {
12         c++;
13         remainder = n % 10;
14         c++;
15         rev = rev * 10 + remainder;
16         c++;
17         n /= 10;
18         c++;
19     }
20     c++;
21     //print(rev);
22     c++;
23     printf("%d",c);
24 }
25
26 int main()
27 {
28     int n;
29     scanf("%d",&n);
30     reverse(n);
31 }
```

	Input	Expected	Got	
✓	12	11	11	✓

	Input	Expected	Got	
✓	1234	19	19	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.