SUB: Design Pattern And Framework

**TOPIC:** JAVASCRIPT

Prepared By: Fatema Vhora

**DDU IT Dept** 

- JavaScript is a lightweight, interpreted programming language.
- JavaScript is very easy to implement because it is integrated with HTML. It is open and cross-platform.

## What is JavaScript?

Javascript is a dynamic computer programming language. It is lightweight and most commonly used as a part of web pages, whose implementations allow client-side script to interact with the user and make dynamic pages. It is an interpreted programming language with object-oriented capabilities.

JavaScript was first known as **LiveScript**, but Netscape changed its name to JavaScript, possibly because of the excitement being generated by Java. JavaScript made its first appearance in Netscape 2.0 in 1995 with the name **LiveScript**. The general-purpose core of the language has been embedded in Netscape, Internet Explorer, and other web browsers.

# Java Script

The <u>ECMA-262 Specification</u> defined a standard version of the core JavaScript language.

- JavaScript is a lightweight, interpreted programming language.
- Designed for creating network-centric applications.
- Complementary to and integrated with Java.
- Complementary to and integrated with HTML.
- Open and cross-platform.

## Java Script

#### Client-Side JavaScript

Client-side JavaScript is the most common form of the language. The script should be included in or referenced by an HTML document for the code to be interpreted by the browser.

It means that a web page need not be a static HTML, but can include programs that interact with the user, control the browser, and dynamically create HTML content.

The JavaScript client-side mechanism provides many advantages over traditional CGI server-side scripts. For example, you might use JavaScript to check if the user has entered a valid e-mail address in a form field.

The JavaScript code is executed when the user submits the form, and only if all the entries are valid, they would be submitted to the Web Server.

JavaScript can be used to trap user-initiated events such as button clicks, link navigation, and other actions that the user initiates explicitly or implicitly.

### Advantages of JavaScript

The merits of using JavaScript are:

- Less server interaction: You can validate user input before sending the page off to the server. This saves server traffic, which means less load on your server.
- Immediate feedback to the visitors: They don't have to wait for a
  page reload to see if they have forgotten to enter something.
- Increased interactivity: You can create interfaces that react when the
  user hovers over them with a mouse or activates them via the keyboard.
- Richer interfaces: You can use JavaScript to include such items as dragand-drop components and sliders to give a Rich Interface to your site visitors.

### Limitations of JavaScript

We cannot treat JavaScript as a full-fledged programming language. It lacks the following important features:

- Client-side JavaScript does not allow the reading or writing of files. This
  has been kept for security reason.
- JavaScript cannot be used for networking applications because there is no such support available.
- JavaScript doesn't have any multithreading or multiprocessor capabilities.

Once again, JavaScript is a lightweight, interpreted programming language that allows you to build interactivity into otherwise static HTML pages.

#### JavaScript Development Tools

One of major strengths of JavaScript is that it does not require expensive development tools. You can start with a simple text editor such as Notepad. Since it is an interpreted language inside the context of a web browser, you don't even need to buy a compiler.

To make our life simpler, various vendors have come up with very nice JavaScript editing tools. Some of them are listed here:

- Microsoft FrontPage: Microsoft has developed a popular HTML editor called FrontPage. FrontPage also provides web developers with a number of JavaScript tools to assist in the creation of interactive websites.
- Macromedia Dreamweaver MX: Macromedia Dreamweaver MX is a very popular HTML and JavaScript editor in the professional web development crowd. It provides several handy prebuilt JavaScript components, integrates well with databases, and conforms to new standards such as XHTML and XML.
- Macromedia HomeSite 5: HomeSite 5 is a well-liked HTML and JavaScript editor from Macromedia that can be used to manage personal websites effectively.

# Java Script Syntax

The script tag takes two important attributes:

- Language: This attribute specifies what scripting language you are using.
   Typically, its value will be javascript. Although recent versions of HTML (and XHTML, its successor) have phased out the use of this attribute.
- Type: This attribute is what is now recommended to indicate the scripting language in use and its value should be set to "text/javascript".

So your JavaScript syntax will look as follows.

```
<script language="javascript" type="text/javascript">
   JavaScript code
</script>
```

The script tag takes two important attributes:

- Language: This attribute specifies what scripting language you are using.
   Typically, its value will be javascript. Although recent versions of HTML (and XHTML, its successor) have phased out the use of this attribute.
- Type: This attribute is what is now recommended to indicate the scripting language in use and its value should be set to "text/javascript".


So your JavaScript syntax will look as follows.

```
<script language="javascript" type="text/javascript">
   JavaScript code
</script>
```

#### Your First JavaScript Code

Let us take a sample example to print out "Hello World". We added an optional HTML comment that surrounds our JavaScript code. This is to save our code from a browser that does not support JavaScript. The comment ends with a "//-->". Here "//" signifies a comment in JavaScript, so we add that to prevent a browser from reading the end of the HTML comment as a piece of JavaScript code. Next, we call a function **document.write** which writes a string into our HTML document.

```
<html>
 <body>
   <script language = "javascript" type = "text/javascript">
     <!--
      document.write("Hello World!")
    //-->
   </script>
 </body>
</html>
```



Hello World!

#### Whitespace and Line Breaks

JavaScript ignores spaces, tabs, and newlines that appear in JavaScript programs. You can use spaces, tabs, and newlines freely in your program and you are free to format and indent your programs in a neat and consistent way that makes the code easy to read and understand.

#### Semicolons are Optional

Simple statements in JavaScript are generally followed by a semicolon character, just as they are in C, C++, and Java. JavaScript, however, allows you to omit this semicolon if each of your statements are placed on a separate line. For example, the following code could be written without semicolons.

```
<script language="javascript" type="text/javascript">
<!--
   var1 = 10
   var2 = 20
//-->
```

But when formatted in a single line as follows, you must use semicolons:

```
<script language="javascript" type="text/javascript">
<!--
   var1 = 10; var2 = 20;
//-->
</script>
```

Note: It is a good programming practice to use semicolons.

#### Case Sensitivity

JavaScript is a case-sensitive language. This means that the language keywords variables, function names, and any other identifiers must always be typed with a consistent capitalization of letters.

So the identifiers Time and TIME will convey different meanings in JavaScript.

NOTE: Care should be taken while writing variable and function names in JavaScript.

#### Comments in JavaScript

JavaScript supports both C-style and C++-style comments. Thus:

- Any text between a // and the end of a line is treated as a comment and is ignored by JavaScript.
- Any text between the characters /\* and \*/ is treated as a comment. This
  may span multiple lines.
- JavaScript also recognizes the HTML comment opening sequence <!--.
  JavaScript treats this as a single-line comment, just as it does the //
  comment.</li>
- The HTML comment closing sequence --> is not recognized by JavaScript
   so it should be written as //-->

#### Warning for Non-JavaScript Browsers

If you have to do something important using JavaScript, then you can display a warning message to the user using <noscript> tags.

You can add a **noscript** block immediately after the script block as follows:

```
<html>
<body>
<script language="javascript" type="text/javascript">
<!--
   document.write ("Hello World!")
//-->
</script>
<noscript>
  Sorry...JavaScript is needed to go ahead.
</noscript>
</body>
```

It is used to show the alternative text for those browsers which do not support script tag. The <noscript> tag is used to handle the browsers, which do admit <script> tag but do not sustain scripting.

## Java Script Placement

There is a flexibility given to include JavaScript code anywhere in an HTML document. However the most preferred ways to include JavaScript in an HTML file are as follows:

- Script in <head>...</head> section.
- Script in <body>...</body> section.
- Script in <body>...</body> and <head>...</head> sections.
- Script in an external file and then include in <head>...</head> section.


In the following section, we will see how we can place JavaScript in an HTML file in different ways.

## Java Script Placement

#### JavaScript in <head>...</head> Section

If you want to have a script run on some event, such as when a user clicks somewhere, then you will place that script in the head as follows.

```
<html>
<head>
<script type="text/javascript">
<!--
function sayHello() {
   alert("Hello World")
1/-->
</script>
</head>
<body>
Click here for the result
<input type="button" onclick="sayHello()" value="Say Hello" />
</body>
</html>
```



#### JavaScript in <body>...</body> Section

If you need a script to run as the page loads so that the script generates content in the page, then the script goes in the <br/>body> portion of the document. In this case, you would not have any function defined using JavaScript. Take a look at the following code.

```
<html>
<head>
</head>
<body>
<script type="text/javascript">
<!--
document.write("Hello World")
</script>
This is web page body 
</body>
</html>
```

### JavaScript in External File

As you begin to work more extensively with JavaScript, you will be likely to find that there are cases where you are reusing identical JavaScript code on multiple pages of a site.

You are not restricted to be maintaining identical code in multiple HTML files. The **script** tag provides a mechanism to allow you to store JavaScript in an external file and then include it into your HTML files.

```
<html>
<head>
<script type="text/javascript" src="filename.js" ></script>
</head>
<body>
......
</body>
</html>
```