

Using Big Data to Develop the Epidemiology of Orthopedic Trauma

Yi-Hui Lee^{1,2} and Nan-Ping Yang^{3,4*}

¹Department of Nursing, College of Medicine, National Taiwan University, Taipei, Taiwan, ROC

²Department of Nursing, School of Nursing, College of Medicine, Chang-Gang University, Taoyuan, Taiwan, ROC

³Department of Orthopedic Surgery, Keelung Hospital, Ministry of Health and Welfare, Keelung, Taiwan, ROC

⁴Institute of Public Health, Medical College, National Yang-Ming University, Taipei, Taiwan, ROC

Abstract

In many countries, a long-term registered electronic medical database has been established by public authorities, which could be used to investigate the epidemiology of orthopedic injuries or degenerative disorders. Three basic epidemiological study designs could be applied to a big-data for healthcare to study orthopedic medicine: cross-sectional study, retrospective case-control study, and retrospective cohort study. From the viewpoint of epidemiology, nationwide descriptive estimations of orthopedic injuries or disorders presented as the point prevalence (or incidence) with the 95% confidence interval and subsequent analysis of risk factors (or prognostic factors) evaluated by various statistic methods are valuable to policymakers when considering the redistribution of medical and social resources.

Keywords: Epidemiology; Big data; Orthopedics

Short Communication

In 2012, the US government unveiled the “Big Data” initiative, with \$200 million committed to research across several agencies [1]. Integrating “big data” science into the practice of epidemiology has been recommended because the unquestionable reality of 21st century epidemiology is a tsunami of data spanning the spectrum of genomic, molecular, clinical, epidemiologic, environmental, and digital information [2]. In many countries, a long-term registered electronic medical database has been established by public authorities, which could be used to investigate the descriptive epidemiology of orthopedics, such as orthopedic injuries or degenerative disorders, in order to analyze the potential risk factors of these orthopedic issues and to predict their future consequences (which could be thought of as analytic epidemiology of orthopedics).

The number of students and disciplines requiring basic instruction in epidemiologic methods is growing. Many approaches to teaching epidemiology generally start with labeling key concepts and then move on to explain them [3]. It is important for an orthopedic researcher to learn some modern biostatistics to deal with nationwide big data. For example, three basic epidemiological study designs can be applied to an existing big-data for healthcare to study orthopedic medicine: cross-sectional study [4-9], retrospective case-control study [10-12], and retrospective cohort study [13-15]. Methods to estimate the prevalence or incidence of some orthopedic disorders or injuries, to evaluate their associated factors, to select other comparable groups and to use some suitable statistical models are shown in Table 1.

Based on our restricted experience, the descriptive epidemiology of orthopedic trauma could use big data such as a nationwide health insurance databank to calculate prevalences [4,6,7] or incidences [5,8-10] with 95% confidence intervals (CIs), and analytic epidemiology of orthopedics could be also performed. All the enrolled cases could be divided into several subgroups for comparison [11,12,14,15], but a control group may be randomly selected from the other normal population by a matched method [13]. In a retrospective data analysis, the odds ratio (OR) with the 95% CI is evaluated [11-13], usually by a binominal logistic regression (LR) model or an innovative multi-level logistic regression (MLLR) model [11,12]. In a retrospective cohort data analysis, the relative risk (RR) with the 95% CI is also evaluated [10,13-15], usually by a traditional survival analysis method, although an unconventional Poisson regression model [14,15] can be used in

| | Various Study Designs | | |
|--|--|---|--------------------------------------|
| | Cross-sectional study | Retrospective case-control study | Cohort study* |
| Estimations of prevalence or incidence | prevalent cases identified by the ICD diagnostic codes incident cases identified by the combination of ICD diagnostic codes and treatment codes range of 95% CI needed | | |
| Evaluation of associated factors | OR calculated | | RR calculated |
| Selection of any control group | the others excluding candidate subjects dependent on various variables | the others excluding candidate subjects dependent on various variables; a control group may be randomly selected from the other normal population by a matched method if needed | |
| Suitable statistic models | none | Logistic Regression (LR) [†] Multi-level LR (MLLR) | Cox Regression Poisson Regression |

*: A retrospective cohort study could be designed based on an existing big-data.

ICD: International Statistical Classification of Diseases

CI: Confidence Interval

OR: Odds Ratio; RR: Relative Risk

†: Conditional logistic regression (CLR) should be suitable if the matched controls were used.

Table 1: Descriptive or analytic methods applied to orthopedics-related big data.

some specific situations. A long-term registered database could be used to observe trends in some orthopedic issues, and furthermore, the period effect could be evaluated [15].

Some criticism still focuses on the limited information contained

***Corresponding author:** Nan-Ping Yang, MD, PhD, Department of Orthopedic Surgery, Keelung Hospital, Ministry of Health and Welfare, Keelung, Taiwan, ROC Tel: +886-2-24292525; E-mail: yang.nanping@gmail.com

Received December 20, 2014; **Accepted** January 21, 2015; **Published** January 23, 2015

Citation: Lee Y, Yang N (2015) Using Big Data to Develop the Epidemiology of Orthopedic Trauma. J Trauma Treat 4: 232. doi:10.4172/2167-1222.1000232

Copyright: © 2015 Lee Y, et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

in these registered medical big datasets and their accuracy. From the viewpoint of epidemiology, nationwide descriptive estimations of orthopedic injuries or disorders presented as point prevalence (or incidence) with the 95% CI and subsequent analysis of risk factors (or prognostic factors) evaluated by various statistical methods are valuable to policymakers when considering the redistribution of medical and social resources.

References

1. Mervis J (2012) U.S. science policy. Agencies rally to tackle big data. *Science* 336: 22.
2. Khoury MJ, Lam TK, Ioannidis JP, Hartge P, Spitz MR, et al. (2013) Transforming epidemiology for 21st century medicine and public health. *Cancer Epidemiol Biomarkers Prev* 22: 508-516.
3. Keyes KM, Galea S (2014) Current practices in teaching introductory epidemiology: how we got here, where to go. *Am J Epidemiol* 180: 661-668.
4. Yang NP, Deng CY, Chou YJ, Chen PQ, Lin CH, et al. (2006) Estimated prevalence of osteoporosis from a Nationwide Health Insurance database in Taiwan. *Health Policy* 75: 329-337.
5. Yang NP, Deng CY, Lee YH, Lin CH, Kao CH, et al. (2008) The incidence and characterizations of acute hospitalized spinal trauma in Taiwan—a population-based study. *Injury* 39: 443-450.
6. Chu DC, Lee YH, Lin CH, Chou P, Yang NP (2009) Prevalence of associated injuries of spine trauma and their effect on medical utilizations among hospitalized adult subjects: a nationwide data-based study. *BMC Health Serv Res* 9: 137.
7. Yang NP, Chan CL, Yu IL, Lee CY, Chou P (2010) Estimated prevalence of orthopaedic fractures in Taiwan—A cross-sectional study based on nationwide insurance data. *Injury* 41: 1266-1272.
8. Lee YH, Hsu YN, Yu IL, Phan DV, Chou P, et al. (2011) Treatment incidence of and medical utilization for hospitalized subjects with pathologic fractures in Taiwan – survey of the 2008 national health insurance data. *BMC Health Serv Res* 11: 230.
9. Yang NP, Chen HC, Phan DV, Yu IL, Lee YH, et al. (2011) Epidemiological survey of orthopedic joint dislocations based on nationwide insurance data in Taiwan, 2000-2005. *BMC Musculoskelet Disord* 12: 253.
10. Yang NP, Lee YH, Chang NT, Hsu YN, Hsu JC, et al. (2012) Treated incidence of orthopedic injuries among HIV-infected subjects in Taiwan: a dynamic cohort survey, 2005-2008. *Health MED* 6: 2700-2708.
11. Yang NP, Chan CL, Chu D, Lin JS, Lin KB, et al. (2014) Epidemiology of hospitalized traumatic pelvic fractures and their combined injuries in Taiwan: 2000-2011 nationwide surveillance. *BioMed Res Int Article ID* 878601.
12. Pan RH, Chang NT, Chu D, Hsu KF, Hsu YN, et al. (2014) Epidemiology of orthopedic fractures and other injuries among inpatients admitted due to traffic accidents: a 10 years nationwide survey in Taiwan. *Sci World J Article ID* 637872.
13. Chiu HJ, Chan CL, Hsu JC, Chung CY, Yu IL, et al. (2013) Nationwide retrospective cohort survey of orthopedic injuries in member of the Taiwanese population with psychiatric disorders, 2000–2005. *J Orthop Sci* 18: 456-464.
14. Chang NT, Lee YH, Hsu JC, Chan CL, Huang GS, et al. (2013) Epidemiological study of orthopedic injuries in hemodialysis patients in Taiwan: a fixed cohort survey, 2004-2008. *Clinical Interventions in Aging* 8: 301-308.
15. Chang NT, Chan CL, Lu YT, Hsu JC, Hsu YN, et al. (2013) Invasively-treated incidence of lower extremity peripheral arterial disease and associated factors in Taiwan: 2000-2011 nationwide hospitalized data analysis. *BMC Public Health* 13: 1107.

Citation: Lee Y, Yang N (2015) Using Big Data to Develop the Epidemiology of Orthopedic Trauma. *J Trauma Treat* 4: 232. doi: [10.4172/2167-1222.1000232](https://doi.org/10.4172/2167-1222.1000232)

Submit your next manuscript and get advantages of OMICS Group submissions

Unique features:

- User friendly/feasible website-translation of your paper to 50 world's leading languages
- Audio Version of published paper
- Digital articles to share and explore

Special features:

- 400 Open Access Journals
- 30,000 editorial team
- 21 days rapid review process
- Quality and quick editorial, review and publication processing
- Indexing at PubMed (partial), Scopus, EBSCO, Index Copernicus and Google Scholar etc
- Sharing Option: Social Networking Enabled
- Authors, Reviewers and Editors rewarded with online Scientific Credits
- Better discount for your subsequent articles

Submit your manuscript at: <http://www.omicsonline.org/submission>