Causal Inference

Table of contents

1	Overview	2
2	Potential Outcomes Framework	3
	2.1 Potential outcomes	4
	2.2 Multiple units	5
	2.3 Assignment mechanism	5
	2.4 Causal estimands	6
	2.5 Heterogeneity	7
3	Randomized Experiments	8
	3.1 Selection	9
	3.2 Identification	9
	3.3 Efficiency	10
	3.4 Stratification	
	3.5 Propensity score	11
4	Instrumental Variables	12
	4.1 Compliance	12
	4.2 Identification	14
	4.3 Estimation	15
	4.4 Reduced form	16
5	Observational Studies	16
	5.1 Common support	17
	5.2 Matching	
	5.3 Regression	
6	Difference-in-Differences	19
-	6.1 2-group-2-period	
	6.2 Parallel trends	

References								
6.5	Further topics	23						
6.4	2-group-multi-period	22						
6.3	Regression	21						

1 Overview

In this note we will review some more contemporary topics from the field of Microeconometrics. These are the literatures related to Causal Inference, Treatment Effects, and Policy Evaluation. We will not be able to cover everything. In this handout we will discuss:

- 1. The Potential Outcomes Framework
- 2. Randomized Experiments
- 3. Instrumental Variables
- 4. Observational Studies & Matching
- 5. Difference-in-differences

Topics that we will not be able to cover include:

- 1. Staggered-DiD or Event-studies
- 2. Synthetic Control
- 3. Regression Discontinuity Designs

Further reading can be found in:

- Chapters 2.7, 25.1-25.3, 25.5, 25.8 of Cameron and Trivedi (2005)
- Section 7.7 of Verbeek (2017)

Some other texts on the topic include:

- (MHE) J. D. Angrist and Pischke (2009) Mostly Harmless Econometrics: An Empiricist's Companion. Princeton, NJ: Princeton University Press.
- J. Angrist (2014) Mastering Metrics: The Path from Cause to Effect. Princeton, NJ: Princeton University Press.
- (IR) Imbens and Rubin (2015) Causal Inference for Statistics, Social, and Biomedical Sciences: An Introduction. Cambridge, UK: Cambridge University Press
- Cunningham (2021) Causal inference: The Mixtape. Yale University Press.

MHE is more technical than *Matering 'Metrics*, but with the foundation provided in this module, you should get through much of the content. Note, it was published in 2009 and does not include some more recent topics.

Here are a few papers worth reading:

- J. D. Angrist and Krueger (2001)
- Heckman (2008)
- Imbens and Wooldridge (2009)
- J. D. Angrist and Pischke (2010)
- Athey and Imbens (2017)

2 Potential Outcomes Framework

The notion of a "causal effect" is bound by framework within which you define causal effect. In this handout we will build upon the Potential Outcomes (PO) Framework attributed to Jerzy Neyman and Donald Rubin. There are other frameworks, including traditional Econometrics within which to undestand the notion of 'causal effect' (see Heckman and Pinto 2024). Recently, a lot of consideration has been given to the Dynamic Acyclic Graphs approach popularized by Judea Pearl (see Pearl and Mackenzie 2018; also Imbens 2020; Heckman and Pinto 2024). For those interested in the broader question of causality within Economics, take a look at (Hoover 2008).

The following is an adaption of the paracetomal example from (Imbens and Rubin 2015, 5):

Example 2.1. Consider a new hypothetical policy in the UK, wherein time spent studying in the UK counted towards permanent residency (indefinite leave to remain). How would this affect your decision to apply for a graduate visa upon graduation from your Master's?

There are four potential scenarios:

1. Apply under new rule only:

$$Y(\text{tax break}) = \text{apply}$$
 and $Y(\text{status quo}) = \text{don't apply}$

2. Don't apply in either case:

$$Y(\text{tax break}) = \text{don't apply}$$
 and $Y(\text{status quo}) = \text{don't apply}$

3. Apply regardless:

$$Y(\text{tax break}) = \text{apply}$$
 and $Y(\text{status quo}) = \text{apply}$

4. Don't apply with new rule, but under status quo:

$$Y(\text{tax break}) = \text{don't apply}$$
 and $Y(\text{status quo}) = \text{apply}$

We say that in scenarios (2) and (3) there is no causal effect, while in scnearios (1) and (4) there is a causal effect.

Notice two things about this definition of causal effect:

- "First, the definition of the causal effect depends on the potential outcomes, but it does not depend on which outcome is actually observed." (Imbens and Rubin 2015, 6)
- "Second, the causal effect is the comparison of potential outcomes, for the same unit, at the same moment in time post-treatment. In particular, the causal effect is not defined in terms of comparisons of outcomes at different times." (Imbens and Rubin 2015, 6)

There are three important components to the Potential Outcomes framework:

- 1. **Potential outcomes:** the outcomes corresponding to different levels of treatment or manipulation: "no causation without manipulation" (Rubin 1975, 238).
- 2. **Multiple units:** given the limitation of observation, one must observe multiple units to infer a causal effect.
- 3. Assignment mechanism: what determines treatment.

2.1 Potential outcomes

We denote the PO of outcome Y as,¹

$$Y_i(1)$$
 if $D_i = 1$
 $Y_i(0)$ if $D_i = 0$

for discrete treatment (can be generalized to continuous). The observed outcome, Y_i^{obs} , can written as

$$\begin{split} Y_i^{obs} &= Y_i(D_i) = Y_i(0) + D_i \cdot (Y_i(1) - Y_i(0)) \\ &= (1 - D_i)Y_i(0) + D_iY_i(1) \end{split}$$

Where D is a dummy-variable denoting treatment status.

¹Here, I follow the notation of Guido W. Imbens. You should be comfortable with alternative notations, such as superscripts (Y_i^1, Y_i^0) and subscripts $(Y_{i1}, Y_{i0};$ as in MM and MHE).

2.2 Multiple units

We cannot observe both POs for any unit i (in the same period of time). At a fundamental level, this means that we cannot observe the unit-level treatment effect:

$$\tau_i = Y_i(1) - Y_i(0)$$

We always need to learn about $f_{(1)}$ and $f_{(0)}$ from two (or more) samples; be this,

- different units at the same time;
- the same units at different times;
- or a combination of both.

This requires us to make an important assumption: the Stable Unit Treatment Value Assumption (SUTVA).

Definition 2.1. - SUTVA "The potential outcomes for any unit do not vary with the treatments assigned to other units, and, for each unit, there are no different forms or versions of each treatment level, which lead to different potential outcomes." (Imbens and Rubin 2015, 10)

This assumption, does two things. First, it rules out interference between treatment units. This rules out any spillover effects between 'treatment' and 'control'. Second, it ensures that there are no hidden variations in the treatment level. It is okay for there to be different levels of treatment, so long as they are explicit and well-defined a priori.

General equilibrium effects, violate SUTVA. In almost all case, we need to assume a partial equilibrium setting. As Economists, this means that the PO framework cannot be used to answer all important empirical questions. There remains a value to more structural models that can approximate general equilibrium effects.

2.3 Assignment mechanism

In experimental data, the assignment mechanism is randomization, while in observational data the assignment mechanism is not known.

Randomization is an assignment mechanism that ensures independence/unconfoundedness between the potential outcomes and treatment assignment. This can either be unconditional,

$$Y(1), Y(0) \perp D$$

or conditional on a set of known covariates,

$$Y(1), Y(0) \perp D|X$$

The latter is also referred to as the Conditional Independence Assumption (as in MHE & MM) and (strong) ignorability. Both assumptions are referred to as unconfoundedness in the literature.

Note, "[w]ithout unconfoundedness, there is no general approach to estimating treatment effects." Imbens and Wooldridge (2009), pp. 7. Randomization gives you unconfoundedness, but unconfoundedness can be assumed without randomization; for example, in observational studies. In such cases, you might say it is as if assignment is randomized (conditional on X).

Note, in our study of linear models, we made conditional *mean* independence assumptions of the form $E[\varepsilon|X]=0$. Mean independence is sufficient for identification in linear models; however, randomization gives you full independence between treatment assignment and potential outcomes. The implications of this is that you can identify the the marginal distributions $f_{(0)}$ and $f_{(1)}$ and not just their mean E[Y(0)] and E[Y(1)].

2.4 Causal estimands

We cannot identify the unit-level treatment effect, even with randomization. For this reason, the literature focuses on identifying particular causal estimands.

Using the linearity of expectation function, we can identify (from different samples) the Average Treatment Effect from the difference in *unconditional* means:

$$E[Y_i(1)] - E[Y_i(0)] = E[Y_i(1) - Y_i(0)] = ATE$$

Similarly, we can identify the Average Treatment Effect of the Treated (ATT) and the Untreated (ATU):

$$\begin{split} E[Y_i(1)|D_i = 1] - E[Y_i(0)|D_i = 1] = & E[Y_i(1) - Y_i(0)|D_i = 1] = ATT \\ E[Y_i(1)|D_i = 0] - E[Y_i(0)|D_i = 0] = & E[Y_i(1) - Y_i(0)|D_i = 0] = ATU \end{split}$$

The above statements are non-trivial. The state that we can learn about the mean of the unit-level treatment effect from different samples. This follows from the fact that the expectation (or average) operator is linear. This DOES NOT extend beyond the mean.

The q-th percentile of the distribution of unit-level treatment effects, cannot necessarily be written as the difference between q-th percentile of $f_{(0)}$ and $f_{(1)}$.

$$F_{(1)-(0)}^{-1}(q) \neq F_{(1)}^{-1}(q) - F_{(0)}^{-1}(q)$$

For the above to be an equality, there must be perfect rank correlation between the distributions of Y(1) and Y(0).

There are additional causal estimands important within this literature:

• Conditional ATE, ATT, and ATU; e.g.,

$$ATE(X_i) = E[Y_i(1) - Y_i(0)|X_i]$$

• Average Causal Effect, typically used to describe continuous (or mutliple dosage) treatments; e.g.,

$$ACE(s) = E[Y_i(s+1) - Y_i(s)|S_i = s]$$

- Local Average Treatment Effects (LATE), as identified by instrumenal variables and regression discontinuity designs.
- Cohort-specific ATT, the ATT for a specific treatment cohort in a staggered difference-in-differences (or event-study); e.g., as denoted by Abrahams & Sun ()

$$CATT(c) = E[Y_i(c) - Y_i(\infty)]$$

where $Y_i(\infty)$ denotes the outcome when "never-treated".

I have ignored an important distinction between finite-sample and super-population estimands. The distinction comes down to whether you think of the sample as population - in which case, the vectors Y(1) and Y(0) are non-random vectors - or whether you think of the sample as random draw from a (infinite) super population. The distinction has implications for how you compute the variance of an estimator. Finite-sample estimands are typically written as averages; e.g.,

$$ATE^{fs} = \frac{1}{N} \sum_{i=1}^{N} Y_i(1) - Y_i(0)$$

Note, the above estimand cannot be compute as it requires you to observe the unit-level treatment effect for each i.

2.5 Heterogeneity

It is important to recognise that treatment effects need not be homogeneous.

Definition 2.2.

$$Y_i(1) - Y_i(0) = \tau \quad \forall i = 1, ..., n$$

Indeed, you could argue that this literature is largely focused on the estimation of heterogeneous treatment effects. Homogeneous treatment effects negate the need to speak about the ATE, ATT, and ATU as all estimands are equivalent and equal to the unit-level TE for any individual.

Heterogeneity also has important implications for the use of models to estimate TEs. Consider, if TEs are homogenous, we can write the observed outcome as,

$$\begin{split} Y_i = & Y_i(0) + \tau D_i \\ = & E[Y_i(0)] + \tau D_i + Y_i(0) - E[Y_i(0)] \\ = & \alpha + \tau D_i + \varepsilon_i \end{split}$$

Thus, we can express the observed outcome as a model that is linear in parameters with an error term that is homoskedastic (assuming $Y_i(0)$ is drawn from the same distribution).

With heterogeneous TEs, we get

$$\begin{split} Y_i = & Y_i(0) + \tau_i D_i \\ = & E[Y_i(0)] + \tau_{ATE} D_i + Y_i(0) - E[Y_i(0)] + (\tau_i - \tau_{ATE}) D_i \\ = & \alpha + \tau_{ATE} D_i + \upsilon_i \end{split}$$

The model only explains the average difference between the treated and control. The remaining heterogeneity remains in the error term. With random assignment, the error term remains conditionally mean independent; however, it is no longer homoskedastic (see Deaton 2010).

In models that include a time dimension - e.g., difference-in-differences - you also need to cosider whether TEs are static.

$$Y_{it}(1) - Y_{it}(0) = \tau_i \qquad \forall \ t = 1, \dots, T$$

Models with dynamics, typically normalize time relative to the period of treatment; often referred to as event-time. For example, event-time s=-1 is the period just before treatment and s=0 the period of treatment.

3 Randomized Experiments

In Economics, randomized experiments are typically referred to as Randomized Control Trials (RCTs); a name borrowed from the Medical field.

3.1 Selection

When comparing two groups, the difference between the mean of their outcomes can be decomposed into two terms: the ATT and a selection term.

$$\begin{split} &E[Y_i|D_i=1]-E[Y_i|D_i=0]\\ =&E[Y_i(1)|D_i=1]-[Y_i(0)|D_i=0]+E[Y_i(0)|D_i=0]-E[Y_i(0)|D_i=0]\\ =&E[Y_i(1)-Y_i(0)|D_i=1]+E[Y_i(0)|D_i=0]-E[Y_i(0)|D_i=0]\\ =&ATT+\text{selection} \end{split}$$

where $E[Y_i(1)|D_i=0]$ is an unobserved counterfactual: the mean of the treated group had it not been treated.

Note, this is a particular definition of selection. When discussing the "problem of selection" in this literature, the question is whether:

$$E[Y_i(1)|D_i = 0] - E[Y_i(0)|D_i = 0] \stackrel{?}{=} 0$$

3.2 Identification

Recall, under randomization assignment is unconfounded; therefore, the observation difference bewteen the mean of the treatment and control group identifies,

$$\begin{split} E[Y_i|D_i = 1] - E[Y_i|D_i = 0] \\ = & E[Y_i(1)|D_i = 1] - E[Y_i(0)|D_i = 0] \\ = & E[Y_i(1)] - E[Y_i(0)] \\ = & ATE \end{split}$$

where line 3 follows by unconfoundedness. This implies:

- 1. the selection term is = 0:
- 2. the ATT = ATE = ATU.

An RCT can tell you about the ATE of the treatment, for the sampled population. It cannot tell you about the ATE for any unsampled population; an issue referred to as "external validity".

3.3 Efficiency

One limitation of RCTs is their limited (sample) size. They can be expensive to run, thereby reducing the size of the treated and control sample. For this reason, researchers will take action to design the most efficient (powerful) experiment.

If you N is fixed, it is optimal (from an efficiency perspective) to assign $N_t=0.5N$ units to treatment.

A second action taken by researchers is to control for characteristics in a model; for example,

$$Y_i = \alpha + \beta D_i + X_i' \gamma + \upsilon_i$$

In this instane, these regressors are not included for identification as treatment is unconfounded (this is not the case for stratified experiments; see below). Instead, they are there to reduce the residual variation of the error term.

The OLS estimator for β from the above model is consistent, but may have small sample bias depending on whether the heterogeneity of the TE relates to the included X's.

$$p\lim \hat{\beta} = ATE$$

3.4 Stratification

Many real-world RCTs, use stratify the assignment into treatment. They divide the sample into blocks - typically based on observable characteristics - and assign each block into treatment independently. This also means that each group can be assigned into treatment with a different probability; allowing you to over assign smaller sub-samples.

Stratification has an important advantages: since assignment is unconfounded within each block (or conditional on the stratification covariates X_i), you can conduct more efficient sub-sample analyses.

However, stratification also complicates the use of models to estimate TEs. Since, treatment is independent conditional on X_i , you need to account for X_i in the model.

Suppose, the statification variable(s) takes on m distinct values: $X_i \in \{x_1, x_2, \dots, x_m\}$. Then, the unconditional ATE can be written as a probability weighted sum of conditional ATEs.

$$ATE = \sum_{j=1}^{m} ATE(x_j) \cdot Pr(X_i = x_j)$$

If you estimate a model, that conditions on each value of X_i (referred to as 'saturated controls'), the coefficient on the treatment indicator gives you a variance weighted average.

$$Y_i = \beta D_i + \sum_{i=1}^m \gamma_j \mathbf{1}\{X_i = x_j\} + \zeta_i$$

then,

$$\beta = \frac{\sum_{j=1}^{m} ATE(x_j) Var(W_i|X_i = x_j) Pr(X_i = x_j)}{\sum_{l=1}^{m} Var(W_i|X_i = x_l) Pr(X_i = x_l)}$$

where,

$$Var(D_i|X_i) = Pr(D_i = 1|X_i) \cdot (1 - Pr(D_i = 1|X_i))$$

Assigning treatment with different probabilities (based on X_i), implies that the OLS estimator of a linear model with covariates will estimate a variance weighted estimand. If the ATE is independent of X_i this not a concern, since the weights still sum to 1.

3.5 Propensity score

In this literature, the probability of treatment (conditional on X_i) is referred to as the propensity score:

$$\rho(X_i) = Pr(D_i = 1|X_i)$$

You can show that the unconditional ATE can be written as an (inverse) propensity weighted estimand:

$$E[Y_i(1)] = E\left[\frac{Y_i \cdot W_i}{\rho(X_i)}\right]$$

and

$$E[Y_i(0)] = E\left[\frac{Y_i \cdot (1 - D_i)}{1 - \rho(X_i)}\right]$$

Which means that,

$$E[Y_i(1)-Y_i(0)] = E\left[\frac{Y_i\cdot D_i}{\rho(X_i)} - \frac{Y_i\cdot (1-D_i)}{1-\rho(X_i)}\right] = E\left[\frac{Y_i\cdot (D_i-\rho(X_i))}{\rho(X_i)\cdot (1-\rho(X_i))}\right]$$

This Weighted Least Squares estimator for β from the univariate model,

$$Y_i = \alpha + \beta D_i + \varepsilon_i$$

using weights,

$$\lambda_i = \frac{1}{\rho(X_i)^{D_i} \cdot (1 - \rho(X_i))^{1 - D_i}}$$

is an unbiased estimator for the unconditional ATE under stratified assignment.

This points to a wider issue within this literature: it is built upon a experiment-model framework, which does not *necessarily* map to a linear-regression-model framework.

4 Instrumental Variables

Note

The following might be a slightly different presentation of instrumental variables to what you are used to from your undergraduate degree.

In some experiments, compliance - i.e. take-up of the treatment - is not a given. This could be a number of reasons, including the ethical reasons. In this case, assignment into the treatment group does not mean that the individual is treated.

Consider, Banerjee et al. (2015) RCT that randomly assigned a new micro-loan agency to a subsample different villages in India. It would be unethical to force a household to take additional credit. Instead, the treatment randomly increased access to credit. In this application, the mean difference in Y_i between the treatment and control villages cannot identify the causal impact of having a micro-loan. It identifies the ATE of living in a village with increased access to micro-loans. In imperfect-compliance setting, we adopt the language of Intention to Treat (ITT) effects.

You might be wondering, why can't we just condition on receipt of the treatment. If compliance is imperfect, then take-up of the treatment is likely endogenous. As a result the treatment-receiving sample is no longer randomly assigned.

You can have both one-sided and two-sided non-compliance. Here, we will focus on the latter, as it more closely relates to the use of instruments in Applied Economics (for example J. D. Angrist 1990). One-sided non-compliance means that some individuals in the treated group may not receive the treatment, but does not allow for the case where individuals in the control group may receive it. Two-sided non-compliance allows for both.

4.1 Compliance

Let $D_i \in \{0,1\}$ denote receipt of treatment and let $Z_i \in \{0,1\}$ denote treat-group assignment. With two-sided non-complance, we can consider the potential outcomes of D_i :

$$D_i(Z_i) \in \{D_i(1), D_i(0)\}$$

Using these potential outcomes we can assign names to each possible compliance status:

We can then denote the

Table 1: Compliance status:

	$D_i(1) = 0$	$D_i(1) = 1$
$\overline{D_i(0) = 0}$	never-treated (nt)	complier (c)
$D_i(0)=1$	defier (d)	always-treated (at)

Define $G_i \in \{nt, c, d, at\}$, with $Pr(G_i = g) \in \{\rho_{nt}, \rho_c, \rho_d, \rho_{at}\}$.

When you look at the data, you don't observe each potential outcome. Instead, you observe the pair $\{Z_i, D_i\}$; each combination of which will contain a mix of the above groups.

Table 2: Compliance status:

	$D_i = 0$	$D_i = 1$
· ·	never-treated + compliers never-treated + defiers	always-treated + defiers always-treated + compliers

The potential outcomes for the outcome variable:

$$Y_i(Z_i, D_i(Z_i)) \in \{Y_i(0,0), Y_i(0,1), Y_i(1,0), Y_i(1,1)\}$$

For example, $Y_i(1,0)$ is the potential outcome of unit i were they to receive assignment into treatment, but not take it up. Likewise, $Y_i(1,1)$ represents the potential outcome of unit i were they to take-up the treatment.

The ITT of assignment on treatment receipt is given by:

$$ITT_D = E[D_i(1) - D_i(0)] = E[D_i(1)] - E[D_i(0)]$$

This is the difference in the proportion of compliers (those who take-up treatment when assigned) and defiers (those who take up treatment when not assigned) in the (super) population.

The ITT of assignment on the main outcome is:

$$ITT_{Y} = E[Y_{i}(1) - Y_{i}(0)] = E[Y_{i}(1, D_{i}(1)) - Y_{i}(0, D_{i}(0))]$$

This term is what you identify when comparing the means of the outcome in the treated and control groups, under randomization.

Under randomization, the instrument is unconfounded with respect to both sets of potential outcomes:

$$Z_i \perp D_i(1), D_i(0), Y_i(0,0), Y_i(0,1), Y_i(1,0), Y_i(1,1)$$

4.2 Identification

In addition to unconfoundedness, we require the following exclusion restrictions assumptions:

- for all never-takers: $Y_i(1,0) = Y_i(0,0)$
- for all always-takers: $Y_i(0,1) = Y_i(1,1)$

Then we need a final monotonicity (no defiers) assumption:

• no defiers: $D_i(1) \ge D_i(0) \Rightarrow \rho_d = 0$

Under these four assumptions:

$$\frac{ITT_Y}{ITT_D} = E[Y_i(1) - Y_i(0)|G_i = c] = LATE$$

This is what is referred to as the Local Average Treatment Effect: the ATE of compliers. Note, you cannot directly observe the population of compliers in the data, as this would require observing both states of the outcome $D_i(Z_i)$. In contrast, when we identify the ATT (as with DiD), this the ATE of observed Treated population.

We can proof this result as follows. In the denominator, we have:

$$\begin{split} E[D_i(1) - D_i(0)] = & \rho_{nt} E[D_i(1) - D_i(0)|G_i = nt] \\ & + \rho_{at} E[D_i(1) - D_i(0)|G_i = at] \\ & + \rho_c E[D_i(1) - D_i(0)|G_i = c] \\ = & \rho_c \end{split}$$

since by the monotonicity (no defiers) assumption $\rho_d=0$; $D_i(1)=D_i(0)$ for never- and always-takers; and $D_i(1)-D_i(0)=1$ for compliers.

In the numerator, we have:

$$\begin{split} &E[Y_i(1,D_i(1))-Y_i(0,D_i(0))]\\ =&E[Y_i(1,1)|D_i(1)=1]\cdot Pr(D_i(1)=1) + E[Y_i(1,0)|D_i(1)=0]\cdot Pr(D_i(1)=0)\\ &-E[Y_i(0,1)|D_i(0)=1]\cdot Pr(D_i(0)=1) - E[Y_i(0,0)|D_i(0)=0]\cdot Pr(D_i(0)=0) \end{split}$$

Assuming no defiers,

$$\begin{split} E[Y_i(0,1)|D_i(0) = 1] \cdot Pr(D_i(0) = 1) = & \rho_{at} E[Y_i(0,1)|G_i = at] \\ = & \rho_{at} E[Y_i(1,1)|G_i = at] \end{split}$$

Where the last line follows from the exclusion restriction. Similarly,

$$\begin{split} E[Y_i(1,0)|D_i(1) &= 0] \cdot Pr(D_i(1) = 0) = & \rho_{nt} E[Y_i(1,0)|G_i = nt] \\ &= & \rho_{nt} E[Y_i(0,0)|G_i = nt] \end{split}$$

Applying the exclusion restrictions we get:

$$\begin{split} &= \!\! \rho_c E[Y_i(1,1)|G_i = c] - \rho_c E[Y_i(0,0)|G_i = c] \\ &+ \rho_{at} E[Y_i(1,1)|G_i = at] - \rho_{at} E[Y_i(1,1)|G_i = at] \\ &+ \rho_{nt} E[Y_i(0,0)|G_i = nt] - \rho_{nt} E[Y_i(0,0)|G_i = nt] \\ &= \!\! \rho_c E[Y_i(1,1) - Y_i(0,0)|G_i = c] \end{split}$$

Dividing by the ITT_D , we get the LATE result.

4.3 Estimation

The LATE can be estimated by two-stage-least-squares (2sls).

1. First, estimate the first-stage (ITT_D) :

$$D = \phi_1 + \phi_2 Z + \nu$$

2. Second, estimate the second-stage:²

$$Y = \beta_1 + \beta_2 P_Z D + \epsilon$$

In this simple, just-identified case,

$$\hat{\beta}_2^{2SLS} = \frac{\hat{\gamma}_2}{\hat{\phi}_2}$$

where $\hat{\gamma}_2$ is the OLS estimator of the reduced form equation,

²This is equivalent to including the control function: $Y = \beta_1 + \beta_2 Z + \beta_3 M_Z D + \varepsilon$.

$$Y = \gamma_1 + \gamma_2 Z + \zeta$$

Recall, the reduced form equation identifies the ITT_{Y} .

4.4 Reduced form

Recall, Z denotes random assignment. Much of empirical work takes on this form: estimation of the outcome directly on treatment assignment. It is for this reason that it is often referred to as "reduced form".

However, the phrase "reduced form" comes from an older literature, where the regression of Y on D, where D was potentially endogenous, was the "structural equation" which included parameters from a structural model. In this setting, we do not typically adopt this phrase to describe the relationship between Y and D.

This framework provides a useful perspective on experiments. Randomized experiments provide the ideal instrumental variable, which central to the way Economics think about causation (see J. D. Angrist and Krueger 2001). We can either examine the reduced-form relationship given by treatment assignment, or use the experiment as an instrument to study an endogenous relationship.

Consider the following outcome. Suppose, you are interested in the causal relationship between household income (RHS) and child-education-investment (LHS) in poorer countries. Evidently household income (a continuous variable) is endogenous, and comparing households with high and low incomes will give rise to differences largely explained by selection.

We need a source of exogenous variation in household income. We could design a RCT that enrolls a random sample of households into a universal basic income (UBI) scheme. Comparing the difference in education of households in treatment and control, would give us the reduced form effect of the experiment; an experiment with a known treatment. Alternatively, we could use treatment assignment as an instrument for household income. Of course, we hope to find that treatment increases household income by an amount close to the value of the UBI scheme.

5 Observational Studies

In observational studies, the functional form of the assignment mechanism is not known. The standard approach in these settings is to assume Conditional Independence Assumption (CIA/unconfoundedness). Afterall, "[w]ithout unconfoundedness, there is no general approach to estimating treatment effects." (Imbens and Wooldridge, 2009, p.7).

$$Y_{i}(1), Y_{i}(0) \perp D_{i}|X_{i}$$

This assumption suggests that conditional on X it is as if assignment is randomized. Thus,

$$E[Y_i(0)|D_i = 1, X_i] - E[Y_i(0)|D_i = 0, X_i] = 0$$

There is no selection, conditional on covariates X_i . The above statement, is also referred to "selection on observables". The treatment and control group can differ in terms of the distribution of X_i ; however, conditional on X_i they are balanced. This rules out "selection on unobservables".

5.1 Common support

In controlled experiments the researcher picks the number of treated and control units. There is just one requirement: $1 \le N_t \le N-1$ - at least one unit must be (un)treated. In observation studies, you do not have direct control over the assignment mechanism. We therefore need an additional assumption, **common support** (or overlap)

Definition 5.1. - Common Support

$$0 < \rho(X_i) < 1$$

This assumption ensures that for every X_i , you observe both treated and control units with a non-zero probability.

5.2 Matching

The most obvious approach to matching is covariate-matching: given common support, you can estimate a Conditional ATE for each X_i , after which you aggregate up to the unconditional ATE using the distribution of X.

$$ATE = \sum_{j=1}^{m} ATE(x_j) \cdot Pr(X_i = x_j)$$

However, covariate matching quickly gets you into the **curse of dimensionality**. You need to matching on all possible values of the vector $X_i \in \mathbb{R}^k$. Consider, if each of the X_{ik} covariates is a dummy variable, then the number of possible values for the vector X_i is 2^k .

In addition, there is the challenge of matching on continuous variables. This can be solved by discretizing the support of the continuous variable, but necessarily increases the number of values to matching on.

An alternative is Propensity Score Matching (PSM). Rosenbaum and Rubin (1983) show that you can matching on the propensity score instead of the covariates. This is because the propensity score is a balancing score.

Definition 5.2. - Balancing Score A function, $b(\cdot)$, of X_i such that,

$$D_i \perp X_i | b(X_i)$$

You can show that $\rho(X_i) = Pr(D_i = 1|X_i)$ is a balancing score, by demonstrating:

$$Pr(D_i=1|X_i,\rho(X_i))=Pr(D_i=1|\rho(X_i))$$

Given this result, unconfoundedness implies unconfoundedness on the propensity score,

$$Y_i(1), Y_i(0) \perp D_i | \rho(X_i)$$

Take a look at Hirano, Imbens, and Ridder (2003) and Caliendo and Kopeinig (2008), if you are interested in some of the practicalities of PSM estimation. The major challenge for PSM approaches is that we do not know the true functional form of $\rho(X_i)$.

5.3 Regression

You can think of linear regression as a matching estimator. Recall, we can always write:

$$Y_i = E[Y_i|D_i, X_i] + \varepsilon_i$$

where $E[\varepsilon_i|D_i,X_i]=0$. Given that Y_i is a combination of potential outcomes,

$$Y_i = E[Y_i(0)|D_i, X_i] + D_i E[Y_i(1) - Y_i(0)|D_i, X_i] + \varepsilon_i$$

Assuming CIA/unconfoundedness,

$$Y_i = E[Y_i(0)|X_i] + D_i E[Y_i(1) - Y_i(0)|X_i] + \varepsilon_i$$

If we are willing to assuming that $E[Y_i(0)|X_i]$ is linear (in parameters), then we get

$$Y_i = X_i'\gamma + D_i E[Y_i(1) - Y_i(0)|X_i] + \varepsilon_i$$

We then need to make an assumption concerning the heterogeneity w.r.t. X. Alternatively, we opt for a more flexible saturated-controls model,

$$Y_i = \sum_{i=1}^m \gamma_j \mathbf{1}\{X_i = x_j\} + D_i E[Y_i(1) - Y_i(0)|X_i] + \zeta_i$$

Clearly, we need to make an assumption concerning how heteroegeneity relates to X_i . If it is independent of X_i , then the saturated model will approximate any functional form of $E[Y_i(0)|X_i]$, but is limited by the curse of dimensionality.

Suppose we are unwilling to assume homogeneity w.r.t. X. If we allow coefficient on D to vary with every value of X, we are back to covariate-matching (i.e. a separate model for each covariate value). If we estimate a single parameter coefficient for D, we end up with variance weighting. There is no obvious path forward.

We also need to take note of common-support. Saturated-controls models require common-support, but linear models do not. You should be aware that linear models can allow you to extrapolate a counterfactual to parts of the data without common support.

6 Difference-in-Differences

Difference-in-differences (DiD) is one of the most commonly used empirical strategies in applied microeconomics research. This is partly because the method is well suited to the study of "natural"/quasi-experiments. These are empirical settings where the conditions of an experiment are met - that is, assignment into a treatment and control group - but the researcher has no control over the assignment. For example, a natural disaster that shocks a particular region, but does not affect a neighbouring region (see Card's marial boatlift paper). Or the introduction of a new policy that affects one group of people, but not another.

Crucially, DiD does *not* require unconfoundedness. Instead, identification is based on a parallel trends assumption, as well as a few exclusion restrictions. The DiD approach utilizes a time-dimesion that has so far been ignored. For individual-assignment, you will need a panel/longitudinal data, where you observe each observation before and after the intervention. However, in cases of group-assignment (more common in practice), you can use repeated cross-sections of data.

6.1 2-group-2-period

The simple 2-group-2-period difference-in-differences set-up has the following characteristics,

- treatment takes place in period t_0 ;
- you observe the sample in a period before and after treatment;
- and there exists a never-treated control group.

As before, let D_i denote the treatment-group status of unit i. Next, let $T_t = \mathbf{1}\{t \ge t_0\}$, with $t = t_0 - 1, t_0$, be a dummy variable = 1 in the period of treatment (t_0) and 0 before. We will assume,

Definition 6.1. **- Exclusion Restriction: No Anticipation (no pre-emptive behaviour) $Y_{it} = Y_{it}(1) = Y_{it}(0)$; (i,t);s.t. ;t< t_0

Some texts will assume random/unexpected timing of the treatment, as a mechanism that rules out anticipation. Note, this assumption is stronger than what is required for identification of the ATT. For example, Wooldridge () assumes the a weaker assumption:

$$E[Y_{it}(1)|D_i = 1, T_t = 0] = E[Y_{it}(0)|D_i = 1, T_t = 0]$$

Definition 6.2. **- Exclusion Restriction: No Spillovers $Y_{it}=Y_{it}(0)$; s.t.; $D_{i=0}$

Evidently, this assumption is given by SUTVA.

Then, we can write the observed Y_{it} as,

$$\begin{split} Y_{it} = & \begin{cases} Y_{it}(0) & \forall \quad t < t_0 \\ Y_{it}(0) + D_i \cdot (Y_{it}(1) - Y_{it}(0)) & \forall \quad t \geq t_0 \end{cases} \\ = & Y_{it}(0) + T_t \cdot D_i \cdot (Y_{it}(1) - Y_{it}(0)) \end{split}$$

6.2 Parallel trends

The main identifying assumption of all DiD models is parallel trends. This can be stated as,

Definition 6.3. - Parallel Trends

$$\begin{split} E[Y_{it}(0)|D_i = 0, T_t = 1] - E[Y_{it}(0)|D_i = 0, T_t = 0] \\ = & E[Y_{it}(0)|D_i = 1, T_t = 1] - E[Y_{it}(0)|D_i = 1, T_t = 0] \end{split}$$

Under these assumptions, the difference-in-differences (DiD) of conditional means gives you the ATT.

$$\begin{split} & \left[E[Y_{it}|D_i = 1, T_t = 1] - E[Y_{it}|D_i = 1, T_t = 0] \right] \\ & - \left[E[Y_{it}|D_i = 0, T_t = 1] - E[Y_{it}|D_i = 0, T_t = 0] \right] \\ & = & \left[E[Y_{it}(1)|D_i = 1, T_t = 1] - E[Y_{it}(0)|D_i = 1, T_t = 0] \right] \\ & - \left[E[Y_{it}(0)|D_i = 0, T_t = 1] - E[Y_{it}(0)|D_i = 0, T_t = 0] \right] \\ & = & \left[E[Y_{it}(1)|D_i = 1, T_t = 1] - E[Y_{it}(0)|D_i = 1, T_t = 1] \right] \\ & + \left[E[Y_{it}(0)|D_i = 1, T_t = 1] - E[Y_{it}(0)|D_i = 1, T_t = 0] \right] \\ & - \left[E[Y_{it}(0)|D_i = 0, T_t = 1] - E[Y_{it}(0)|D_i = 0, T_t = 0] \right] \\ & = & E[Y_{it}(1) - Y_{it}(0)|D_i = 1, T_t = 1] \\ & = & ATT(t_0) \end{split}$$

Where, parallel trends implies that the difference between the last two parentheses in line 3 is 0. Note, I have denoted this as the ATT in period t_0 as the treatment effect may not be static.

6.3 Regression

This DiD estimand can be expressed within a linear regression model,

$$Y_{it} = \alpha + \psi D_i + \delta T_t + \beta D_i \times T_t + \varepsilon_i$$

where β , the parameter on the interaction term is given by the above DiD.

In the above model, the $E[\varepsilon_i|D_i,T_t]=0$ since the model is fully saturated. However, this does not mean that the $\beta=ATT$, it just means that β gives you the DiD of conditional means and the OLS estimator, $\hat{\beta}^{DD}$, is an unbiased estimator. The fact that $\beta=ATT$ depends on the parallel trends assumption, which is not linked to a linear regression model. This is a perfect example of how identification of (population) parameters within a regression model is different to identification of TEs.

Given this linear regression model, some texts will state the parallel trends in parametric form as:

Definition 6.4. - Parallel Trends (parametric version)

$$E[Y_{it}(0)|D_i = 0, T_t = 1] = \alpha + \psi D_i + \delta T_t$$

The two definitions are equivalent, if you consider the definition of the parameters in the above expression.

The above specification does not require longitudinal data; however, if it is available you can then esstimate the Fixed Effects model:

$$Y_{it} = \alpha_i + \delta T_t + \beta D_i \times T_t + \varepsilon_i$$

Controlling for unit-FEs tends to yield a more efficient estimator, as the unit-level dummies explain more of the variation in Y. Moreover, with a balanced panel, you can show:

$$\hat{\beta}^{LSDV} = \hat{\beta}^{DD}$$

The result arises from the fact that the regressors in the simple DID model provide the same projection of the interaction term as the model which replace the constant and D dummy with unit-specific dummy variables.

6.4 2-group-multi-period

We can extend the above set-up to include multiple periods, before and after the treatment. We do then need to add an assumption that the treatment is absorbing (or 'always-on'). We can also now allow for dynamic TEs.

With multiple periods, the above specification (including regressors $\{D_i, T_t, D_i \times T_t\}$) referred to a *static* specification. This is because it estimates a single ATT for all post-treatment periods. It is preferrable to estimate one of the following dynamic specifications:

• semi-dynamic specification

$$Y_{it} = \psi D_i + \delta_t + \sum_{j \geq t_0} \beta_j D_i \times \mathbf{1}\{t = j\} + \varepsilon_i$$

or with panel data,

$$Y_{it} = \alpha_i + \delta_t + \sum_{j \geq t_0} \beta_j D_i \times \mathbf{1}\{t = j\} + \upsilon_i$$

• fully-dynamic specification

$$Y_{it} = \psi D_i + \delta_t + \sum_{j \neq t_0 - k} \beta_j D_i \times \mathbf{1}\{t = j\} + \varepsilon_i$$

or with panel data,

$$Y_{it} = \alpha_i + \delta_t + \sum_{j \neq t_0 - k} \beta_j D_i \times \mathbf{1}\{t = j\} + v_i$$

for a chosen base period: $k \ge 1$.

The fully-dynamic specification is preferred for the following reason. The pre-treatment β_j coefficients $(j < t_0)$, provide a valid test for parallel trends in the **pre-period**, which can then be used to support the claim of parallel trends in the post-period. Note, this is NOT a test of parallel trends in the post-period when it needs to hold. Suppose k = 1, then the base period is $t_0 - 1$. Assuming no anticipation, we can then write β_{t_0-2} as,

$$\begin{split} \beta_{t_0-2} = & \big[E[Y_{it}|D_i = 1, t = t_0 - 2] - E[Y_{it}|D_i = 1, t = t_0 - 1] \big] \\ & - \big[E[Y_{it}|D_i = 0, t = t_0 - 2] - E[Y_{it}|D_i = 0, t = t_0 - 1] \big] \\ = & \big[E[Y_{it}(0)|D_i = 1, t = t_0 - 2] - E[Y_{it}(0)|D_i = 1, t = t_0 - 1] \big] \\ & - \big[E[Y_{it}(0)|D_i = 0, t = t_0 - 2] - E[Y_{it}(0)|D_i = 0, t = t_0 - 1] \big] \end{split}$$

The test, $H_0: \beta_{t_0-2}=0$ is a valid test for parallel trends (assuming no anticipation).

Suppose k=2, then the base period is t_0-2 . Assuming parallel trends, we can then write β_{t_0-1} as,

$$\begin{split} \beta_{t_0-1} = & \big[E[Y_{it}|D_i = 1, t = t_0 - 1] - E[Y_{it}|D_i = 1, t = t_0 - 2] \big] \\ & - \big[E[Y_{it}|D_i = 0, t = t_0 - 1] - E[Y_{it}|D_i = 0, t = t_0 - 2] \big] \\ = & \big[E[Y_{it}(1) - Y_{it}(0)|D_i = 1, t = t_0 - 1] \\ = & ATT(t_0 - 1) \end{split}$$

The test, $H_0: \beta_{t_0-1}=0$ is a valid test for no anticipation (assuming parallel trends). Crucially, in both instances, we must assume one assumption to test the other. That is, you can disentangle a failure pre-emptive behaviour from a failure of parallel trends.

6.5 Further topics

There is a large body of literature that discusses a range of topics related to DiD models. Two topics you should take note of when applying these methods are: the appropriate estimation of SEs, and heterogeneity in staggered DiDs (also referred to as event-studies). I have provided a few citations below.

Take a look at the following texts concerning clustered SEs within DiD models:

- Bertrand, Duflo, and Mullainathan (2004)
- Abadie et al. (2023)
- Wooldridge (2003)

Take a look at the following texts to learn more about staggered DiD (event-study) models:

- Imai and Kim (2019)
- Clément De Chaisemartin and d'Haultfoeuille (2020); Clement De Chaisemartin and D'haultfoeuille (2023); and Clément De Chaisemartin and d'Haultfoeuille (2023)
- Sun and Abraham (2021)
- Callaway and Sant'Anna (2021)
- Goodman-Bacon (2021)
- Athey and Imbens (2022)
- Borusyak, Jaravel, and Spiess (2024)

Take a look at the following texts to learn more about parallel trends for non-linear models:

• Wooldridge (2023)

Take a look at the following texts to learn more about conditional parallel trends:

• Caetano and Callaway (2024)

References

- Abadie, Alberto, Susan Athey, Guido W Imbens, and Jeffrey M Wooldridge. 2023. "When Should You Adjust Standard Errors for Clustering?" The Quarterly Journal of Economics 138 (1): 1–35.
- Angrist, JD. 2014. Mastering'metrics: The Path from Cause to Effect. Princeton University Press.
- Angrist, Joshua D. 1990. "Lifetime Earnings and the Vietnam Era Draft Lottery: Evidence from Social Security Administrative Records." *The American Economic Review*, 313–36.
- Angrist, Joshua D, and Alan B Krueger. 2001. "Instrumental Variables and the Search for Identification: From Supply and Demand to Natural Experiments." *Journal of Economic Perspectives* 15 (4): 69–85.
- Angrist, Joshua D, and Jörn-Steffen Pischke. 2009. Mostly Harmless Econometrics: An Empiricist's Companion. Princeton university press.
- ———. 2010. "The Credibility Revolution in Empirical Economics: How Better Research Design Is Taking the Con Out of Econometrics." *Journal of Economic Perspectives* 24 (2): 3–30.
- Athey, Susan, and Guido W Imbens. 2017. "The State of Applied Econometrics: Causality and Policy Evaluation." *Journal of Economic Perspectives* 31 (2): 3–32.
- ——. 2022. "Design-Based Analysis in Difference-in-Differences Settings with Staggered Adoption." *Journal of Econometrics* 226 (1): 62–79.
- Banerjee, Abhijit, Esther Duflo, Rachel Glennerster, and Cynthia Kinnan. 2015. "The Miracle of Microfinance? Evidence from a Randomized Evaluation." *American Economic Journal:* Applied Economics 7 (1): 22–53.
- Bertrand, Marianne, Esther Duflo, and Sendhil Mullainathan. 2004. "How Much Should We Trust Differences-in-Differences Estimates?" *The Quarterly Journal of Economics* 119 (1): 249–75.
- Borusyak, Kirill, Xavier Jaravel, and Jann Spiess. 2024. "Revisiting Event-Study Designs: Robust and Efficient Estimation." Review of Economic Studies, rdae007.
- Caetano, Carolina, and Brantly Callaway. 2024. "Difference-in-Differences When Parallel Trends Holds Conditional on Covariates." arXiv Preprint arXiv:2406.15288.
- Caliendo, Marco, and Sabine Kopeinig. 2008. "Some Practical Guidance for the Implementation of Propensity Score Matching." *Journal of Economic Surveys* 22 (1): 31–72.
- Callaway, Brantly, and Pedro HC Sant'Anna. 2021. "Difference-in-Differences with Multiple Time Periods." *Journal of Econometrics* 225 (2): 200–230.
- Cameron, A Colin, and Pravin K Trivedi. 2005. *Microeconometrics: Methods and Applications*. Cambridge university press.
- Cunningham, Scott. 2021. Causal Inference: The Mixtape. Yale university press.
- De Chaisemartin, Clement, and Xavier D'haultfœuille. 2023. "Two-Way Fixed Effects and Differences-in-Differences Estimators with Several Treatments." *Journal of Econometrics* 236 (2): 105480.
- De Chaisemartin, Clément, and Xavier d'Haultfoeuille. 2020. "Two-Way Fixed Effects Es-

- timators with Heterogeneous Treatment Effects." American Economic Review 110 (9): 2964–96.
- ——. 2023. "Two-Way Fixed Effects and Differences-in-Differences with Heterogeneous Treatment Effects: A Survey." *The Econometrics Journal* 26 (3): C1–30.
- Deaton, Angus. 2010. "Instruments, Randomization, and Learning about Development." *Journal of Economic Literature* 48 (2): 424–55.
- Goodman-Bacon, Andrew. 2021. "Difference-in-Differences with Variation in Treatment Timing." Journal of Econometrics 225 (2): 254–77.
- Heckman, James J. 2008. "Econometric Causality." International Statistical Review 76 (1): 1–27.
- Heckman, James J, and Rodrigo Pinto. 2024. "Econometric Causality: The Central Role of Thought Experiments." *Journal of Econometrics*, 105719.
- Hirano, Keisuke, Guido W Imbens, and Geert Ridder. 2003. "Efficient Estimation of Average Treatment Effects Using the Estimated Propensity Score." *Econometrica* 71 (4): 1161–89.
- Hoover, Kevin D. 2008. "The New Palgrave Dictionary of Economics." In, edited by Steven N. Durlauf and Lawrence E. Blume, 2nd ed. Palgrave Macmillan.
- Imai, Kosuke, and In Song Kim. 2019. "When Should We Use Unit Fixed Effects Regression Models for Causal Inference with Longitudinal Data?" American Journal of Political Science 63 (2): 467–90.
- Imbens, Guido W. 2020. "Potential Outcome and Directed Acyclic Graph Approaches to Causality: Relevance for Empirical Practice in Economics." *Journal of Economic Literature* 58 (4): 1129–79.
- Imbens, Guido W, and Donald B Rubin. 2015. Causal Inference in Statistics, Social, and Biomedical Sciences. Cambridge university press.
- Imbens, Guido W, and Jeffrey M Wooldridge. 2009. "Recent Developments in the Econometrics of Program Evaluation." *Journal of Economic Literature* 47 (1): 5–86.
- Pearl, Judea, and Dana Mackenzie. 2018. The Book of Why: The New Science of Cause and Effect. Basic books.
- Rosenbaum, Paul R, and Donald B Rubin. 1983. "The Central Role of the Propensity Score in Observational Studies for Causal Effects." *Biometrika* 70 (1): 41–55.
- Rubin, Donald B. 1975. "Bayesian Inference for Causality: The Importance of Randomization." In *The Proceedings of the Social Statistics Section of the American Statistical Association*, 233:239. American Statistical Association Alexandria, VA.
- Sun, Liyang, and Sarah Abraham. 2021. "Estimating Dynamic Treatment Effects in Event Studies with Heterogeneous Treatment Effects." *Journal of Econometrics* 225 (2): 175–99. Verbeek, Marno. 2017. A Guide to Modern Econometrics. John Wiley & Sons.
- Wooldridge, Jeffrey M. 2003. "Cluster-Sample Methods in Applied Econometrics." *American Economic Review* 93 (2): 133–38.
- ——. 2023. "Simple Approaches to Nonlinear Difference-in-Differences with Panel Data." *The Econometrics Journal* 26 (3): C31–66.