
Book 12 Proposition 4

If there are two pyramids with the same height, having trianglular bases, and each of them is divided into two pyramids equal to one another, and similar to the whole, and into two equal prisms then as the base of one pyramid (is) to the base of the other pyramid, so (the sum of) all the prisms in one pyramid will be to (the sum of all) the equal number of prisms in the other pyramid.

Let there be two pyramids with the same height, having the triangular bases ABC and DEF, (with) apexes the points G and H (respectively). And let each of them have been divided into two pyramids equal to one another, and similar to the whole, and into two equal prisms [Prop. 12.3]. I say that as base ABC is to base DEF, so (the sum of) all the prisms in pyramid ABCG (is) to (the sum of) all the equal number of prisms in pyramid DEFH.



For since BO is equal to OC, and AL to LC, LO is thus parallel to AB, and triangle ABC similar to triangle LOC [Prop. 12.3]. So, for the same (reasons), triangle

DEF is also similar to triangle RVF. And since BC is double CO, and EF (double) FV, thus as BC (is) to CO, so EF (is) to FV. And the similar, and similarly laid out, rectilinear (figures) ABC and LOC have been described on BC and CO (respectively), and the similar, and similarly laid out, [rectilinear] (figures) DEF and RVF on EF and FV (respectively). Thus, as triangle ABC is to triangle LOC, so triangle DEF (is) to triangle RVF [Prop. 6.22]. Thus, alternately, as triangle ABC is to [triangle] DEF, so [triangle] LOC (is) to triangle RVF [Prop. 5.16]. But, as triangle LOC(is) to triangle RVF, so the prism whose base [is] triangle LOC, and opposite (plane) PMN, (is) to the prism whose base (is) triangle RVF, and opposite (plane) STU(see lemma). And, thus, as triangle ABC (is) to triangle DEF, so the prism whose base (is) triangle LOC, and opposite (plane) PMN, (is) to the prism whose base (is) triangle RVF, and opposite (plane) STU. And as the aforementioned prisms (are) to one another, so the prism whose base (is) parallelogram KBOL, and opposite (side) straight-line PM, (is) to the prism whose base (is) parallelogram QEVR, and opposite (side) straightline ST [Props. 11.39, 12.3]. Thus, also, (is) the (sum of the) two prisms—that whose base (is) parallelogram KBOL, and opposite (side) PM, and that whose base (is) LOC, and opposite (plane) PMN—to (the sum of) the (two) prisms—that whose base (is) QEVR, and opposite (side) straight-line ST, and that whose base (is) triangle RVF, and opposite (plane) STU [Prop. 5.12]. And, thus, as base ABC (is) to base DEF, so the (sum of the first) aforementioned two prisms (is) to the (sum

of the second) aforementioned two prisms.

And, similarly, if pyramids PMNG and STUH are divided into two prisms, and two pyramids, as base PMN (is) to base STU, so (the sum of) the two prisms in pyramid PMNG will be to (the sum of) the two prisms in pyramid STUH. But, as base PMN (is) to base STU, so base ABC (is) to base DEF. For the triangles PMN and STU (are) equal to LOC and RVF, respectively. And, thus, as base ABC (is) to base DEF, so (the sum of) the four prisms (is) to (the sum of) the four prisms [Prop. 5.12]. So, similarly, even if we divide the pyramids left behind into two pyramids and into two prisms, as base ABC (is) to base DEF, so (the sum of) all the prisms in pyramid ABCG will be to (the sum of) all the equal number of prisms in pyramid DEFH. (Which is) the very thing it was required to show.

Lemma

And one may show, as follows, that as triangle LOC is to triangle RVF, so the prism whose base (is) triangle LOC, and opposite (plane) PMN, (is) to the prism whose base (is) [triangle] RVF, and opposite (plane) STU.

For, in the same figure, let perpendiculars have been conceived (drawn) from (points) G and H to the planes ABC and DEF (respectively). These clearly turn out to be equal, on account of the pyramids being assumed (to be) of equal height. And since two straight-lines, GC and the perpendicular from G, are cut by the parallel planes ABC and PMN they will be cut in the same ratios [Prop. 11.17]. And GC was cut in half by the plane

PMN at N. Thus, the perpendicular from G to the plane ABC will also be cut in half by the plane PMN. So, for the same (reasons), the perpendicular from H to the plane DEF will also be cut in half by the plane STU. And the perpendiculars from G and H to the planes ABC and DEF (respectively) are equal. Thus, the perpendiculars from the triangles PMN and STU to ABCand DEF (respectively, are) also equal. Thus, the prisms whose bases are triangles LOC and RVF, and opposite (sides) PMN and STU (respectively), [are] of equal height. And, hence, the parallelepiped solids described on the aforementioned prisms [are] of equal height and (are) to one another as their bases [Prop. 11.32]. Likewise, the halves (of the solids) [Prop. 11.28]. Thus, as base LOC is to base RVF, so the aforementioned prisms (are) to one another. (Which is) the very thing it was required to show.