

Problem 3380: Maximum Area Rectangle With Point Constraints I

Problem Information

Difficulty: **Medium**

Acceptance Rate: 50.70%

Paid Only: No

Tags: Array, Math, Binary Indexed Tree, Segment Tree, Geometry, Sorting, Enumeration

Problem Description

You are given an array `points` where `points[i] = [xi, yi]` represents the coordinates of a point on an infinite plane.

Your task is to find the **maximum** area of a rectangle that:

- * Can be formed using **four** of these points as its corners.
- * Does **not** contain any other point inside or on its border.
- * Has its edges **parallel** to the axes.

Return the **maximum area** that you can obtain or -1 if no such rectangle is possible.

Example 1:

Input: `points = [[1,1],[1,3],[3,1],[3,3]]`

Output: 4

Explanation:

[Example 1 diagram](https://assets.leetcode.com/uploads/2024/11/02/example1.png)

We can make a rectangle with these 4 points as corners and there is no other point that lies inside or on the border. Hence, the maximum possible area would be 4.

Example 2:

****Input:**** points = [[1,1],[1,3],[3,1],[3,3],[2,2]]

****Output:********* -1

****Explanation:****

****![Example 2 diagram](https://assets.leetcode.com/uploads/2024/11/02/example2.png)****

There is only one rectangle possible is with points `[1,1], [1,3], [3,1]` and `[3,3]` but `[2,2]` will always lie inside it. Hence, returning -1.

****Example 3:****

****Input:**** points = [[1,1],[1,3],[3,1],[3,3],[1,2],[3,2]]

****Output:**** 2

****Explanation:****

****![Example 3 diagram](https://assets.leetcode.com/uploads/2024/11/02/example3.png)****

The maximum area rectangle is formed by the points `[1,3], [1,2], [3,2], [3,3]`, which has an area of 2. Additionally, the points `[1,1], [1,2], [3,1], [3,2]` also form a valid rectangle with the same area.

****Constraints:****

* `1 <= points.length <= 10` * `points[i].length == 2` * `0 <= xi, yi <= 100` * All the given points are ****unique****.

Code Snippets

C++:

```
class Solution {
public:
    int maxRectangleArea(vector<vector<int>>& points) {
```

```
}  
};
```

Java:

```
class Solution {  
    public int maxRectangleArea(int[][] points) {  
  
    }  
}
```

Python3:

```
class Solution:  
    def maxRectangleArea(self, points: List[List[int]]) -> int:
```