

1 Overview

1.1 Location `$<APPSDKSamplesInstallPath>\samples\opencl\cl\`

1.2 How to Run See the *Getting Started* guide for how to build samples. You first must compile the sample.

Use the command line to change to the directory where the executable is located. The pre-compiled sample executable is at `$<APPSDKSamplesInstallPath>\samples\opencl\bin\x86\` for 32-bit builds, and `$<APPSDKSamplesInstallPath>\samples\opencl\bin\x86_64\` for 64-bit builds.

Type the following command(s).

1. `SimpleConvolution`
Performs convolution of a 64x64 image with a blur mask of 3x3.
2. `SimpleConvolution -h`
This prints the help file.

1.3 Command Line Options Table 1 lists, and briefly describes, the command line options.

Table 1 Command Line Options

Short Form	Long Form	Description
-h	--help	Shows all command options and their respective meaning.
	--device	Devices on which the program is to be run. Acceptable values are <code>cpu</code> or <code>gpu</code> .
-q	--quiet	Quiet mode. Suppresses all text output.
-e	--verify	Verify results against reference implementation.
-t	--timing	Print timing.
	--dump	Dump binary image for all devices.
	--load	Load binary image and execute on device.
	--flags	Specify compiler flags to build the kernel.
-p	--platformId	Select platformId to be used (0 to N-1, where N is the number of available platforms).
-d	--deviceId	Select deviceId to be used (0 to N-1, where N is the number of available devices).
-v	--version	AMD APP SDK version string.
-x	--width	Width of the input matrix.

Short Form	Long Form	Description
-y	--height	Height of the input matrix.
-m	--masksize	Width of the mask matrix.
-i	--iterations	Number of iterations for kernel execution.

2 Introduction

Convolution filtering is widely used in image processing applications such as blur, smooth effects, or edge detection. This sample, shows naïve convolution using OpenCL.

3 Implementation Details

The overlap between two functions can be quantized using convolution. In image processing, if a small *mask* matrix (say 3x3) can represent an edge, and this is convolved with the image, the resultant image shows all the edges detected.

A convolution filter is just a scalar product of the filter weights with the input pixels within a window surrounding each of the output pixels.

Equation 1
$$(s * k)(i, j) = \sum_m \sum_n s(i-n, j-m)k(n, m)$$

where *k* is a matrix of size *n* x *m*.

A more detailed explanation of convolution can be found at [1]. It is also a heavily data parallel algorithm because the output at a pixel just depends on the input pixels surrounding it.

4 References

1. <http://en.wikipedia.org/wiki/Convolution>

Contact

Advanced Micro Devices, Inc.
One AMD Place
P.O. Box 3453
Sunnyvale, CA, 94088-3453
Phone: +1.408.749.4000

For AMD Accelerated Parallel Processing:

URL: developer.amd.com/appsdk
Developing: developer.amd.com/
Support: developer.amd.com/appsdksupport
Forum: developer.amd.com/openclforum



The contents of this document are provided in connection with Advanced Micro Devices, Inc. ("AMD") products. AMD makes no representations or warranties with respect to the accuracy or completeness of the contents of this publication and reserves the right to make changes to specifications and product descriptions at any time without notice. The information contained herein may be of a preliminary or advance nature and is subject to change without notice. No license, whether express, implied, arising by estoppel or otherwise, to any intellectual property rights is granted by this publication. Except as set forth in AMD's Standard Terms and Conditions of Sale, AMD assumes no liability whatsoever, and disclaims any express or implied warranty, relating to its products including, but not limited to, the implied warranty of merchantability, fitness for a particular purpose, or infringement of any intellectual property right.

AMD's products are not designed, intended, authorized or warranted for use as components in systems intended for surgical implant into the body, or in other applications intended to support or sustain life, or in any other application in which the failure of AMD's product could create a situation where personal injury, death, or severe property or environmental damage may occur. AMD reserves the right to discontinue or make changes to its products at any time without notice.

Copyright and Trademarks

© 2013 Advanced Micro Devices, Inc. All rights reserved. AMD, the AMD Arrow logo, ATI, the ATI logo, Radeon, FireStream, and combinations thereof are trademarks of Advanced Micro Devices, Inc. OpenCL and the OpenCL logo are trademarks of Apple Inc. used by permission by Khronos. Other names are for informational purposes only and may be trademarks of their respective owners.