

Customize States and Flows for Retail Use Case

NetApp Solutions

Dorian Henderson, Kevin Hoke April 06, 2021

Table of Contents

С	ustomize States and Flows for Retail Use Case	1
	main_flow.yml	1
	retail_flow.yml	5
	weather_flow.yml	6
	error_flow.yml	8

Customize States and Flows for Retail Use Case

You can customize States and Flows of Dialog Manager for your specific use cases. In our retail example, we have the following four yaml files to direct the conversation according to different intents.

Se the following list of file names and description of each file:

- main_flow.yml: Defines the main conversation flows and states and directs the flow to the other three yaml files when necessary.
- retail_flow.yml: Contains states related to retail or points-of-interest questions. The system either provides the information of the nearest store, or the price of a given item.
- weather_flow.yml: Contains states related to weather questions. If the location cannot be determined, the system asks a follow up question to clarify.
- error_flow.yml: Handles cases where user intents do not fall into the above three yaml files. After displaying an error message, the system re-routes back to accepting user questions. The following sections contain the detailed definitions for these yaml files.

main_flow.yml

```
name: JarvisRetail
intent transitions:
 jarvis error: error
 price check: retail price check
 inventory check: retail inventory check
  store location: retail store location
 weather.weather: weather
 weather.temperature: temperature
 weather.sunny: sunny
 weather.cloudy: cloudy
 weather.snow: snow
 weather.rainfall: rain
 weather.snow yes no: snowfall
 weather.rainfall yes no: rainfall
 weather.temperature yes no: tempyesno
 weather.humidity: humidity
 weather.humidity yes no: humidity
 navigation.startnavigationpoi: retail # Transitions should be context
and slot based. Redirecting for now.
 navigation.geteta: retail
 navigation.showdirection: retail
 navigation.showmappoi: idk what you talkin about
 nomatch.none: idk what you talkin about
states:
 init:
```

```
type: message text
    properties:
      text: "Hi, welcome to NARA retail and weather service. How can I
help you?"
  input intent:
    type: input context
   properties:
     nlp type: jarvis
      entities:
        intent: dontcare
# This state is executed if the intent was not understood
 dont get the intent:
    type: message text random
   properties:
      responses:
        - "Sorry I didn't get that! Please come again."
        - "I beg your pardon! Say that again?"
        - "Are we talking about weather? What would you like to know?"
        - "Sorry I know only about the weather"
        - "You can ask me about the weather, the rainfall, the
temperature, I don't know much more"
      delay: 0
    transitions:
      next state: input intent
  idk what you talkin about:
    type: message text random
    properties:
      responses:
        - "Sorry I didn't get that! Please come again."
        - "I beg your pardon! Say that again?"
        - "Are we talking about retail or weather? What would you like to
know?"
        - "Sorry I know only about retail and the weather"
        - "You can ask me about retail information or the weather, the
rainfall, the temperature. I don't know much more."
      delay: 0
    transitions:
      next state: input intent
  error:
    type: change context
   properties:
        update keys:
           intent: 'error'
    transitions:
        flow: error flow
  retail inventory check:
```

```
type: change_context
  properties:
      update keys:
         intent: 'retail inventory check'
  transitions:
      flow: retail flow
retail price check:
  type: change context
  properties:
      update keys:
         intent: 'check_item_price'
  transitions:
      flow: retail flow
retail store location:
  type: change context
 properties:
      update keys:
         intent: 'find_the_store'
  transitions:
      flow: retail flow
weather:
  type: change_context
 properties:
      update keys:
         intent: 'weather'
  transitions:
      flow: weather flow
temperature:
  type: change context
 properties:
      update_keys:
         intent: 'temperature'
  transitions:
      flow: weather_flow
rainfall:
  type: change context
 properties:
      update_keys:
         intent: 'rainfall'
  transitions:
      flow: weather flow
sunny:
  type: change context
 properties:
      update keys:
         intent: 'sunny'
```

```
transitions:
      flow: weather flow
cloudy:
  type: change context
 properties:
      update keys:
         intent: 'cloudy'
  transitions:
      flow: weather flow
snow:
  type: change context
 properties:
      update keys:
         intent: 'snow'
  transitions:
      flow: weather flow
rain:
  type: change context
 properties:
      update keys:
         intent: 'rain'
  transitions:
      flow: weather flow
snowfall:
    type: change_context
    properties:
        update_keys:
           intent: 'snowfall'
    transitions:
        flow: weather flow
tempyesno:
    type: change context
    properties:
        update_keys:
           intent: 'tempyesno'
    transitions:
        flow: weather flow
humidity:
    type: change context
    properties:
        update keys:
           intent: 'humidity'
    transitions:
        flow: weather flow
end state:
  type: reset
```

```
transitions:

next_state: init
```

retail_flow.yml

```
name: retail flow
states:
 store location:
   type: conditional exists
   properties:
     key: '{{location}}'
   transitions:
      exists: retail state
      notexists: ask retail location
 retail state:
   type: Retail
   properties:
   transitions:
      next_state: output_retail
 output retail:
     type: message text
      properties:
       text: '{{retail_status}}'
      transitions:
        next state: input intent
 ask retail location:
   type: message_text
   properties:
      text: "For which location? I can find the closest store near you."
    transitions:
      next_state: input_retail_location
  input retail location:
   type: input user
   properties:
     nlp type: jarvis
     entities:
        slot: location
     require match: true
    transitions:
      match: retail state
      notmatch: check retail jarvis error
 output retail acknowledge:
    type: message text random
   properties:
      responses:
```

```
- 'ok in {{location}}'
        - 'the store in {{location}}'
        - 'I always wanted to shop in {{location}}'
     delay: 0
   transitions:
     next state: retail state
 output retail notlocation:
   type: message text
   properties:
     text: "I did not understand the location. Can you please repeat?"
   transitions:
     next state: input intent
 check rerail jarvis error:
   type: conditional exists
   properties:
     key: '{{jarvis_error}}'
   transitions:
     exists: show_retail_jarvis_api_error
     notexists: output retail notlocation
 show retail jarvis api error:
   type: message text
   properties:
     text: "I am having troubled understanding right now. Come again on
that?"
   transitions:
     next_state: input_intent
```

weather_flow.yml

```
name: weather flow
states:
 check weather location:
   type: conditional exists
   properties:
     key: '{{location}}'
   transitions:
      exists: weather state
      notexists: ask weather location
 weather state:
   type: Weather
   properties:
    transitions:
     next state: output weather
 output weather:
      type: message text
```

```
properties:
      text: '{{weather status}}'
    transitions:
      next state: input intent
ask weather location:
  type: message text
 properties:
   text: "For which location?"
  transitions:
    next state: input weather location
input weather location:
 type: input user
 properties:
   nlp type: jarvis
    entities:
      slot: location
    require match: true
  transitions:
    match: weather state
    notmatch: check jarvis error
output weather acknowledge:
  type: message text random
 properties:
   responses:
      - 'ok in {{location}}'
      - 'the weather in {{location}}'
      - 'I always wanted to go in {{location}}'
    delay: 0
  transitions:
    next_state: weather_state
output weather notlocation:
 type: message text
 properties:
    text: "I did not understand the location, can you please repeat?"
  transitions:
    next state: input intent
check jarvis error:
  type: conditional_exists
 properties:
   key: '{{jarvis error}}'
  transitions:
    exists: show jarvis api error
    notexists: output weather notlocation
show jarvis api error:
 type: message text
 properties:
```

```
text: "I am having troubled understanding right now. Come again on that, else check jarvis services?"

transitions:

next_state: input_intent
```

error_flow.yml

```
name: error flow
states:
 error state:
   type: message text random
   properties:
     responses:
        - "Sorry I didn't get that!"
        - "Are we talking about retail or weather? What would you like to
know?"
        - "Sorry I know only about retail information or the weather"
        - "You can ask me about retail information or the weather, the
rainfall, the temperature. I don't know much more"
        - "Let's talk about retail or the weather!"
      delay: 0
    transitions:
      next state: input intent
```

Next: Connect to Third-Party APIs as Fulfillment Engine

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.