# **Qubes OS Cheatsheet**

# **Qubes Cheatsheet**

a summary of useful gubes commands

version: 3.3

## Mini Glossary

- Xen Hypervisor
- VM Virtual Machine
- Qube Qubes OS specific alias for VM
- Dom0 Privileged Xen VM (runs Qubes Manager)
- $\bullet$  DomU Normal Xen VM
- QWT Qubes Windows Tools
- PV Paravirtualized VM
- HVM Hardware Virtual Machine
- HVM + PV drivers HVM with PV drivers (Windows + QWT)
- GUI Graphical User Interface

## VM Management

NOTE: All commands are executed in @DomO terminal (Konsole, Terminal, Xterm etc.)

 ${\bf qubes\text{-}manager} \quad \text{-} \ \, Graphical \ \, VM \ \, Manager$ 

 $usage: \verb"qubes-manager"$ 

qvm-block - Lists/attaches VM PCI devices

usage:

- qvm-block -l [options]
- qvm-block -a [options] <device> <vm-name>
- qvm-block -d [options] <device>
- qvm-block -d [options] <vm-name>

 $\verb|qvm-block -A| personal dom0:/home/user/extradisks/data.img - | attaches an additional storage for the personal-vm | attaches and additional storage for the personal-vm | attaches an addit$ 

```
qvm-clone - Clones an existing VM by copying all its disk files
```

usage: qvm-clone [options] <existing-vm-name> <new-clone-vm-name>

qvm-clone fedora-23 fedora-23-dev - create a clone of fedora-23 called fedora-23-dev

```
{\bf qvm\text{-}firewall} \quad \text{-} \ Manage \ VM \ firewall \ rules
```

usage: qvm-firewall -l [-n] <vm-name>

---

 ${\tt qvm-firewall\ -l\ personal-} \textit{ displays\ the\ firewall\ settings\ for\ the\ personal-} \textit{vm}$ 

qvm-firewall -1 -n fedora-23 - displays the firewall settings for the personal-vm with port numbers

```
usage: qvm-ls [options] <vm-name>
qvm-ls - lists all vms
qvm-ls -n - show network addresses assigned to VMs
{\tt qvm-ls} -d - show VM disk utilization statistics
qvm-prefs - List/set various per-VM properties
usage:
   • qvm-prefs -l [options] <vm-name>
   • qvm-prefs -s [options] <vm-name> <property> [...]
qvm-prefs win7-copy - lists the preferences of the win7-copy
qvm-prefs win7-copy -s mac 00:16:3E:5E:6C:05 - sets a new mac for the network card
qvm-prefs lab-win7 -s qrexec_installed true - sets the grexec to installed
qvm-prefs lab-win7 -s qrexec_timeout 120 - usefull for windows hvm based vms
qvm-prefs lab-win7 -s default_user joanna - sets the login user to joanna
qvm-run - Runs a specific command on a vm
usage: qvm-run [options] [<vm-name>] [<cmd>]
{\tt qvm-run\ personal\ xterm\ -}\ runs\ xterm\ on\ personal
qvm-run personal xterm --pass-io - runs xterm and passes all sdtin/stdout/stderr to the terminal
qvm-run personal "sudo dnf update" --pass-io --nogui - pass a dnf update command directly to the VM
qvm-start - Starts a vm
usage: qvm-start [options] <vm-name>
{\tt qvm-start\ personal-} \textit{vm}
qvm-start ubuntu --cdrom personal:/home/user/Downloads/ubuntu-14.04.iso - starts the ubuntu-vm with the ubuntu instal-
lation CD
qvm-shutdown - Stops \ a \ vm
usage: qvm-shutdown [options] <vm-name>
qvm-shutdown personal - shutdowns the personal-vm
qvm-shutdown --all - shutdowns all non-nested VM's (no wait queue)
qvm-shudown --all --wait - shutdowns all VM's (shutdown is queued by the -wait option and includes nested VM's, such as
sys-net and sys-firewall. (Currently only tested on Qubes 4.0.)
qvm-kill - Kills a VM - same as pulling out the power cord - immediate shutdown
usage: qvm-kill [options] <vm-name>
qvm-kill personal - pull the power cord for the personal-vm - immediate shutdown
```

qvm-ls - Lists VMs and various information about their state

```
usage: qvm-trim-template <template-name>
qvm-trim-template debian-8 - helpful after upgrading or removing many packages/files in the template
qvm-sync-appmenus - Updates desktop file templates for given StandaloneVM or TemplateVM
usage: qvm-sync-appmenus [options] <vm-name>
qvm-sync-appmenus archlinux-template - useful for custom .desktop files or distributions not using dnf
Dom<sub>0</sub>
qubes-dom0-update - Updates\ or\ installs\ software\ in\ dom<math>0
usage: qubes-dom0-update [--enablerepo] [--disablerepo] [--clean] [--check-only] [--gui] [--action=*] [<pkg list>]
or
usage: qubes-dom0-update
qubes-dom0-update --check-only - checks if new dom0 updates are available
sudo qubes-dom0-update - updates\ dom \theta
sudo qubes-dom0-update --gui - allows to update dom0 through a graphical window
sudo qubes-dom0-update --action=search <search-term> - searches for package in dom0 repositories
example:
sudo qubes-dom0-update --action=search qubes - searches for all qubes package in dom0 repositories
NOTE: The tool excludes all templates (community and ITL) by default
sudo qubes-dom0-update --action=info <package-name> - displays infos about the package
example:
sudo qubes-dom0-update --action=info qubes-core-dom0 - displays infos about the qubes-core-dom0 package
qubes-hcl-report - Generates a report about the system hardware information
usage: qubes-hcl-report [-s] [<vm-name>]
qubes-hcl-report - prints the hardware information on the console (terminal)
qubes-hcl-report personal - sends the hardware information to the personal-vm under /home/user
qubes-hcl-report -s - prints the hardware information on the console (terminal) and generates more detailed report
qubes-hcl-report -s personal - sends the detailed hardware information report to the personal-vm
Note: qubes-hcl-report -s [<vm-name>] generates a more detailed report. This report can contain sensitive information. Please
do not upload the report if you do not want to share those information.
virsh - Management user tool for libvirt (hypervisor abstraction)
usage: virsh -c xen:/// <command> [<vm-name>]
virsh -c xen:/// list - list running VM's with additional information
virsh -c xen:/// list --all - list all VM's with additional information
virsh -c xen:/// dominfo personal - lists status of personal VM
```

**qvm-trim-template** - Trims the disk space of a template

```
xl - Xen management tool, based on LibXenlight
usage: xl <subcommand> [<args>]
xl top - Monitor host and domains in realtime
DomU
qvm-copy-to-vm - Copy file from one VM to another VM
usage: qvm-copy-to-vm <vm-name> <file> [<file+>] - file can be a single file or a folder
qvm-copy-to-vm work Documents - copy the Documents folder to the work VM
qvm-copy-to-vm personal text.txt - copy the text.txt file to the personal VM
Example
  • Open a terminal in AppVM A (e. g. your personal vm)
   • Let's assume we want to copy the Documents folder to AppVM B (e. g. your work VM)
  • The command would be: qvm-copy-to-vm work Documents
qvm-open-in-vm - Opens file in another VM
usage: qvm-open-in-vm <vm-name> <file> - file can only be a single file
qvm-open-in-vm personal document.pdf - opens document.pdf in the personal VM
qvm-copy-to-vm personal download.zip - opens download.zip in the personal VM
DomU and Dom0
List Qubes commands
  1. Enter in console:
  • qvm-*
  • qubes*
  2. Press 2x times TAB
Output: List of qvm-* or qubes* commands.
List installed Qubes OS packages - List all installed Qubes OS packages
Fedora Dom0
In VM or Dom0: rpm -qa \*qubes-\* - list (qubes-) installed packages
Files/Folders from and to Dom0
Move Dom0 -> VM
Qubes 3.1+ - Windows + Linux
domO console: qvm-move-to-vm <vm-name> <file> [<file+>] - file can be a single file or a folder
qvm-move-to-vm work screenshot-qubes-gui.png - moves screenshot-qubes-gui.png to the personal VM into the
/home/user/QubesIncoming/dom0 folder
qvm-move-to-vm personal *.png - moves all .png to the personal VM into the /home/user/QubesIncoming/dom0 folder
qvm-move-to-vm work Pictures/-moves the Pictures folder and it's content to the personal VM into the /home/user/QubesIncomi
```

folder

Copy Dom0 -> VM

```
Qubes 3.1+ - Windows + Linux
dom0 console: qvm-copy-to-vm <vm-name> <file> [<file+>] - file can be a single file or a folder
qvm-copy-to-vm personal screenshot-qubes-gui.png - copies screenshot-qubes-gui.png to the personal VM in the
/home/user/QubesIncoming/dom0 folder
qvm-copy-to-vm personal *.png - copies all .png to the personal VM in the /home/user/QubesIncoming/domO folder
qvm-copy-to-vm work Pictures/-copies the Pictures folder and it's content to the personal VM in the /home/user/QubesIncoming
folder
Qubes < 3.1 - Linux \ only
cat /path/to/file_in_dom0 |
 qvm-run --pass-io <dst_domain>
  'cat > /path/to/file_name_in_appvm'
@dom0 Pictures]$ cat my-screenshot.png |
qvm-run --pass-io personal
'cat > /home/user/my-screenshot.png'
VM -> Dom0
qvm-run --pass-io <src_domain>
 'cat /path/to/file_in_src_domain' >
  /path/to/file_name_in_dom0
Copy text between VM A and B
```

On VM A (source):

- 1. CTRL+C
- 2. CTRL+SHIFT+C

On VM B (destination):

- 3. CTRL+SHIFT+V
- 4. CTRL+V

# Install Qubes Windows Tools (QWT)

- 1. sudo qubes-dom0-update --enablerepo=qubes-dom0-current-testing qubes-windows-tools  $install\ the\ windows\ tools\ (QWT)$
- 2. qvm-start <windows-vmname>  $starts\ Windows\ VM$
- 3. open a cmd.exe or PowerShell and type bcdedit /set testsigning on
- 4. shutdown VM
- 5. qvm-start <windows-vmname> --install-windows-tools starts Windows VM and inserts Qubes Windows Tools installation CD
- 6. double click on qubes-tools-WIN7x64-<version>.exe execute and install Qubes OS Windows Tools
- 7. restart Windows VM

## **Troubleshoot**

```
Application in VM does not start - How to get more information if applications in a VM refuse to start

qvm-run personal "command" --pass-io - pass command directly to the VM. Returns an error message command fails.

qvm-run personal "xterm" --pass-io - pass xterm command directly to the VM. Returns an error message or starts xterm.

qvm-run <vmname> "command" --pass-io --nogui - pass command to VM without using the GUI

qvm-run personal "ls" --pass-io --nogui - pass ls command directly to the VM. Returns error or output.
```

Console in VM - Attach a console to a VM

virsh -c xen:/// console <vmname> - opens console in <vmname>

---

Why? Connect if GUI/greec does not work for any reason. This way you can restart/investigate a failed service.

- In DomO terminal: virsh -c xen:/// console personal
- username: root without a password

(and when #1130 would be implmented the same for "user")

\_\_\_

In console mode press  $CTRL + ^ + ]$  on keyboard to escape from console mode.

## **AppVM Log files** - Log files in AppVMs

/var/log/qubes - log file directory

log files per DomU VM:

- guid.<vmname>.log graphical information
- pacat.<vmname>.log sound information
- grexec.<vmname>.log inter VM communication information
- qubesdb.<vmname>.log qubesdb information

Get Qubes OS Version - Get the Qubes OS release version

cat /etc/qubes-release - prints Qubes release in human readable form

rpm -qa \\*qubes-release\\* - prints exact Qubes release number

Get Xen Version - Display the Xen version

xl info | grep xen\_version - prints the Xen version

# **Qubes OS / Xen Boot** - Qubes OS and Xen system/kernel messages

dmesg - prints error, warning and informational messages about device drivers and the kernel during the boot process as well as when we connect a hardware to the system on the fly.

xl dmesg - prints error, warning and informational messages created during Xen's boot process

TIP: use dmesg and xl dmesg in combination with less, cat, tail or head.

# Grow disk

qvm-grow-private - Increase private storage capacity of a specified VM

usage: qvm-grow-private <vm-name> <size>

### Example

- In dom0 terminal: qvm-grow-private personal 40GB
- In the personal VM: sudo resize2fs /dev/xvdb

# **Enlarge AppVMs TMPFS**

Enlarge /tmp if you run out of space on the default ~200MB

sudo mount -o remount, size=1024M /tmp -  $enlarge\ the\ space\ to\ 1024MB$ 

#### Inter VM Networking

NOTE: Does not expose services to the outside world!

Make sure:

- Both VMs are connected to the same firewall VM
- Qubes IP addresses are assigned to both VMs
- Both VMs are started

In Firewall VM terminal:

sudo iptables -I FORWARD 2 -s <IP address of A> -d <IP address of B> -j ACCEPT

- The connection will be unidirectional  $A \rightarrow B$
- Optional: Bidirectional A <-> B

In Firewall VM terminal:

sudo iptables -I FORWARD 2 -s <IP address of B> -d <IP address of A> -j ACCEPT

- Check your settings (e. g. using ping)
- Persist your settings:

#### Assume:

IP of A: 10.137.2.10 IP of B: 10.137.2.11

In Firewall VM terminal:

```
$ sudo bash
```

# echo "iptables -I FORWARD 2 -s 10.137.2.10 -d 10.137.2.11 -j ACCEPT" >> /rw/config/qubes\_firewall\_user\_script # chmod +x /rw/config/qubes\_firewall\_user\_script

for bidirectional access:

# echo "iptables -I FORWARD 2 -s 10.137.2.10 -d 10.137.2.11 -j ACCEPT" >> /rw/config/qubes\_firewall\_user\_script >> /

# Add USB Wifi card to sys-net VM $\,$ - $Attach\ a\ USB\ Wifi\ card\ to\ sys-net\ VM$

The bus and device number can be different than shown in this example:

- 1. qvm-pci -l sys-net list all attached pci devices of sys-net
- 2. lsusb e. g. Bus 003 Device 003: ID 148f:2870 Ralink Technology, Corp. RT2870 Wireless Adapter
- 3. readlink /sys/bus/usb/devices/003  $Important\ Bus\ 003$  -> 003
- 4. The result of readlink: ../../devices/pci-0/pci0000:00/0000:00:12.2/usb3 Important 00:12.2
- 5. qvm-pci -a sys-net 00:12.2 attach USB device 00:12.2 to sys-net
- 6. qvm-pci -1 sys-ne check if device 00:12.2 is

#### **Templates**

Fedora - Fedora template specific

## Installing the Template

sudo qubes-dom0-update qubes-template-fedora-26 - installs the Fedora 26 template sudo qubes-dom0-update qubes-template-fedora-25 - installs the Fedora 25 template sudo qubes-dom0-update qubes-template-fedora-24 - installs the Fedora 24 template sudo qubes-dom0-update qubes-template-fedora-23 - installs the Fedora 23 template

# Updating, Searching & Installing Packages

Fedora > 21

- installing packages: dnf install <package-name>
- search for a package: dnf search <package-or-word>
- updating template: dnf update

 ${\rm Fedora} <= 21$ 

- installing packages: yum install <package-name>
- search for a package: yum search <package-or-word>
- updating template: yum update

# $\textbf{Fedora Minimal} \quad \text{-} \ \textit{Fedora minimal template}$

Qubes OS:

sudo qubes-dom0-update qubes-template-fedora-26-minimal - installs the Fedora 26 minimal template sudo qubes-dom0-update qubes-template-fedora-25-minimal - installs the Fedora 25 minimal template sudo qubes-dom0-update qubes-template-fedora-24-minimal - installs the Fedora 24 minimal template sudo qubes-dom0-update qubes-template-fedora-23-minimal - installs the Fedora 23 minimal template

#### **Debian** - Debian template

# Installing the Template

• sudo qubes-dom0-update qubes-template-debian-8 - Debian 8 "Jessie"

Qubes OS  $\leq$  3.1:

• sudo qubes-dom0-update qubes-template-debian-7 - Debian 7 "Wheezy"

# Updating, Searching & Installing Packages

- installing packages: apt-get install <package-name>
- search for a package: apt-cache search <package-or-word>
- updating template:
- 1. apt-get update
- 2. apt-get dist-upgrade

**Qubes OS + Whonix** - Whonix is a Debian based OS focused on anonymity, privacy and security

Whonix consists of two components:

- 1. Whonix-Gateway (uses TOR for all connections to the outside world)
- 2. Whonix-Workstation (for application)

## **Install Whonix**

Whonix-Gateway TemplateVM Binary Install @Dom0:

sudo qubes-dom0-update --enablerepo=qubes-templates-community qubes-template-whonix-gw Whonix-Workstation TemplateVM Binary Install @Dom0:

- 1. export UPDATES\_MAX\_BYTES=\$[ 4 \* 1024 \*\* 3 ]
- 2. sudo qubes-dom0-update --enablerepo=qubes-templates-community qubes-template-whonix-ws

# **Next Steps**

- 1. Create a Whonix-gateway ProxyVM, through Qubes VM Manager
- 2. Create a Whonix-workstation AppVM, through Qubes VM Manager
- 3. Update your Whonix-Gateway and Whonix-Workstation TemplateVMs (how to -> see debian)
- 4. (Re)Start Whonix-Gateway ProxyVM
- 5. Start Whonix-Workstation AppVM

## **Archlinux** - Archlinux template

# Installing the Template

In Qubes OS 3.2:

 ${\tt sudo~qubes-dom0-update~--enable repo=qubes-templates-community~qubes-template-archlinux} \\ {\tt or~manually} \\$ 

Use the following instructions: Archlinux Template

## Updating, Searching & Installing Packages

- installing packages: pacman -S <package-name> [<package-name-2>...<package-name-n>]
- search for a package: pacman -Ss <package-or-word>
- updating template: pacman -Syyu

# **Removing Templates** - Which were installed using the package manager

# Remove installed template

@Dom0: sudo dnf remove [<template-package-name>]

---

sudo dnf remove qubes-template-debian-8 - remove the Debian 8 VM and qubes-template-debian-8 package

# $List\ all\ installed\ templates$

@Dom0: sudo dnf list installed qubes-template-\*

# Create VM from VMware or VirtualBox images

- 1. Download the image in an AppVM
- 2. Install qemu-img tools e. g. dnf install qemu-img for fedora
- 3. Convert the image to a raw format:
  - VMware: qemu-img convert ReactOS.vmdk -O raw reactos.img
  - VirtualBox: qemu-img convert ReactOS.vdi -O raw reactos.img

## **Qubes OS Directories**

**Dom0 (Qubes OS)** - Qubes OS specific directories

- /var/log/qubes Qubes OS VM log files
- /var/lib/qubes Qubes OS VMs and other Qubes OS specific files

## **Qubes OS Repositories**

• http://yum.qubes-os.org - Browsable Fedora repositories

# **Additional Troubleshooting**

- 1. Launch Application Finder with Alt-F2 or F3, Qube Tools » Qube Manager
- 2. Select Qube » Settings
- 3. Check your advanced tab and devices tab for correct settings.
- $4. \ \ Please \ read: \ https://www.qubes-os.org/doc/troubleshooting/$