

Molecular modeling and pharmacophore based virtual screening of The Nicotinic acetylcholine receptor of *Halyomorpha halys*

Beatriz Pereira do Nascimento, Fabrício Santos Barbosa, T. S. Melo, Bruno Silva Andrade

Universidade Estadual do Sudoeste da Bahia, Brazil

Abstract

The irrational use of fertilizers as a pest control treatment has become increasingly a potential problem for the industrial agricultural sector. In addition, nicotinoid resistant pests has been increasing over the years, and for this reason searching alternative compounds for controlling and eradication of these pests is crucial for crop production next years. *Halyomorpha halys* is popularly known as brown marmorated stink bug, and it spreads in soybean crop, damaging most of the grains in formation, as well as is responsible for the reduction in seed yield and quality. The aim of this work was to construct the nAChR 3D structure of *H. halys* as well as perform a virtual screening study in order to find new compounds which can complex and inhibit this receptor. The nAChR 3D structure was modeled using homology modeling approach by SWISS MODEL software. Known nAChR inhibitors were used to perform a pharmacophore alignment with Pharmagist (<http://bioinfo3d.cs.tau.ac.il/PharmaGist/>) and after it was submitted to ZincPharmer (<http://zincpharmer.csb.pitt.edu/>) for searching for pharmacophore-like ligands in ZINC database. In a second step we docked 1.000 selected molecules into the nAChR active site AutoDock Vina software. The five complexes with best energy affinity values were submitted to AMBER 14 package for Molecular Dynamics simulations.

Funding: 1 – Programa de Pós-graduação em Química. Universidade Estadual do Sudoeste da Bahia, Brazil. 2- Departamento de Ciências e Tecnologia (DCT). Universidade Estadual do Sudoeste da Bahia, Brazil 3 Laboratório de Bioinformática e Química Computacional – LBQC. Universidade Estadual do Sudoeste da Bahia, Brazil