

An Investigation into the Quality of HMIS Data

Nathan Franz

3/23/2020

The Question

Email 1

The last NFHS was in 2015. In the decade before, hospital birth increased dramatically from 40% to 80%. Has it further increased since? The only data source that *might* help answer this is health monitoring system (HMIS) data from the government. But we don't know how reliable it is. If someone cleans and organizes the HMIS data, it could be matched to NFHS-4 data to see whether it reliably reported the proportion of hospital births in different places in 2015. (It probably did not reliably report deaths.) If it did, then let's see what it says about the proportion of births that took place in hospitals in 2019 and see if we trust it.

Email 2

This is substantially going to be a task of assessing data quality – do these data make any sense? Do some indicators or states make sense but not others? Whatever you end up learning about it will be useful because I have other colleagues who work on health in India who are interested in it to.

I'm also interested in a very specific question: do the numbers on place of delivery (proportion of babies born at home, in public hospitals, and private hospitals) in the HMIS match a high quality sample survey (the NFHS-4)?

To get started, I shared a google drive folder that contains HMIS (health monitoring information system) data on maternal and child health. Here are some steps.

Download 2014-2015 data.

First figure out whether it seems to be cumulative throughout the year or quarterly data? One thing that is annoying is that there are a lot of repeat file names which might make working with these spreadsheets more difficult.

Once you'd figured the data out a bit, compute the proportion of births it claims occurred in private, public, and at home in each state for 2014-15.

Then download and open the NFHS-4. Look at place of birth (using weights of course) for 2014-15 births. You'll have to code the place of birth variable yourself based on a wider set of categories, but it should not be too hard.

Compare the two data sources. Does the HMIS match the NFHS? (could you make a graph or a table to show it?)

If so, could you please look at what fraction of births happen at home, private, and public in each state in 2018-2019 in the HMIS?

If, along the way, you find other interesting things, please let me know. (One thing is that I think the HMIS basically does not report neonatal mortality.)

HMIS 2014-2015 Data Characteristics

The HMIS data is provided in two explicit levels of aggregation: at the district level and at the sub-district level. For the purpose of investigating the quality of HMIS data compared to NFHS-4 data, we will use the district-level data.

For the year 2014-2015, the data is provided **cumulatively** each quarter. That is, data is available for the periods

- from April 2014 to June 2014 – the first quarter of Indian fiscal year (FY) 2014-2015 – in the directory “MonthUpToJune”,
- from April 2014 to September 2014 – the first two quarters of FY 2014-2015 – in the directory “MonthUpToSeptember”,
- from April 2014 to December 2014 – the first three quarters of FY 2014-2015 – in the directory “MonthUpToDecember”, and
- from April 2014 to March 2015 – all of FY 2014-2015 – in the directory “MonthUpToMarch”.

Within each of the quarterly directories, there are yet more directories for each of the Indian states containing district- or sub-district-level data. There is also a directory with data aggregated to the state level, which is what we will use for comparison to NFHS-4 data. The file from which we’ll extract the data has the following address: `"/nrhm_files/district/2014-2015/MonthUpToMarch/__ALL INDIA/All.xls"`

The HMIS reports 166 indicators. The indicator columns are color-coded: white for counts and gray for percentages. Those we care about are called “Number of Home deliveries”, “Deliveries Conducted at Public Institutions”, “Institutional deliveries (Public Insts.+Pvt. Insts.)”, and “Total reported deliveries”.

HMIS 2014-2015 Results for Each State and All of India

I find these per-state percentages for place of delivery.

State	% Home	% Pub. Inst.	% Pvt. Inst.
All India	13.12774	64.32462	22.54765
A & N Islands	3.72748	96.27252	0
Andhra Pradesh	5.211907	52.16508	42.62301
Arunachal Pradesh	6.357544	80.19682	13.44563
Assam	15.3392	73.79186	10.86894
Bihar	23.64617	76.34688	0.0069494
Chandigarh	1.447695	98.55231	0
Chhattisgarh	25.80345	57.88689	16.30967
Dadra & Nagar Haveli	1.251977	83.80338	14.94465
Daman & Diu	1.574173	53.6286	44.79723
Delhi	6.288519	77.64141	16.07007
Goa	.1157025	63.6584	36.22589
Gujarat	2.416069	40.11806	57.46587
Haryana	11.37654	53.37545	35.24801
Himachal Pradesh	17.75469	67.95181	14.2935
Jammu & Kashmir	9.073519	84.97659	5.949898
Jharkhand	21.44771	60.38848	18.16381
Karnataka	.9186705	67.01209	32.06924
Kerala	.1705298	30.97543	68.85404
Lakshadweep	0	100	0
Madhya Pradesh	11.51237	80.6953	7.792329
Maharashtra	1.697953	53.04405	45.258
Manipur	20.08797	64.88353	15.0285
Meghalaya	48.5994	39.85056	11.55005
Mizoram	9.637074	72.86702	17.49591
Nagaland	22.89588	64.5219	12.58222
Odisha	11.43811	79.14854	9.413345
Puducherry	.0136509	73.18727	26.79908
Punjab	9.951732	48.89772	41.15054
Rajasthan	5.091767	71.39291	23.51532
Sikkim	2.047952	77.46004	20.49201
Tamil Nadu	.0736521	67.82365	32.10269
Telangana	3.084601	60.66509	36.25031
Tripura	13.15953	81.30605	5.534418
Uttar Pradesh	26.78585	65.24159	7.972555
Uttarakhand	21.66616	62.22997	16.10387
West Bengal	17.51872	63.65038	18.83089

NFHS-4 Data Characteristics

I downloaded the Births Recode data from the DHS website as linked from the NFHS-4 webpage. It reports 1,315,617 observations of 1,340 variables. Those we care about are called “v005” for overall sample weight, “sv005” for state sample weight, “b3” for the century month code for the date of birth of the child, “m15” for place of delivery, and “v024” for state.

One interesting thing: I’ve never worked with survey data before, but I would’ve expected the per-state means of the state sample weights to equal 1 (or 10^6 , since the state sample weight variable contains six decimal places without a decimal point). Instead, the means range from 91% to 113%. The per-state means of state sample weights for those observations with place of birth specified have a similar range.

State	Mean State Weight	Mean State Weight, Place Spec
An & N Islands	0.9254032	0.9254032
Andhra Pradesh	0.97429	0.9735988
Arunachal Pradesh	1.024422	1.024784
Assam	0.9989088	0.9989088
Bihar	1.003095	1.002835
Chandigarh	0.9392699	0.9392699
Chhattisgarh	1.031145	1.031678
Dadra & Nagar Haveli	0.9878447	0.9878447
Daman & Diu	1.0272	1.0272
Goa	1.030904	1.030904
Gujarat	0.9709162	0.972153
Haryana	0.9914187	0.9914187
Himachal Pradesh	0.9945994	0.9945994
Jammu & Kashmir	0.95306	0.9529889
Jharkhand	1.018084	1.018378
Karnataka	0.9664942	0.9669393
Kerala	0.9795464	0.9795464
Lakshadweep	0.9709369	0.9709369
Madhya Pradesh	0.9896039	0.9896706
Maharashtra	0.9448661	0.9448661
Manipur	0.9319845	0.9319845
Meghalaya	1.015393	1.015393
Mizoram	0.9117232	0.9115875
Nagaland	0.9574894	0.9570939
Delhi	1.132698	1.134773
Odisha	0.975834	0.9756802
Puducherry	0.9731051	0.9731051
Punjab	0.9990199	0.9990199
Rajasthan	1.001183	1.001247
Sikkim	0.9950843	0.9950843
Tamil Nadu	0.9796225	0.9796225
Telangana	0.9904967	0.9904967
Tripura	0.9897068	0.9897068
Uttar Pradesh	0.9916922	0.9916922
Uttarakhand	0.999367	0.9999779
West Bengal	0.9480488	0.9491556

NFHS-4 Results for Each State and All of India

Using the weight variables (divided by 10^6), I find these per-state and all-India percentages for place of delivery for births in 2014-2015.

State	% Home	% Other	% Private	% Public
All India	17.97	0.26	27.24	54.53
An & N Islands	3.06	1.56	6.64	88.74
Andhra Pradesh	5.35	0.11	50.02	44.51
Arunachal Pradesh	44.33	0.49	9.86	45.32
Assam	25.69	0.15	11.53	62.63
Bihar	31.55	0.24	17.81	50.41
Chandigarh	4.81	0	19.45	75.74
Chhattisgarh	27.6	0.06	14.13	58.22
Dadra & Nagar Haveli	9.22	0	21.33	69.44
Daman & Diu	6.21	0	53.1	40.69
Goa	2.77	0	34.42	62.81
Gujarat	8.27	0.23	57.3	34.19
Haryana	12.92	0.04	31.49	55.55
Himachal Pradesh	20.9	0.52	15.4	63.18
Jammu & Kashmir	11.95	0.5	7.8	79.75
Jharkhand	33.41	0.29	21.58	44.72
Karnataka	3.88	0.22	34.88	61.02
Kerala	0	0	61.88	38.12
Lakshadweep	0	0	41.9	58.1
Madhya Pradesh	16.37	0.1	12.28	71.24
Maharashtra	7.55	0.25	39.04	53.17
Manipur	28.09	0.56	23.84	47.5
Meghalaya	46.43	0.38	14.36	38.83
Mizoram	16.96	0.42	14.44	68.18
Nagaland	64	0.13	7.91	27.96
Delhi	17.86	0.23	30.67	51.23
Odisha	13.09	0.43	9.72	76.76
Puducherry	0	0	17.21	82.79
Punjab	6.06	0	37.87	56.08
Rajasthan	13.2	0.3	21.07	65.43
Sikkim	2.35	0	14.78	82.87
Tamil Nadu	0.57	0.07	29.69	69.67
Telangana	19.4	0	10.92	69.68
Tripura	28.24	0.41	25.53	45.82
Uttar Pradesh	24.02	0.47	23.66	51.85
Uttarakhand	19.88	0.51	19.23	60.38
West Bengal	4.97	0.18	60.54	34.31

Comparison Plots

Plots comparing the two data sources' accounts of percentage of babies delivered at home, at public institutions, or at private institutions are presented below.

I had to do an unfortunate amount of manual manipulation of the data structures in order to get these plots, which may have introduced some errors.




Figure 1: Per-state percentage comparison for deliveries at home




Figure 2: Per-state percentage comparison for deliveries at private institutions




Figure 3: Per-state percentage comparison for deliveries at public institutions

Response

Email 3:

That is actually not as far from the NFHS as I would have expected considering that government employees who report to the HMIS have an incentive to over-report the number of births in their facilities in order to get more supplies, staff, etc. And private facilities have an incentive to under-report because local authorities might close them down or extract bribes.

So, maybe it is worth looking at the HMIS for 2018-2019. The amount by which it is wrong is not likely to be higher than it was in 2014 since that have been efforts to monitor hospitals in other domains that could have spilled over into improving reporting.

Would it be possible to let me know for the following places what proportion of births in the HMIS in 2018-19 happened in public, private, and home? The regions I'm interested in are:

1. Uttar Pradesh
2. all India
3. Bihar, Madhya Pradesh, Jharkhand, Chattisgarh, and Madhya Pradesh as if it were one region (the reason is that these states, plus Uttar Pradesh used to be called "BIMARU" (which is a derogatory term meaning "sick" that isn't politically correct), but in neonatal health this group seems to have improved faster than UP. Part of the work of the book is trying to understand why Uttar Pradesh has lagged behind states that used to be considered its "peers" on social, economic and health indicators.)
4. Karnataka, Kerala, Tamil Nadu, Andhra Pradesh, Telangana as if they were one region (this is "south India", which is culturally distinct from the north and typically has better health outcomes)

HMIS 2018-2019 Results for Regions of Interest

Using the HMIS 2018-2019 data (which are still provisional), I find the following estimates for proportion of births in each place, where "Hindi Belt" refers to Bihar, Madhya Pradesh, Jharkhand, Chhattisgarh, Uttarakhand, and Rajasthan.

Region	% Home	% Private	% Public
Uttar Pradesh	14.4	25.9	74.1
All India	6.6	30.7	69.3
Hindi Belt	9.0	14.2	76.8
South India	0.2	49.2	50.6

HMIS 2014-2015 Undercoverage of Births Compared to UN WPP Data

HMIS 2018-2019 Undercoverage of Births Compared to UN WPP Data