
# Rational OpenCog Controlled Agent


Nil Geisweiller, Hedra Yusuf

Artificial General Intelligence 2023 (AGI-23)










#### **Timestamped Recorded Events**

3/12

### **Learning Schemata**



Pattern Mining

+
Temporal Reasoning

=
Cognitive Schematics

### Pattern Mining Schemata

Time	Event
:	:
10	reward(0)
10	outside(house)
10	hold(key)
10	go(house)
11	inside(house)
11	collect(diamond)
11	reward(0)
12	reward(1)
<u>:</u>	:


```
hold(\textit{key}) \land \textit{go(house)} \leadsto^1 \textit{inside(house)} \stackrel{\text{\tiny m}}{=} <0.83, 0.007>
```

5/12

### Reasoning Schemata

```
\frac{outside(house) \land go(key) \leadsto^1 outside(house) \quad outside(house) \land go(key) \leadsto^1 hold(key)}{outside(house) \land go(key) \leadsto^1 outside(house) \land hold(key)} \underbrace{(CC)}_{outside(house) \land hold(key) \land go(house) \leadsto^1 inside(house)}_{outside(house) \land go(key) \land^1 go(house) \leadsto^2 inside(house)} (PD)
\vdots
```

outside(house)  $\land$  go(key)  $\land$ <sup>1</sup> go(house)  $\land$ <sup>1</sup> collect(diamond)  $\rightsquigarrow$ <sup>3</sup> reward(1)  $\stackrel{\text{def}}{=}$  <0.83, 0.005 >



Cognitive Schematics ⇒ Action

#### The Paradox of Choice

#### Many applicable schemata

$$\begin{array}{cccc} C_1 \wedge A_1 \rightsquigarrow^{T_1} G & \stackrel{\text{\tiny m}}{=} & TV_1 \\ & \vdots & & & \\ C_{9999} \wedge A_{9999} \rightsquigarrow^{T_{9999}} G & \stackrel{\text{\tiny m}}{=} & TV_{9999} \end{array}$$

#### The Paradox of Choice

#### Many applicable schemata

$$\begin{array}{cccc} C_1 \wedge A_1 \leadsto^{T_1} G & \stackrel{\mathbb{m}}{=} & TV_1 \\ & \vdots & & & \\ C_{9999} \wedge A_{9999} \leadsto^{T_{9999}} G & \stackrel{\mathbb{m}}{=} & TV_{9999} \end{array}$$

#### With different risk/reward profiles

$$C_1 \wedge A_1 \rightsquigarrow^{T_1} G \stackrel{\text{m}}{=} <0.9 \ 0.1>$$
  
 $C_2 \wedge A_2 \rightsquigarrow^{T_2} G \stackrel{\text{m}}{=} <0.6 \ 0.9>$ 

#### The Paradox of Choice

#### Many applicable schemata

$$\begin{array}{cccc} C_1 \wedge A_1 \rightsquigarrow^{T_1} G & \stackrel{\mathbb{m}}{=} & TV_1 \\ & \vdots & & & \\ C_{9999} \wedge A_{9999} \rightsquigarrow^{T_{9999}} G & \stackrel{\mathbb{m}}{=} & TV_{9999} \end{array}$$

#### With different risk/reward profiles

$$C_1 \wedge A_1 \rightsquigarrow^{T_1} G \stackrel{\text{m}}{=} <0.9 \ 0.1>$$
  
 $C_2 \wedge A_2 \rightsquigarrow^{T_2} G \stackrel{\text{m}}{=} <0.6 \ 0.9>$ 

#### Some contradicting each other

$$C_1 \wedge A \rightsquigarrow^{T_1} G \stackrel{\underline{m}}{=} <0.9 \ 0.5>$$
  
 $C_2 \wedge A \rightsquigarrow^{T_1} G \stackrel{\underline{m}}{=} <0.1 \ 0.5>$ 





8/12

### Balancing exploitation and exploration

Solomonoff-ish Induction \
+ Second Order Mixture
Thompson Sampling

### Balancing exploitation and exploration









#### **Actions**

- get(key)
- go(house)
- collect(diamond)

#### **Percepts**

- outside(house)
- inside(house)
- hold(key)
- next(door)
- reward(1)
- reward(0)



outside(house)  $\land$  get(key)  $\land$ <sup>1</sup> go(house)  $\land$ <sup>1</sup> collect(diamond)  $\leadsto$ <sup>3</sup> reward(1)





outside(house)  $\land$  get(key)  $\land$ <sup>1</sup> go(house)  $\land$ <sup>1</sup> collect(diamond)  $\leadsto$ <sup>3</sup> reward(1)





outside(house)  $\land$  get(key)  $\nearrow^1$  go(house)  $\nearrow^1$  collect(diamond)  $\rightsquigarrow^3$  reward(1) hold(key)  $\land$  go(house)  $\nearrow^1$  collect(diamond)  $\rightsquigarrow^2$  reward(1)




outside(house)  $\land$  get(key)  $\nearrow^1$  go(house)  $\nearrow^1$  collect(diamond)  $\rightsquigarrow^3$  reward(1) hold(key)  $\land$  go(house)  $\nearrow^1$  collect(diamond)  $\rightsquigarrow^2$  reward(1)



outside(house)  $\land$  get(key)  $\nearrow^1$  go(house)  $\nearrow^1$  collect(diamond)  $\rightsquigarrow^3$  reward(1)

hold(key)  $\land$  go(house)  $\land$ <sup>1</sup> collect(diamond)  $\leadsto$ <sup>2</sup> reward(1)

inside(house) ∧ collect(diamond) → 1 reward(1)



outside(house)  $\land$  get(key)  $\nearrow^1$  go(house)  $\nearrow^1$  collect(diamond)  $\rightsquigarrow^3$  reward(1)

hold(key)  $\land$  go(house)  $\land$ <sup>1</sup> collect(diamond)  $\leadsto$ <sup>2</sup> reward(1)

inside(house) ∧ collect(diamond) → 1 reward(1)



#### **Future Work**

- More challenging environments
- Attention Allocation
- Concept creation and schematization
- Plan in the inner world