

[LOG IN](#)[SIGN UP](#)

2



Using "Observable = Behavior... Help Request

[X CLOSE](#)

Posted by u/Drekks 11 months ago

2



## Using "Observable = BehaviorSubject.asObservable()" as Opposed to "BehaviorSubject": Why?

Help Request

Hello, I'm currently learning Angular 6 (and Angular in general), and I trying to figure out why something worked over another thing that I thought was functionally the same thing. I want to make sure I learn from this so could someone explain to me the meaning of what happened below?

My goal: run BehaviorSubject's next() in a component in order to trigger a subscription in a style directive.

What I thought would work: setting up a BehaviorSubject @Input in the style directive, and binding it to a BehaviorSubject in the container component of the element I want the



Search r/Angular2

LOG IN

SIGN UP



2



Using "Observable = Behavior...

Help Request

× CLOSE



Search r/Angular2

LOG IN

SIGN UP



2



Using "Observable = Behavior..." Help Request

× CLOSE

3 Comments Share Save Hide Report

38



## Simple calendar library, very customizable

Hey guys, this is my first library, check it out if you like it, and support if you do!

<https://www.npmjs.com/package/ngx-simple-calendar>

6 Comments Share Save Hide Report



Posted by u/irspaul 6 days ago

38



## Discussion Do you use ngrx at work?

Dear community,

Do you use ngrx at work? What are the benefits or issues you are facing after implementing it? Can you please suggest some good projects that used ngrx extensively. Thanks in advance

[LOG IN](#)[SIGN UP](#)

2



Using "Observable = Behavior... Help Request

[X CLOSE](#)

Posted by u/GurkanG 5 days ago

19



## Visualization using D3js in Angular Application?


Hi guys!


I'm wondering what the correct/best way to approach visualization of data using D3js in an angular application is.


Currently, I'm fetching data from an external web API in a service, '`data-service`'. This is then used inside my `graph-component` to fetch the data. But once I have the data inside my component. How do I actually use D3js to it's fullest extent inside an angular


↑ 2 ↓ |  Using "Observable = Behavior..." Help Request


× CLOSE

 Comment

 Share

 Save

 Hide

 Report

↑

13

↓

Posted by u/catapop 5 hours ago

Article Perspectives from Contributing to Angular

Article

[blog.angular.io/perspe...](http://blog.angular.io/perspe...)

 Comment

 Share

 Save

 Hide

 Report



▲

Posted by u/7Sielife 5 days ago

[LOG IN](#)[SIGN UP](#)

2



Using "Observable = Behavior... Help Request

[X CLOSE](#)

what I'm looking for or not. Especially since I'm not sure if it's using the latest Angular version or the lessons are based on something along the lines of Angular 2 or 4.

12 Comments Share Save Hide Report



Search r/Angular2

LOG IN

SIGN UP



2



Using "Observable = Behavior...

Help Request

× CLOSE



Search r/Angular2

LOG IN

SIGN UP



2



Using "Observable = Behavior...

Help Request

× CLOSE







Search r/Angular2

LOG IN

SIGN UP



2



Using "Observable = Behavior...

Help Request

× CLOSE



Search r/Angular2

LOG IN

SIGN UP



2



Using "Observable = Behavior...

Help Request

× CLOSE



Search r/Angular2

LOG IN

SIGN UP



2



Using "Observable = Behavior...

Help Request

× CLOSE