

[HTML](#)[CSS](#)[JAVASCRIPT](#)[MORE ▾](#)**w3schools.com**

THE WORLD'S LARGEST WEB DEVELOPER SITE

HTML <progress> Tag

[< Previous](#)[Complete HTML Reference](#)[Next >](#)

Example

Downloading in progress:

```
<progress value="22" max="100"></progress>
```

[Try it Yourself »](#)

Definition and Usage



Browser Support

The numbers in the table specify the first browser version that fully supports the element.

Element					
<progress>	8.0	10.0	16.0	6.0	11.0

Differences Between HTML 4.01 and HTML5

The <progress> tag is new in HTML5.

Tips and Notes

Tip: Use the <progress> tag in conjunction with JavaScript to display the progress of a task.

Note: The <progress> tag is not suitable for representing a gauge (e.g. disk space usage or relevance of a query result). To represent a gauge, use the <meter> tag instead.



Attributes

Attribute	Value	Description
<u>max</u>	<i>number</i>	Specifies how much work the task requires in total
<u>value</u>	<i>number</i>	Specifies how much of the task has been completed

Global Attributes

The <progress> tag also supports the [Global Attributes in HTML](#).

Event Attributes

The <progress> tag also supports the [Event Attributes in HTML](#).

[HTML](#)[CSS](#)[JAVASCRIPT](#)[MORE ▼](#)

HTML DOM reference: [Progress Object](#)

Default CSS Settings

None.

[< Previous](#)[Complete HTML Reference](#)[Next >](#)

[HTML](#)[CSS](#)[JAVASCRIPT](#)[MORE ▼](#)

COLOR PICKER



HTML

CSS

JAVASCRIPT

MORE ▼



HOW TO

Tabs
Dropdowns
Accordions
Side Navigation
Top Navigation
Modal Boxes
Progress Bars
Parallax
Login Form
HTML Includes
Google Maps
Range Sliders
Tooltips
Slideshow
Filter List
Sort List

SHARE



[HTML](#)[CSS](#)[JAVASCRIPT](#)[MORE ▼](#)[HTML](#)[CSS](#)[JavaScript](#)[SQL](#)[Python](#)[PHP](#)[jQuery](#)[Bootstrap](#)[XML](#)[Read More »](#)

[HTML](#)[CSS](#)[JAVASCRIPT](#)[MORE ▼](#)[REPORT ERROR](#)[PRINT PAGE](#)[FORUM](#)[ABOUT](#)

Top Tutorials

- [HTML Tutorial](#)
- [CSS Tutorial](#)
- [JavaScript Tutorial](#)
- [How To Tutorial](#)
- [SQL Tutorial](#)
- [Python Tutorial](#)
- [W3.CSS Tutorial](#)
- [Bootstrap Tutorial](#)
- [PHP Tutorial](#)
- [jQuery Tutorial](#)
- [Java Tutorial](#)

Top Examples

Top References

- [HTML Reference](#)
- [CSS Reference](#)
- [JavaScript Reference](#)
- [SQL Reference](#)
- [Python Reference](#)
- [W3.CSS Reference](#)
- [Bootstrap Reference](#)
- [PHP Reference](#)
- [HTML Colors](#)
- [jQuery Reference](#)
- [Angular Reference](#)
- [Java Reference](#)

Web Certificates

[HTML](#)[CSS](#)[JAVASCRIPT](#)[MORE ▼](#)[JavaScript Examples](#)[How To Examples](#)[SQL Examples](#)[Python Examples](#)[W3.CSS Examples](#)[Bootstrap Examples](#)[PHP Examples](#)[jQuery Examples](#)[Java Examples](#)[XML Examples](#)[JavaScript Certificate](#)[SQL Certificate](#)[Python Certificate](#)[jQuery Certificate](#)[PHP Certificate](#)[Bootstrap Certificate](#)[XML Certificate](#)[Get Certified »](#)

W3Schools is optimized for learning, testing, and training. Examples might be simplified to improve reading and basic understanding. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using this site, you agree to have read and accepted our terms of use, cookie and privacy policy. Copyright 1999-2019 by Refsnes Data. All Rights Reserved.

Powered by W3.CSS.

