

Feces report



No. : 251106002

L I S :

Doctor : Admin

Sample : Feces(150ul)

Owner:Ito

Pet name : Mugi

Species : Dog

Gender : F

Pet age : Y M

Weight:kg

Texture:Dry feces

Smell:Smelly

Color:Yellow

Parameters					
Detection items	Result/Unit	Result/Unit	Reference	Negative	Positive
1.Parasite egg					
1-1.Ascaris(ALE#)	0.00	0.00/LPF	0-0		
1-2.Hookworm(ANE#)	0.00	0.00/LPF	0-0		
1-3.Tapeworm(CEE#)	0.00	0.00/LPF	0-0		
1-4.Dipylidium caninum(DIP#)	0.00	0.00/LPF	0-0		
1-5.Spirometra (SPI#)	0.00	0.00/LPF	0-0		
1-6.Alaria alata(TRE#)	0.00	0.00/LPF	0-0		
2.Intestinal protozoa.					
2-1.Trichomonas(TRI#)	0.00	0.00/LPF	0-0		
2-2.Giardia (GIA#)	0.00	0.00/LPF	0-0		
2-3.Giardia Trophozoite (GIAT#)	0.00	0.00/LPF	0-0		
2-4.Giardia Cyst (GIAC#)	0.00	0.00/LPF	0-0		
2-5.Isosporium coccidia(COD#)	0.00	0.00/LPF	0-0		
2-6.Isosporium coccidia 0(COD0#)	0.00	0.00/LPF	0-0		
2-7.Isosporium coccidia 1(COD1#)	0.00	0.00/LPF	0-0		
2-8.Isosporium coccidia 2(COD2#)	0.00	0.00/LPF	0-0		
				Low	Normal
3.Germ					
3-1.Cocci(COS#)	356.53/ug	32.32/HPF	145-729/ug		
3-2.Rods(BACI#)	1111.42/ug	100.74/HPF	510-13904/ug		
3-3.Brevibacterium(SBAC#)	1061.55/ug	96.22/HPF	321-12462/ug		
3-4.Crude bacilli(CBAC#)	43.63/ug	3.95/HPF	15-1650/ug		
3-5.Thin bacilli (TBAC#)	6.23/ug	0.56/HPF	0-2500/ug		
3-6.Cocci/Rods(C/B)	0.321	0.321	0.017-0.156		
3-7.Campylobacter(CAM#)	0.00/ug	0.00/HPF	0-30/ug		
3-8.Bacillus(BAC#)	4.09/ug	0.37/HPF	0-40/ug		
3-9.Serpentine spirochete(SS1#)	0.00/ug	0.00/HPF	0-0/ug		
3-10.Helicobacter(SS2#)	0.00/ug	0.00/HPF	0-0/ug		
3-11.Yeast(YEA#)	0.18/ug	0.02/HPF	0-150/ug		
4.Cells					
4-1.RBC#	0.00/ug	0.00/HPF	0-5/ug		
4-2.WBC#	0.00/ug	0.00/HPF	0-0/ug		
4-3.Epithelial cells(EPC#)	0.00/ug	0.00/HPF	0-12/ug		
5.Digestive function					
5-1.Starch granule(STA#)	0.00/ug	0.00/HPF	0-9/ug		
5-2.Lipid drop(LFAT#)	0.00/ug	0.00/HPF	0-1/ug		
5-3.Plant fiber(PLA#)	0.00/ug	0.00/HPF	0-0/ug		
5-4.Muscle fiber(AF#)	0.00/ug	0.00/HPF	0.00-0.50/ug		

Diagnostic Recommendation

- 1、【Dry feces】 It is common in habitual constipation, drinking too little water, eating too much bone food and so on.
- 2、【Smelly】 The smell of feces is normal.
- 3、【C/B>0.156】 It is common in intestinal flora disorders caused by diseases and the use of antibiotics.

BVTY SolpetFecal Morphology Report



No. : 251106002

L I S :

Doctor : Admin

Sample : Feces(150ul)

Owner:Ito

Pet name : Mugi


Species : Dog








Gender : F

Pet age : Y M

Weight:kg

Microbial distribution Image





15um

BAC

Co.:4.09/ug

Co.:0.37/HPF



15um

YEA

Co.:0.18/ug

Co.:0.02/HPF



40um

Suspected intestinal protozoa(SPRO#)

QTY: 3/405 photos