

Feces report

No. : 251005003
Pet name : kakao

L I S :
Species : Dog

Doctor : Admin
Gender : M

Sample : Feces(150ul)
Pet age : 10Y M

Owner:c linh
Weight:kg


Texture:Loose stools

Smell:Smelly

Color:Red

Parameters

Detection items	Result/Unit	Result/Unit	Reference
1.Parasite egg			
1-1.Ascaris(ALE#)	0.00	0.00/LPF	0-0
1-2.Hookworm(ANE#)	0.00	0.00/LPF	0-0
1-3.Tapeworm(CEE#)	0.00	0.00/LPF	0-0
1-4.Dipylidium caninum(DIP#)	0.00	0.00/LPF	0-0
1-5.Spirometra (SPI#)	0.00	0.00/LPF	0-0
1-6.Alaria alata(TRE#)	0.00	0.00/LPF	0-0
2.Intestinal protozoa.			
2-1.Trichomonas(TRI#)	0.00	0.00/LPF	0-0
2-2.Giardia (GIA#)	2.00	0.21/LPF	0-0
2-3.Giardia Trophozoite (GIAT#)	2.00	0.21/LPF	0-0
2-4.Giardia Cyst (GIAC#)	0.00	0.00/LPF	0-0
2-5.Isosporium coccidia(COD#)	0.00	0.00/LPF	0-0
2-6.Isosporium coccidia 0(COD0#)	0.00	0.00/LPF	0-0
2-7.Isosporium coccidia 1(COD1#)	0.00	0.00/LPF	0-0
2-8.Isosporium coccidia 2(COD2#)	0.00	0.00/LPF	0-0
3.Germ			
3-1.Cocci(COS#)	157.00/ug	31.49/HPF	145-729/ug
3-2.Rods(BACI#)	1644.49/ug	329.85/HPF	510-13904/ug
3-3.Brevibacterium(SBAC#)	1536.60/ug	308.21/HPF	321-12462/ug
3-4.Crude bacilli(CBAC#)	71.55/ug	14.35/HPF	15-1650/ug
3-5.Thin bacilli (TBAC#)	36.34/ug	7.29/HPF	0-2500/ug
3-6.Cocci/Rods(C/B)	0.095	0.095	0.017-0.156
3-7.Campylobacter(CAM#)	7.20/ug	1.44/HPF	0-30/ug
3-8.Bacillus(BAC#)	0.00/ug	0.00/HPF	0-40/ug
3-9.Serpentine spirochete(SS1#)	0.00/ug	0.00/HPF	0-0/ug
3-10.Helicobacter(SS2#)	10.28/ug	2.06/HPF	0-0/ug
3-11.Yeast(YEA#)	1.78/ug	0.36/HPF	0-150/ug
4.Cells			
4-1.RBC#	8.92/ug	1.79/HPF	0-5/ug
4-2.WBC#	1.07/ug	0.22/HPF	0-0/ug
4-3.Epithelial cells(EPC#)	0.00/ug	0.00/HPF	0-12/ug
5.Digestive function			
5-1.Starch granule(STA#)	0.00/ug	0.00/HPF	0-9/ug
5-2.Lipid drop(LFAT#)	0.00/ug	0.00/HPF	0-1/ug
5-3.Plant fiber(PLA#)	0.00/ug	0.00/HPF	0-0/ug
5-4.Muscle fiber(AF#)	0.00/ug	0.00/HPF	0.00-0.50/ug



Diagnostic Recommendation

- 1、【Loose stools】 It is common in excessive intestinal mucosal secretions, hyperperistalsis, infectious / non-infectious diarrhea, food intolerance, especially in acute / chronic gastroenteritis.
- 2、【Smelly】 The smell of feces is normal.
- 3、【Red】 Common in lower gastrointestinal bleeding, food effects (eating watermelons, red peppers, tomatoes, dragon fruits, etc.).
- 4、【SS2#>0】 Suspected helicobacter infection.
- 5、【RBC#>5】 Common in the colon, rectum, anus and other bleeding.
- 6、【WBC#>0】 Common in all kinds of enteritis (bacterial, allergic, viral, parasitic, etc.), tumor and so on.

Combined diagnosis:

- 1、【GIA#<6、 GIA#>0】 Suspected Giardia infection. The quantity is small, it is recommended to confirm by manual microscopic examination.

BVTY SolpetFecal Morphology Report

No. : 251005003
Pet name : kakao



L I S :
Species : Dog

Doctor : Admin
Gender : M

Sample : Feces(150ul)
Pet age : 10Y M

Owner:c linh
Weight:kg

Microbial distribution Image




40um | Giardia Trophozoite (GIAT#) | QTY: 2.00/405 photo | Co.: 0.21/LPF




15um | CAM | Co.:7.20/ug | Co.:1.44/HPF




15um | SS2 | Co.:10.28/ug | Co.:2.06/HPF




15um | YEA | Co.:1.78/ug | Co.:0.36/HPF



15um | RBC | Co.:8.92/ug | Co.:1.79/HPF




15um | WBC | Co.:1.07/ug | Co.:0.22/HPF

















90um | Suspected intestinal parasites egg(SPAR#)

QTY:2/1080 photos



40um | Suspected intestinal protozoa(SPRO#)

QTY: 27/405 photos



40um

Suspected intestinal protozoa(SPRO#)

QTY: 27/405 photos



40um

Suspected intestinal protozoa(SPRO#)

QTY: 27/405 photos