

Prof. Ryan Cotterell

Simon Wachter: Assignment 3

siwachte@ethz.ch, 19-920-198

13/12/2022 - 16:41h

Question 1:

a) We show that under Definition 1, the following holds:

$$a^* \stackrel{!}{=} 1 \oplus a \otimes a^* \quad (1)$$

$$= 1 \oplus a \otimes \bigotimes_{n=0}^{\infty} a^{\otimes n} \quad (2)$$

$$= 1 \oplus \bigotimes_{n=0}^{\infty} a^{\otimes n+1} \quad (3)$$

$$= 1 \oplus \bigotimes_{n=1}^{\infty} a^{\otimes n} \quad (4)$$

$$= \bigotimes_{n=0}^{\infty} a^{\otimes n} \quad (5)$$

$$= a^* \quad (6)$$

b)

$$\mathbb{R}^* \quad (7)$$

c)

$$(\mathbb{R} \times \mathbb{R})^* \quad (8)$$

d)

$$\mathcal{W}_{\text{lang}} = \langle 2^{\Sigma^*}, \bigcup, \otimes, \{\}, \{\epsilon\} \rangle \quad (9)$$

- $(2^{\Sigma^*}, \oplus, \mathbf{0})$ must be a commutative monoid with identity element $\mathbf{0}$:

$$(x \oplus y) \oplus z = (x \cup y) \cup z \quad (10)$$

$$= \{x, y\} \cup z \quad (11)$$

$$= \{x, y, z\} \quad (12)$$

$$= x \oplus \{y, z\} \quad (13)$$

$$= x \oplus (y \oplus z) \quad (14)$$

$$\mathbf{0} \oplus x = \{\} \oplus x \quad (15)$$

$$= \{\} \cup x \quad (16)$$

$$= \oplus \quad (17)$$

$$x \oplus y = x \cup y \quad (18)$$

$$= \{x, y\} \quad (19)$$

$$= y \cup x \quad (20)$$

$$= y + x \quad (21)$$

- $(2^{\Sigma^*}, \otimes, \mathbf{1})$ must be a monoid with identity element $\mathbf{1}$:

$$(x \otimes y) \otimes z = xy \otimes z \quad (22)$$

$$= xyz \quad (23)$$

$$= x \otimes yz \quad (24)$$

$$= x \otimes (y \otimes z) \quad (25)$$

$$\mathbf{1} \otimes x = \{\epsilon\} \otimes x \quad (26)$$

$$= x \quad (27)$$

$$= x \otimes \{\epsilon\} \quad (28)$$

$$= x \otimes \mathbf{1} \quad (29)$$

- Multiplication left and right distributes over addition:

$$x \otimes (y \oplus z) = x \otimes \{y, z\} \quad (30)$$

$$= \{xy, xz\} \quad (31)$$

$$= \{xy\} \cup \{xz\} \quad (32)$$

$$= (x \otimes y) \oplus (x \otimes z) \quad (33)$$

$$(x \oplus y) \otimes z = \{x, y\} \otimes z \quad (34)$$

$$= \{xz, yz\} \quad (35)$$

$$= \{xz\} \cup \{yz\} \quad (36)$$

$$= (x \otimes z) \oplus (y \otimes z) \quad (37)$$

- Multiplication by $\mathbf{0}$ annihilates $\mathbb{R} \times \mathbb{R}$:

$$\mathbf{0} \otimes x = \{a \circ b \mid a \in A, b \in \{\}\} \quad (38)$$

$$= \{\} \quad \text{by definition of } \circ, \text{ because no } b \text{ exists} \quad (39)$$

$$= x \otimes \mathbf{0} \quad (40)$$

$$(41)$$