

Darada Property

WmD?[®]

Your medication is called: Furosemide


It is to help:



High blood pressure



Water tablet for water retention (oedema)



Kidney problems




Protect your heart



Treat Helicobacter stomach infections

How to take, use, give:



Swallow whole



Take with a drink



It may take a few days to start working

You may also: (tell a doctor or carer if any of these side effects worry you)



Feel sick, be sick or get tummy pain



Get diarrhoea (the runs)



Feel dizzy when you stand up



Find you need to pass urine more often



Get gout



Think your blood sugar levels (glucose) are going up



Have problems weeing

You may also: (tell a doctor or carer straight away if you)




Get a headache (may be not enough sodium)



Get weak muscles or cramp (may be not enough sodium)




Feel sick (may be not enough sodium)




Feel confused (may be not enough sodium)



Feel you are not hearing as well




Have high mineral levels in the blood



Be more likely to get an infection



Find your eyes or skin are yellow (could be a liver problem)



Find your skin is more sensitive to light. Avoid sunbathing and sunlamps.

What you also need to know to keep you safe while on this medicine: (check with a health professional if you are worried).



Do not breastfeed when taking this medicine



If you feel thirsty, drink enough liquid. Do not ignore feelings of thirst



This does not mix well with some other medicines. Check this out with your health professional

Who can use it?

The medicine is suitable for adults to take. It is not suitable for children under 18 years of age. It is not suitable for pregnant or breastfeeding women.

How to use it

Take 1 tablet 3 times a day, after meals, with water. Do not take more than 3 tablets a day. Do not take it if you are allergic to any of the ingredients. Do not take it if you are taking any other medicine. Do not take it if you are taking any other medicine. Do not take it if you are taking any other medicine.

What are the benefits of taking it?

1. It can help you to lose weight.

2. It can help you to feel better.

3. It can help you to feel better.

4. It can help you to feel better.

5. It can help you to feel better.

6. It can help you to feel better.

7. It can help you to feel better.

8. It can help you to feel better.

9. It can help you to feel better.

10. It can help you to feel better.

Side effects

Some people may experience side effects when taking this medicine. These include:

- Headache
- Nausea
- Stomach pain
- Diarrhoea
- Constipation
- Dizziness
- Fatigue
- Weight gain
- Weight loss
- Changes in blood pressure
- Changes in heart rate
- Changes in blood sugar
- Changes in cholesterol
- Changes in liver function
- Changes in kidney function
- Changes in thyroid function
- Changes in hormone levels
- Changes in immune system
- Changes in mental health
- Changes in physical health
- Changes in overall health

If you experience any of these side effects, stop taking the medicine and contact your doctor.

Check the product information leaflet for a full list of side effects and how to use this medicine