## **Results**

# **Linear Regression**

#### Model Fit Measures

			Overall Model Test			
Model	R	R <sup>2</sup>	F	df1	df2	р
1	0.22828	0.05211	21.80803	3	1190	< .00001

#### Model Coefficients - log\_MDD

Predictor	Estimate	SE	t	р
Intercept	-1.95792	0.05707	-34.30798	< .00001
EPS	-0.00331	0.00089	-3.73516	0.00020
SPS	-0.00262	0.00106	-2.46915	0.01368
GPS	-0.00007	0.00082	-0.08270	0.93410

### **Assumption Checks**

#### Durbin-Watson Test for Autocorrelation

Autocorrelation	DW Statistic	р
0.00818	1.98292	0.69600

[3]


#### **Collinearity Statistics**

.95716	0.51094
.00628	0.49843
.22088	0.81908
	00628


[3]


### Normality Test (Shapiro-Wilk)


Statistic	р	
0.99507	0.00062	





## **Residuals Plots**











# References

[1] The jamovi project (2022). jamovi. (Version 2.3) [Computer Software]. Retrieved from <a href="https://www.jamovi.org">https://www.jamovi.org</a>.

[2] R Core Team (2021). *R: A Language and environment for statistical computing*. (Version 4.1) [Computer software]. Retrieved from <a href="https://cran.r-project.org">https://cran.r-project.org</a>. (R packages retrieved from MRAN snapshot 2022-01-01).

[3] Fox, J., & Weisberg, S. (2020). *car: Companion to Applied Regression*. [R package]. Retrieved from <a href="https://cran.r-project.org/package=car">https://cran.r-project.org/package=car</a>.