# IT Security

INTRODUCTION

DURATION: 0'45

# Summary

- 1. Introduction to cybersecurity
- 2. Terms
- 3. Vocabularies
- 4. Testing types
- 5. All steps to execute a pentest
- 6. Kill chain: attack phases
- 7. Reconnaissances


## Introduction to cybersecurity

- Cybersecurity / IT security prevents unauthorized access to assets (computers, servers, networks, data, etc.).
- To maintain (CIA or DICP in French)
  - Confidentiality: Cleartext or password stealing has an impact on confidentiality.
  - Integrity: Data tampering has an impact on integrity.
  - ► Availability: DoS attack has an impact on availability.
  - Non repudiation: Guarantee that the sender of a message cannot deny having sent the message and the recipient cannot deny having received it.

#### Terms

- ▶ White Hats is a good guys also called ethical hackers.
- ▶ Black Hats is a bad guys, malicious hackers.
- Gray Hats is a good and bad guys depends on the situation.
- Threat that could lead to a potential breach of security.
- Exploit takes advantage of a bug or vulnerability, leading to unauthorized access, privilege escalation, or Denial Of Service.
- Vulnerability is a software flaw or implementation error that can lead to an unexpected and undesirable event executing bad or damaging instructions to the system.
- ▶ **Risk analysis** aim to identify, assess and prioritize the risks associated with the activities of an organization.

### Vocabularies



# Testing types in pentest

- ▶ **Black box:** testing involves performing a security evaluation and testing with no prior knowledge of the infrastructure.
- ▶ White box testing involves performing a security evaluation and testing with complete knowledge of the infrastructure.
- ▶ **Gray box** testing involves a combination of white-box testing and black-box testing. The aim of this testing is to search for the defects if any due to improper structure or improper usage of applications.

# All steps to execute a pentest

- Talk to the client about the perimeter (IP, domain, etc.) and types
  of attacks that may create a risk for the customer (brute force, DoS,
  etc.).
- 2. Prepare and sign with the client the NDA (non-disclosure agreement)
- Conduct the pentest and collect information in order to provide a report.
- 4. Write the report and have it proofread by a colleague.
- Present the report findings to the client (report, documentation, etc.).

<u>Warning</u>: It is legally forbidden to scan / pentest / etc. if you haven't been commissioned for it or that the solution is not yours.

# Kill chain: Attack phases

Kill chain is a term used to define the steps an enemy uses to attack a target.

Pre-attack

- **Reconnaissance**: Information gathering and attempts to identify vulnerabilities.
- Weaponization: Creates remote access (virus or worm).
- **Delivery**: Transmits weapon to target (e-mail, websites or USB drives)
- **Exploitation**: Malware weapon's program code triggers, which takes action on target network to exploit vulnerability (e.g., download code).
- **Installation**: Malware weapon installs access point backdoor.
- Command and Control / Persistence: Malware gives a hand on the keyboard.
- Actions on Objective: Intruder takes action to achieve their goals (data exfiltration, data destruction, or encryption for ransomware).

Attack

#### Reconnaissances

- ▶ **Passive reconnaissance** there will be no traffic generated on the target's infrastructure, it is a matter of finding public data by conventional or specialized search engines (wireshark, shodan, etc.).
- ▶ **Active reconnaissance** it is a question of going directly to question the "target". For example, a server's ports can be scanned to see which services they are responding to.