Processing of 2D Signals (Images)

Lab 10, DSP

Objective

Students should be able to implement basic low-pass and high-pass filters for 2D data (images).

Exercises

- 1. Load the Lena image (use imread()) and display it (use imshow()).
- 2. Apply the system $y[n] = \frac{1}{4}x[n-1] + \frac{2}{4}x[n] + \frac{1}{4}x[n+1]$ to **every row** of the Lena image, and then to **every column** of the image. Ignore the first and last row/column.
 - a. What type of filter is this? Find H(z), find the poles and the zeros, and deduce the type of filter.
 - b. Display the resulting image. How did it change?
- 3. Repeat the same operation further 9 times. Display a 2x2 figure and display the original image, the image filtered once, the image filtered 5 times, and the image filtered 10 times.
- 4. NU MERGE, RAMAN DOAR MUCHILE, TB SCAZUTE COMPONENTA CONTINUA, ETC. DE REVAZUT Apply the following 2D system on the Lena image. Display the resulting image. What has changed? What type of 2D filter is this?

$$y[i,j] = \frac{1}{16}x[i-1,j-1] - \frac{2}{16}x[i-1,j] + \frac{1}{16}x[i-1,j+1]$$
$$-\frac{2}{16}x[i,j-1] + \frac{4}{16}x[i,j] - \frac{2}{16}x[i,j+1]$$
$$+\frac{1}{16}x[i+1,j-1] - \frac{2}{16}x[i+1,j] + \frac{1}{16}x[i+1,j+1]$$

5. Repeat the same operation 3 times. Display the resulting image. What has changed?

Final questions

1. TBD