

UnivEnv

Visualization of environmental data collected through a network of stations located on the territory

NIKITA BALDAN, EMANUELE MOTTO, MAURO NORIS

A.Y. 2018/2019

Contents

1	Introduction	4
1.1	Overview	4
1.2	Data	4
2	Competitive analisys	5
2.1	Personal interface	5
2.1.1	Air visual	5
2.1.2	Air Quality:Real Time AQI	6
2.2	Technical Interface	6
2.2.1	acqin.org	6
2.2.2	waqi.org	7
3	Individual Proposal	8
3.1	Requirements	8
3.2	Reasoning about the dataset	8
3.3	Smartphone Proposal	9
3.4	User interaction	10
3.4.1	Graphs used	12
3.5	Smartwatch	13
3.6	Graphs used	14
4	Public Proposal	15
5	Technical	18
5.1	Requirements	18
5.2	Mockup and General overview	18
5.3	User Interaction	19
5.4	Single station charts	20
5.5	Comparison charts	20
5.6	Type of graphs	21
5.6.1	Weather Map	21
5.6.2	Radar Chart	22
5.6.3	Line Chart	23

5.6.4	Violin plot	24
5.6.5	Scatterplot Matrix	25
5.6.6	Bar chart	26
5.6.7	Parallel Plot	27
6	Bibliography	28

1 Introduction

1.1 Overview

The main topic of this project is to provide a set of visualization tools regarding environmental data collected by a station located in the territory.

The requirement is to design three different information visualization tools, which are the following:

- Individual: app for smartphone/smartwatch
- Public: ambient display
- Technical: application for large tablets or desktop

Each of the representation is linked by a different type of user, for example the desktop application is made for letting back end technical personnel staff to access data at different levels of granularity, instead of the public representation that will provide an approximation of the data collection for letting not technical people understand what they're seeing.

1.2 Data

The station will collect the following environmental data:

- CO2
- Air Humidity
- Luminosity
- Wind speed and direction
- Location (also height, type of soil, type of surrounding environment)
- Time (hour/season)
- Pressure
- Rain
- Temperature

2 Competitive analysis

2.1 Personal interface

Before we could actually start the design, a little research on the argument had to be done, about the data representation techniques which could be used with the data we have to visualize and some examples of application which dealt with something similar.

We found some good examples and took some hints.

2.1.1 Air visual

This was a good app to start the competitive analysis, because it was the most complete and the prettiest. We deduced from this app we can organize the general look of the application as a n card view, and there was some historic data management we found very interesting.




Figure 1: As we can see, the left most img has a 2-card design(My places/My devices), while the right most has a daily/hourly historic data.

2.1.2 Air Quality:Real Time AQI

From this app, we found really interesting the data visualization through histogram diagram and they visualize the data in a certain timespan.




Figure 2: Airquality histograms

2.2 Technical Interface

For the technical we searched for desktop online application and sites which treated the same kind of data(meteorologic, air pollution).

2.2.1 acqin.org

The site displays a large map with colored indicators that indicate the quality of the air in zone where the centers are placed. The use of colours permits a good comparison among the various centers.




Figure 3: acqin.org Labeled mapchart with the index of air pollution(the more polluted, the more the label is coloured red)

2.2.2 waqi.org

In this second app we have more types of data representation than before. We have a close-up on a specific location with the data relative to it represented in various formats!




Figure 4: waqi.org in a example postion, which enhance the quality and quantity of data displayed

3 Individual Proposal

3.1 Requirements

We define here the requirements for the personal interfaces we decided to implement. The smartphone app we were going to design must fulfill some requisites:

1. Summarize all the information in an easy-to-use tool.
2. Provide readable data about the behavior of a certain variable in time.
3. Allow the most curious users to confront data between the/some stations.

Build such a thing is not an easy task, given that the space is small and has to be optimized in order to display in the best quality possible those data.

The smartwatch app cannot be as full of details as the smatphone's, given the more restricted space, it will only visualize the last measurements and a daily basis.

3.2 Reasoning about the dataset

Given the variables the station is measuring and what has to be shown through the interfaces, we have defined a simple hierarchy of the information. We decided

to divide them in two groups:

Variables strongly dependent on location, and immutable/less important data

- Weather
- Hour, season
- Wind direction
- Location features

Important variables, more likely to be studied and with some kind of behaviour

- CO2 ppm
- Wind speed
- Luminosity
- Temperature
- Umidity
- Rain
- Pressure

3.3 Smartphone Proposal

The solution provided has to take into consideration that it has to give an easy representation of complex data. It is divided in two macroparts, a summary of the station first-group data and a view in detail of the most important variables. The station is automatically selected if a notification(that will be sent if the smartphone is near a station) or a not at the open in the app is pressed, otherwise it will be chosen by the user through a map.




Figure 5: Smartphone activity

3.4 User interaction

INVISION LINK: <https://invis.io/M5PI3T9Z3JX>.

At the opening of the app, there are three possible scenarios:

1. The user is not in the proximity of a eco station, so a map will be visualized with the nearest ecostation(1-2 km range) and the user will choose what station visualize.
2. The user is near a station, presses the notification, the app will open up and the measurements of that particular station.
3. The user is near a station, opens the app in the standard way and a popup will show up(You are near to "Vega ecostation", connect to it?).




Figure 6: Smartphone notification

When a station is selected, a general display of that station will be visualized, which contains:

- Station name
- Time and season
- Weather around that particular station
- Type of soil and enviroment
- Height in maslm

If the user presses the data tab, the icons of the most important variables will show up, with their current lecture already visible.

When an icon is pressed, the activity of that certain variable will popup up, in which the user can see how the last lecture approaches the annual max measure of that particular variable, as well as the behaviour of that variable in time(daily, monthly or yearly).

If the "Comparison" button is pressed, another activity will show up, which presents the comparison of actual lectures of the nearest stations and their behaviour in a week timespan. In any moment, the user can use the Hamburger

icon menu, which permit an easy navigation and simplify the return to the home screen, instead of force the user to a reetitive back arrow press.




Figure 7: Hamburger menu

3.4.1 Graphs used

- **Map Chart**

This will permit at a user which is not at beacon-range distance to a station to choose a station within a 2 km range max.

- **Gauge chart**

It gives a representation to the max value registered in the season.

- **Histogram chart**

We use this to show the history of a variable with different time ranges and an easy confrontation of last measure by different stations.

- **Line chart**

It confront the lectures of the different station within a week time span.

3.5 Smartwatch




Figure 8: An overview of the navigation pages

INVISION link: <https://invis.io/6HPIZVO7FNE>.

For the smartwatch, we based the design choices over [2], in order to have to be as precise as possible. Given, which is a simple device, we decided not to provide lots of data or difficult plots that might result not clear to the user. We represent only the most important variables, with a little overview of the location of the station, as it's seen in the picture.

The general design of the application is **Glanceable**, with a **Modular Large Complication** placed in the smartwatch home screen. The *Gestures* we decided to introduce in the app are **Tap** and textbfHorizontal swipe.

The navigation of the app will be a *Page-Based one*, with a total of 7 pages (one for each important variable plus 1 for station overview). Like the smartphone, a notification in case a particular station is in range would be received by the smartwatch.

At the open of the app, a **Action Sheet** will pop up, letting the user choose over the different stations. After having choose a station, the app will open up like in Figure 7. In any time, by pressing the **Back** button, the user can go back to the initial screen and can select another station.




Figure 9: Action Sheet for station selection

The user can swipe through the pages, and in a page representing a variable, a double tap on the radar chart can change the type of data representation the page will visualize.

3.6 Graphs used

- **Radial bar chart**

We use it to visualize the current variable measurement with respect to a daily/monthly/annual max value

- **Histogram chart**

Is a simple plot that can give a quick view to a short history of the variables, in order to extract possible behaviors of a certain variable.




Figure 10: Notification and app menu design

4 Public Proposal

The public interface has been structured in two parts.

- The first screen (Figure 2), is an image that represent the current state of our environment depending on the variables defined before. If, for example, the level of CO2 is over the average level, we'll add some smog clouds in our representation. Now we define, for each variable, what we are going to add if the level is over the normal level. The temperature is given by a string in the upper-right part.
 - CO2: smog clouds.
 - Air Humidity: fog.
 - Luminosity: bigger sun.
 - Wind speed and direction: wind icon and clouds.
 - Location (also height, type of soil, type of surrounding environment): is described by the image.
 - Time (hour/season): there is a string indicating what time is it. For the season, it's described by the image.
 - Pressure: arrows going down
 - Rain: clouds with rain

This representation is thought to be as abstract as possible, in order to be accessible to all people (e.i. kids, adults, etc). There'll be a sound output that will tell you what you are clicking, for helping blind people.




Figure 11: Public interface

This is the main screen that welcomes an user approaching the Ambient display. With a glance, the user will have some raw information about the data gathered by the nearest station.




Figure 12: Public interface with rain and wind

If there are some parameters that are out of the normal values the system will add graphical artifact to inform the user (in our case we have abnormal values of CO2 and it's raining). In the homescreen there is also a time slider

that allows the user to view data from the past month. This is enable him to quickly compare the data gathetered from the station in few seconds.




Figure 13: Info of public interface

The detailed view accessible touching the homescreen allows the user to see the raw data of the local station. This give a detailed view of the surrounding in a short amount of time.

5 Technical Proposal

5.1 Requirements

As for the technical interface of our project, we had to build an application that would show a more detailed and interesting representation of our measurements, but in an easy-to-use interface, where even users which didn't use web application very often would not lose themselves.

So we had to merge usability with interactive graphs and function of comparison, because from the comparison of variables of a single station/multiple stations is very important for advanced user and scientist, that have to discover secret relation of the variable for possible prevision or environment situation studies.

We decided to let the user compare a discrete number of stations, of course the first one that will compare by default are the nearest with the one the current view is focusing on. We decide to limit the access of data to a little circle of users(maybe university researchers or university technician) in order to keep the site responsive.

As for the dataset, we took a route similar to the personal interface, dividing the variables in two groups, the immutable one(like type of soil) will be visualized in the general overview of a station while the most important ones will be represented with our selection of representation.

5.2 Mockup and General overview

MOCKUP INVISION link: <https://invis.io/3WPJB0OEYAP>.

This type of representation is for people that analyze the row data, so it has been chosen to use representations that maybe are less intuitive to understand but are more accurate. It has also been introduced the comparison, which allows to select the type of data to compare, and compare it. The system is divided in the following parts:

- Login
- Choice of the station
- Overview and data representation of a single station

- Comparison

It has been chosen the following type of representation:

- Weather Map
- Radar chart
- Line chart
- Violin Plot
- Scatterplot Matrix
- Bar Chart
- Parallel Plot

5.3 User Interaction

The technical application will be used by academic and technician to visualize and manipulate data in a more detailed way. The first screen that we are going to see in the technical app is the *login screen* needed to authenticate the users with the permissions to visualize the data.

After the authentication we will have to select the station we want to display (In our example every station selected brings you to Porto Marghera station). The overview of the selected station will then open up, with a comfortable menu on the left side with:

- **Overview**, which summarize the overall situation in the current station.
- **Single station charts** with a lot of useful data representation, in order to better inspect the situation in the selected station
- **Comparison charts**, which permits to compare data between different stations
- **Change station** that lets the user change the focus on another station

We used a fake user called Giuseppe Rossi with password 'admin', but even empty values will let you enter. The only station we actually introduced are Serina and Porto Marghera, the other ones are placed only as mock data. The user can change station(only between Porto Marghera and Serina) by pressing the **Change Station** label.

We have introduced some functionality in order to show how the complete and full working site will look like. In any time, clicking on the name of the web application, the user can go back to the beginning(the choice of the station). Many charts we used are interactive, that means that on action like mouse over the user will be show additional information for the data represented on the plot.

For example, if we select some elements they are highlighted, while in some chart like the violin, bar and line chart selecting a particular subset of measures the plot will be zoomed, a double click will remove the zoom.

On the parallel plot, if you slide a particular variable you will see the change of the values and the relation, and finally on the scatter plot matrix if we select a particular subsect on a certain cell of the matrix, the effect of the selection will be reflected on the other cell, in order to better see possible relation between the selected variables.

5.4 Single station charts

Here the user can look at the charts we decided were optimal to show the historical behaviour and the distribution over a day of the different variables and the possible relations between a subgroup of the variables.

We handled the selection of the variables with a combobox while the measurements showed in the **Scatterplot Matrix** are handled with a series of checkboxes.

5.5 Comparison charts

In this section the user selects which station to compare with the checkboxes under every chart, by default the nearest two are automatically selected to be compared. The **Parallel plot** can represent different variables of different stations, so it's layout will be controlled by a series of checkboxes(mocked). Every time a station is selected to be compared, its name will show up on the left menu, and under those name the user can return to the overview of one of the nearest three stations.

5.6 Type of graphs

It has been chosen those type of representation because they represent accurately the raw data. The exceptions are the radar chart, it has been chosen because it sum up all the variables(the values goes from 0 to 10, which represent the quality of that variable); and the Bubble map which represent the situation in that moment on the map.

5.6.1 Weather Map

We use this to put on a geographical view all the station, the user will select the particular station he wants to inspect the measurements



Figure 14: WeatherMap

5.6.2 Radar Chart

The radar graph is a graphic method to represent set of datas consisting of multiple variables, representing them on axis with the same origin.




Figure 15: Radar chart

This chart is used in our project to quickly check the optimality of the various parameters of a given building in the moment of the visualization. with this tool we will be able to know which are the worst/best parameters with a glance and use this information to pick the right countermeasures.

5.6.3 Line Chart

The line chart is a chart which displays a series of data points called "markers" connected by straight line segments.



Figure 16: Line Chart

We use this type of representation in our technical interface to display a single data over time, allowing us to appreciate its mutations in a certain period(daily, montly or yearly).

5.6.4 Violin plot

A violin plot is a method of plotting numeric data. It is similar to a box plot but it is composed by four layers: The outer shape represents all possible results, with thickness indicating how common. The next layer inside represents the values that occur 95 percent of the time. The next layer (if it exists) inside represents the values that occur 50 percent of the time. The central dot represents the median average value.




Figure 17: Violin Chart

5.6.5 Scatterplot Matrix

Scatterplot matrix is a particular type of graphs which combines different Scatterplot. We use it to compare different variables of a single station, in order to discover relations between some enviromental specs



Figure 18: Scatterplot Matrix

In our case we select with a series of checkbox which variable to display.

5.6.6 Bar chart

The bar chart is used in the comparison between different station, for the last measurements of a particular variable. This will give us a first hint on possible patterns, compare for example the different concentration of CO2 between an industrial area and a near mountain enviroment, or maybe the different level of humidity between two different type of soil. We can choose which of the variables we want to show up.



Figure 19: Bar Chart

5.6.7 Parallel Plot

We used this particular graph in order to show possible hidden relations between other station measurements of the variables. The closer the station are between them, the data might be influenced by the same enviromental condition, and might have some relation with one another, between station not so close there might be some relation of atmosferical and weather variables(maybe low-pressure conditions or perturbation).




Figure 20: Parallel Plot

6 Bibliography

References

- [1] . E. Medlyn, C. V. M. Barton, M. S. J. Broadmeadow, R. Ceulemansart
Stomatal Conductance of Forest Species after Long-Term Exposure to Ele-
vated CO₂ Concentration: A Synthesis; The New Phytologist, vol. 149, n. 2,
Feb. 2001., pp. 247-264.
- [2] Apple,
Human Interface Guidelines, Gestures;
<https://developer.apple.com/design/human-interface-guidelines/watchos/user-interaction/gestures/>
- [3] Bar Chart Description
https://datavizcatalogue.com/methods/bar_chart.html
- [4] Scatterplot Matrix Description
https://ncss-wpengine.netdna-ssl.com/wp-content/themes/ncss/pdf/Procedures/NCSS/Scatter_Plot_Matrix.pdf
- [5] Line Chart Description
https://datavizcatalogue.com/methods/line_graph.html
- [6] Violin Plot Description
https://datavizcatalogue.com/methods/violin_plot.html
- [7] Parallel Plot Description
https://datavizcatalogue.com/methods/parallel_coordinates.html
- [8] Weather Map script and little description
<https://www.amcharts.com/demos/weather-map/>