

# Topology


Refresh every 15s Filter Last update: 2:17:30 PM

- Clusters
- Networking
- Applications
- Policies

k8sdemo-app Search [+Search] [Begin>End]

- application
- subscription
- rules
- clusters
- deployable
- service
- deployment
- pod

- k8sdemo-channel k8sdemo-app
- k8sdemo-channel k8sdemo-app-backend



**placement rules**

Type: rules  
Name: placement rules  
Namespace: default

Replicas: 3

Cluster selector:

- 2 x environment: "Dev", region: "EU"
- ☒ environment: "Dev"
- ☒ region: "EU"
- ☐ cloud: "AWS"
- ☐ cloud: "Azure"
- ☐ cloud: "LOCAL"
- ☐ cloud: "RHOC"



# Topology

Refresh every 15s Filter Last update: 2:17:41 PM


- Clusters
- Networking
- Applications
- Policies

k8sdemo-app

Search [+Search] [Begin>End]

application subscription rules clusters deployable service deployment pod

- k8sdemo-channel  
k8sdemo-app
- k8sdemo-channel  
k8sdemo-app-backend



placement rules

Type: rules  
Name: placement rules  
Namespace: default

Replicas:  
3

Cluster selector:  
2 x environment: "Dev", region: "EU"

Submit

# Welcome, let's get started.

The IBM® Cloud Pak for Multicloud Management, running on Red Hat® OpenShift®, provides consistent visibility, governance, and automation from on premises to the edge. Enterprises gain capabilities such as multicluster management, event management, application management and infrastructure management. Enterprises can use this IBM Cloud Pak to help increase operational efficiency that is driven by intelligent data, analysis, and predictive golden signals, and gain built-in support for their compliance management.



## Define and deploy your own applications

Use policy based deployment to automate across environments.

[Docs](#)



## Be notified when problems occur

Set up procedures and automation.

[Docs](#)



## Monitor your application performance

As well as your infrastructure, including components in and outside Kubernetes.

[Docs](#)



## Automate cloud provisioning

Customize how you want to provision clusters and infrastructure.

[Docs](#)



# Topology

Refresh every 15s Filter Last update: 2:18:21 PM


- Clusters
- Networking
- Applications
- Policies

policy-all

Search [+Search] [Begin>End]

policy placement cluster

## policy-all



# Topology


Refresh every 15s Filter Last update: 2:16:30 PM

- Clusters
- Networking
- Applications
- Policies

rhocp4

Search [+Search] [Begin>End]

internet host service deployment daemonset statefulset pod other



# Topology

Refresh every 15s Filter Last update: 2:17:30 PM


- Clusters
- Networking
- Applications
- Policies

k8sdemo-app

Search [+Search] [Begin>End]

application subscription rules clusters deployable service deployment pod

- k8sdemo-channel  
k8sdemo-app
- k8sdemo-channel  
k8sdemo-app-backend



### placement rules

Type: rules  
Name: placement rules  
Namespace: default

Replicas: 3

Cluster selector: 2 x environment: "Dev", region: "EU"

Submit

# Topology


Refresh every 15s Filter Last update: 2:17:11 PM

- Clusters
- Networking
- Applications
- Policies

k8sdemo-app

Search [+Search] [Begin>End]

application subscription rules clusters deployable service deployment pod





# Topology

Refresh every 15s Filter Last update: 2:21:44 PM

- Clusters
- Networking
- Applications
- Policies

Search [+Search]

## clusters

Dev

Prod

Dev1

QA

dev2  
10.0.2.15  
OFFLINE

local  
5.39.74.54

rhocp4  
console.91.121.172.228.nip.io  
2 VIOLATIONS

rhocp5  
console.94.23.25.93.nip.io  
2 VIOLATIONS

dev1  
console.192.168.27.180.nip.io  
OFFLINE

rhocp2  
console.94.23.25.93.nip.io  
OFFLINE

