

$+$

Name	Ready	Status
libertydemo-ibm-open-lib-56c485fdb8-59bhg	0/1	● Crashloopbackoff
minio-ibm-minio-objectstore-67f97fb66f-nfgl6	1/1	● Running



libertydemo-ibm-open-lib

Summary

Containers

Conditions

YAML

Delete this resource

```
1 NAME: libertydemo-ibm-open-lib-56c485fdb8-59bhg
2 READY: 0/1
3 STATUS: Crashloopbackoff
4 RESTARTS: '1583'
5 AGE: 4d
6 IP: 10.1.36.250
7 NODE: 5.39.74.54
8 NOMINATED NODE: <none>
9 READINESS GATES: <none>
```

FirefoxFileEditViewHistoryBookmarksToolsWindowHelp

sshMon 15:24 Niklaus Hirt72°0.7WCharged

Multicloud Management Enhanced X +

https://5.39.74.54:8443/kui#

Create resourceCatalog

IBM Cloud Pak for Multicloud Management

Tab1 +

> ready
Successfully connected to your cloud. For next steps, try this command: get

> kubectl get pods

Name	Ready	Status
libertydemo-ibm-open-lib-56c485fdb8-59bhg	0/1	● Crashloopbackoff
minio-ibm-minio-objectstore-67f97fb66f-nfgl6	1/1	● Running

> kubectl get pods libertydemo-ibm-open-lib-56c485fdb8-59bhg -o yaml
ok

POD | default

libertydemo-ibm-open-lib-56c485fdb8-59bhg

libertydemo-ibm-open-lib

Started on Thursday, October 24, 3:50:49 PM

SummaryContainersConditionsYAML

You are in read-only view modeDelete this resource

Image	Ports	Restarts	Ready	State	Message
ibm-open-liberty		1583		● Waiting	CrashLoopBackOff

Welcome, let's get started.

The IBM® Cloud Pak for Multicloud Management, running on Red Hat® OpenShift®, provides consistent visibility, governance, and automation from on premises to the edge. Enterprises gain capabilities such as multicluster management, event management, application management and infrastructure management. Enterprises can use this IBM Cloud Pak to help increase operational efficiency that is driven by intelligent data, analysis, and predictive golden signals, and gain built-in support for their compliance management.



Define and deploy your own applications

Use policy based deployment to automate across environments.

[Docs](#)



Be notified when problems occur

Set up procedures and automation.

[Docs](#)



Monitor your application performance

As well as your infrastructure, including components in and outside Kubernetes.

[Docs](#)



Automate cloud provisioning

Customize how you want to provision clusters and infrastructure.

[Docs](#)

Tab1

+

- › ready

3:23:22 PM

Successfully connected to your cloud. For next steps, try this command: `getting_started`

```
› kubectl get pods
```

3:23:46 PM

Name	Ready	Status	Restarts	Age
libertydemo-ibm-open-lib-56c485fdb8-59bhg	0/1	● Crashloopbackoff	1583	4d
minio-ibm-minio-objectstore-67f97fb66f-nfgl6	1/1	● Running	0	10d