

# Clusters

Search

Name	Namespace	Status
<a href="#">dev1</a>	dev1	<span>✗</span>
<a href="#">dev2</a>	dev2	<span>✗</span>
<a href="#">fyre-prod</a>	fyre-prod	<span>✓</span>
<a href="#">ibm-rhocp</a>	ibm-rhocp	<span>✓</span>
<a href="#">mcmhub</a>	mcmhub	<span>✓</span>
<a href="#">rhocp4</a>	rhocp4	<span>✓</span>
<a href="#">rhocp5</a>	rhocp5	<span>✓</span>

items per page 20 | 1-7 of 7 items

Add cluster +

## Add Cluster

### Using an installer flow



#### Import an existing cluster

Import an existing cluster by entering configuration or running a command on your cluster.

### Using Cloud Automation Manager



You do not have Cloud Automation Manager installed, yet.  
[Go to Cloud Automation Manager in the Catalog →](#)

Cancel

Select

clusters /

# Import Existing Cluster

## Configure cluster

Cluster name \*

Namespace \*

Edit cluster import YAML file



## Optional: Configure advanced parameters



Add labels to specify your cluster's attributes.

Labels

 : 

Cancel

Generate command

# Welcome, let's get started.

The IBM® Cloud Pak for Multicloud Management, running on Red Hat® OpenShift®, provides consistent visibility, governance, and automation from on premises to the edge. Enterprises gain capabilities such as multicluster management, event management, application management and infrastructure management. Enterprises can use this IBM Cloud Pak to help increase operational efficiency that is driven by intelligent data, analysis, and predictive golden signals, and gain built-in support for their compliance management.



## Define and deploy your own applications

Use policy based deployment to automate across environments.

[Docs](#)



## Be notified when problems occur

Set up procedures and automation.

[Docs](#)



## Monitor your application performance

As well as your infrastructure, including components in and outside Kubernetes.

[Docs](#)



## Automate cloud provisioning

Customize how you want to provision clusters and infrastructure.

[Docs](#)

Clusters /

# rhocp5

Overview

Nodes

[Launch to Grafana](#)

[Delete cluster](#)

1  
NODES  
Inactive  
Active



**Nothing here yet**  
You don't have applications or deployments created.  
[Go to Applications](#)



**0 violations**  
The system will continue to monitor for violations and security findings.  
[Go to Policies](#)

## Summary

Cluster ID	rhocp5
Master status	Ready
Cloud provider	DataCenter-EU-1
Kubernetes version	v1.11.0+d4cacc0.rhos
Owner	IT
Namespace	rhocp5
Labels	cloud=DataCenter-EU-1 region=US +4
Public service endpoint URL	<a href="#">Launch</a>