SHEET - An Introduction to Statistical Learning Chapter 3 - Linear Regression

4 December 2023

1 Linear Regression

1.1 Courses' Demonstrations

Let $\hat{y}_i = \hat{\beta}_0 + \hat{\beta}_1 x_i$ be the prediction for Y based on the ith value of X_i . Then $e_i = y_i - \hat{y}_i$ represents the ith residual - this is the difference between the ith observed response value and the ith response value that is predicted by our linear model. We define the residual sum of squares (RSS) as

RSS =
$$e_1^2 + e_2^2 + \dots + e_n^2$$

= $(y_1 - \hat{\beta}_0 - \hat{\beta}_1 x_1)^2 + (y_2 - \hat{\beta}_0 - \hat{\beta}_1 x_2)^2 + \dots + (y_n - \hat{\beta}_0 - \hat{\beta}_n x_n)^2$

The least squares approach chooses $\hat{\beta}_0$ and $\hat{\beta}_1$ to minimize the RSS. Using some calculus, one can show that the minimizers are

$$\hat{\beta}_1 = \frac{\sum_{i=1}^n (x_i - \bar{x})(y_i - \bar{y})}{\sum_{i=1}^n (x_i - \bar{x})^2}$$

$$\hat{\beta}_0 = \bar{y} - \hat{\beta}_1 \bar{x}$$
(3.4)

where \bar{y} is the sample mean, defined as

$$\bar{y} = \frac{1}{n} \sum_{i=1}^{n} y_i$$

Demonstration : $\hat{\beta_0}$ and $\hat{\beta_1}$ We search RSS as

$$f(\hat{\beta}_0, \hat{\beta}_1) = \min_{\hat{\beta}_0, \hat{\beta}_1} \sum_{i=1}^n (y_i - \hat{\beta}_0 - \hat{\beta}_1 x_i)^2$$

We get the minimum where

$$\frac{\partial f}{\partial \hat{\beta}_k} = 0 \text{ with } k \in \{0, 1\}$$

We have

$$\bar{y} = \sum_{i=1}^{n} y_i$$
 and $\bar{x} = \sum_{i=1}^{n} x_i$

$$\begin{cases} \frac{\partial f}{\partial \hat{\beta}_0} = -2\sum_{i=1}^n (y_i - \hat{\beta}_0 - \hat{\beta}_1 x_i) = 0\\ \frac{\partial f}{\partial \hat{\beta}_1} = -2\sum_{i=1}^n x_i (y_i - \hat{\beta}_0 - \hat{\beta}_1 x_i) = 0 \end{cases}$$

$$\begin{cases} \sum_{i=1}^{n} y_{i} = n\hat{\beta_{0}} + \hat{\beta_{1}} \sum_{i=1}^{n} x_{i} = 0 \\ \sum_{i=1}^{n} x_{i}y_{i} = \hat{\beta_{0}} \sum_{i=1}^{n} x_{i} + \hat{\beta_{1}} \sum_{i=1}^{n} x_{i}^{2} = 0 \end{cases}$$

$$\begin{cases} \hat{\beta_{0}} = \bar{y} - \hat{\beta_{1}}\bar{x} \\ \sum_{i=1}^{n} x_{i}y_{i} - n\hat{\beta_{0}}\bar{x} - \hat{\beta_{1}} \sum_{i=1}^{n} x_{i}^{2} = 0 \end{cases}$$

$$\begin{cases} \hat{\beta_{0}} = \bar{y} - \hat{\beta_{1}}\bar{x} \\ \sum_{i=1}^{n} x_{i}y_{i} - n(\bar{y} - \hat{\beta_{1}}\bar{x})\bar{x} - \hat{\beta_{1}} \sum_{i=1}^{n} x_{i}^{2} = 0 \end{cases}$$

$$\begin{cases} \hat{\beta_{0}} = \bar{y} - \hat{\beta_{1}}\bar{x} \\ (\sum_{i=1}^{n} x_{i}y_{i} - n\bar{y}\bar{x}) - \hat{\beta_{1}} (\sum_{i=1}^{n} x_{i}^{2} - n\bar{x}^{2}) = 0 \end{cases}$$

We have

$$\begin{cases} \sum_{i=1}^{n} (x_i - \bar{x})(y_i - \bar{y}) = \sum_{i=1}^{n} (x_i y_i - \bar{y}\bar{x}) \\ \sum_{i=1}^{n} (x_i^2 - \bar{x}^2) = \sum_{i=1}^{n} (x_i^2 - \bar{x}^2) \end{cases}$$

Finally

$$\begin{cases} \hat{\beta_0} = \mathbf{\bar{y}} - \hat{\beta_1}\mathbf{\bar{x}} \\ \hat{\beta}_1 = \frac{\sum_{i=1}^n (y_i - \mathbf{\bar{y}})(\mathbf{x}_i - \mathbf{\bar{x}})}{\sum_{i=1}^n (\mathbf{x}_i - \mathbf{\bar{x}})^2} \end{cases}$$

By developping we can have

$$\hat{\beta}_1 = \frac{\sum_{i=1}^n (y_i - \bar{y})(x_i - \bar{x})}{\sum_{i=1}^n (x_i - \bar{x})^2} = \frac{\sum_{i=1}^n (y_i - \bar{y})(x_i)}{\sum_{i=1}^n (x_i - \bar{x})^2} = \frac{\sum_{i=1}^n (y_i)(x_i - \bar{x})}{\sum_{i=1}^n (x_i - \bar{x})^2}$$

$$\hat{\beta}_1 = \beta_1 + \frac{\sum_{i=1}^n (x_i - \bar{x})\varepsilon_i}{\sum_{i=1}^n (x_i - \bar{x})^2}$$

Demonstration : $\hat{\beta_1}$

$$\hat{\beta}_{1} = \frac{\sum_{i=1}^{n} (y_{i} - \bar{y})(x_{i} - \bar{x})}{\sum_{i=1}^{n} (x_{i} - \bar{x})^{2}}$$

$$= \frac{\sum_{i=1}^{n} (y_{i} - \bar{y})(x_{i})}{\sum_{i=1}^{n} (x_{i} - \bar{x})^{2}} - \frac{\bar{x} \sum_{i=1}^{n} (y_{i} - \bar{y})}{\sum_{i=1}^{n} (x_{i} - \bar{x})^{2}}$$

$$= \frac{\sum_{i=1}^{n} (y_{i} - \bar{y})(x_{i})}{\sum_{i=1}^{n} (x_{i} - \bar{x})^{2}} - \frac{\bar{x}n(\bar{y} - \bar{y})}{\sum_{i=1}^{n} (x_{i} - \bar{x})^{2}}$$

$$= \frac{\sum_{i=1}^{n} (y_{i} - \bar{y})x_{i}}{\sum_{i=1}^{n} (x_{i} - \bar{x})^{2}}$$

In the same way

$$\hat{\beta}_1 = \frac{\sum_{i=1}^n (y_i - \bar{y})(x_i - \bar{x})}{\sum_{i=1}^n (x_i - \bar{x})^2}$$
$$= \frac{\sum_{i=1}^n (x_i - \bar{x})y_i}{\sum_{i=1}^n (x_i - \bar{x})^2}$$

$$\hat{\beta_1} = \frac{\sum_{i=1}^{n} (x_i - \bar{x}) y_i}{\sum_{i=1}^{n} (x_i - \bar{x})^2}$$

$$= \frac{\sum_{i=1}^{n} (x_i - \bar{x}) (\beta_1 x_i + \beta_0 + \varepsilon_i)}{\sum_{i=1}^{n} (x_i - \bar{x})^2}$$

$$\hat{\beta_1} = \beta_1 + \frac{\sum_{i=1}^{n} (x_i - \bar{x}) \varepsilon_i}{\sum_{i=1}^{n} (x_i - \bar{x})^2}$$

We assume that the True relationship between X and Y takes the form

$$Y = f(X) + \varepsilon$$

for some unknown function f, where ε is a mean-zero random error term. If f is to be approximated by a linear function then we can write the relationship as

$$Y = \beta_0 + \beta_1 X + \varepsilon \tag{3.5}$$

How accurate is the sample mean $\hat{\mu}$ as an estimate of μ ? In general, we answer this question by computing the standard error of $\hat{\mu}$, written as the standard error $SE(\hat{\mu})$. A reasonable estimate is $\hat{\mu} = \bar{y}$. We have the well-known formula :

$$Var(\hat{\mu}) = SE(\hat{\mu}^2) = \frac{\sigma^2}{n}$$
(3.7)

where σ is the standard deviation of each of the realizations y_i of Y.

Demonstration: $Var(\hat{\mu})$

We have

$$\hat{\mu} = \bar{y}$$

$$Var(X + Y) = Var(X) + Var(Y)$$

$$Var(aX) = a^{2}Var(X) \text{ with } \mathbf{a} = \mathbf{cste}$$

$$Var(y_{i}) = \sigma^{2}$$

$$Var(\hat{\mu}) = Var(\bar{y}) = Var(\frac{1}{n} \sum_{i=1}^{n} y_i)$$

$$= \frac{1}{n^2} Var(\sum_{i=1}^{n} y_i) = \frac{1}{n^2} \sum_{i=1}^{n} Var(y_i)$$

$$= \frac{1}{n^2} \sum_{i=1}^{n} \sigma^2$$

$$Var(\hat{\mu}) = \frac{\sigma^2}{n}$$

In a similar vein, we can wonder how close $\hat{\beta_0}$ and $\hat{\beta_0}$ are to the true values β_0 and β_1 . To compute the standard errors associated with β_0 and β_1 , we use the following formulas:

$$SE(\hat{\beta}_0) = \sigma^2 \left[\frac{1}{n} + \frac{\bar{x}^2}{\sum_{i=1}^n (x_i - \bar{x})^2} \right]$$
 (3.8)

$$SE(\hat{\beta}_1) = \frac{\sigma^2}{\sum_{i=1}^n (x_i - \bar{x})^2}$$
 (3.8)

where $\sigma^2 = Var(\varepsilon)$

$${\bf Preliminaries:}$$

We have

we have
$$\hat{\beta}_1 = \frac{\sum_{i=1}^n (x_i - \bar{x}) y_i}{\sum_{i=1}^n (x_i - \bar{x})^2} = \sum_{i=1}^n w_i y_i \quad \text{with} \quad w_i = \frac{x_i - \bar{x}}{\sum_{i=1}^n (x_i - \bar{x})^2}$$

$$\sum_{i=1}^n w_i = \frac{\sum_{i=1}^n (x_i - \bar{x})}{\sum_{i=1}^n (x_i - \bar{x})^2} = \frac{n(\bar{x} - \bar{x})}{\sum_{i=1}^n (x_i - \bar{x})^2} = 0$$

$$\sum_{i=1}^n w_i x_i = \frac{\sum_{i=1}^n (x_i - \bar{x}) x_i}{\sum_{i=1}^n (x_i - \bar{x})^2} = \frac{\sum_{i=1}^n (x_i - \bar{x}) (x_i - \bar{x} + \bar{x})}{\sum_{i=1}^n (x_i - \bar{x})^2}$$

$$= \frac{\sum_{i=1}^n (x_i - \bar{x}) (x_i - \bar{x})}{\sum_{i=1}^n (x_i - \bar{x})^2} + \frac{\sum_{i=1}^n ((x_i - \bar{x}) \bar{x})}{\sum_{i=1}^n (x_i - \bar{x})^2}$$

$$= \frac{\sum_{i=1}^n (x_i - \bar{x})^2}{\sum_{i=1}^n (x_i - \bar{x})^2} + \frac{\bar{x} \sum_{i=1}^n (x_i - \bar{x})}{\sum_{i=1}^n (x_i - \bar{x})^2} = 1 + 0 = 1$$

$$\sum_{i=1}^n w_i^2 = \sum_{i=1}^n \frac{(x_i - \bar{x})^2}{(\sum_{i=1}^n (x_i - \bar{x})^2)^2} = \frac{\sum_{i=1}^n (x_i - \bar{x})^2}{(\sum_{i=1}^n (x_i - \bar{x})^2)^2} = \frac{1}{\sum_{i=1}^n (x_i - \bar{x})^2}$$

$$y_i = \beta_1 x_i + \beta_0 + \varepsilon_i$$

Démonstration : $E[\hat{\beta}_1]$

$$\mathbf{E}[\hat{\beta}_{1}] = E\left[\sum_{i=1}^{n} w_{i} y_{i}\right] = E\left[\sum_{i=1}^{n} w_{i} (\beta_{1} x_{i} + \beta_{0} + \varepsilon_{i})\right]$$

$$= E[\beta_{1} \sum_{i=1}^{n} w_{i} x_{i}] + E[\beta_{0} \sum_{i=1}^{n} w_{i}] + \sum_{i=1}^{n} E[w_{i} \varepsilon_{i}]$$

$$= E[\beta_{1} * 1] + E[\beta_{0} * 0] + \sum_{i=1}^{n} E[\varepsilon_{i}] E[w_{i}]$$

$$\mathbf{E}[\hat{\beta}_{1}] = \beta_{1}$$

Démonstration : $E[\hat{\beta_0}]$

$$\mathbf{E}[\hat{\beta}_{\mathbf{0}}] = E[\bar{y} - \hat{\beta}_{1}\bar{x}] = E[\frac{1}{n}\sum_{i=1}^{n}(y_{i} - \hat{\beta}_{1}x_{i})] = \frac{1}{n}\sum_{i=1}^{n}E[y_{i} - \hat{\beta}_{1}x_{i}]$$

$$= \frac{1}{n}\sum_{i=1}^{n}E[(\beta_{1}x_{i} + \beta_{0} + \varepsilon_{i}) - \hat{\beta}_{1}x_{i}] = \frac{1}{n}\sum_{i=1}^{n}(E[(\beta_{1}]E[x_{i}] + E[\beta_{0}] + E[\varepsilon_{i}]) - E[\hat{\beta}_{1}]E[x_{i}])$$

$$= \frac{1}{n}\sum_{i=1}^{n}(\beta_{1}x_{i} + \beta_{0} + 0 - \beta_{1}x_{i}) = \frac{1}{n}\sum_{i=1}^{n}\beta_{0} = \beta_{\mathbf{0}}$$

$$\hat{\beta}_{1} = \frac{\sum_{i=1}^{n} (x_{i} - \bar{x}) y_{i}}{\sum_{i=1}^{n} (x_{i} - \bar{x})^{2}} = \sum_{i=1}^{n} w_{i} y_{i} \quad \text{with} \quad w_{i} = \frac{x_{i} - \bar{x}}{\sum_{i=1}^{n} (x_{i} - \bar{x})^{2}}$$

$$Var(\hat{\beta}_{1}) = Var(\sum_{i=1}^{n} w_{i} y_{i}) = \sum_{i=1}^{n} Var(w_{i} y_{i}) = \sum_{i=1}^{n} w_{i}^{2} Var(y_{i}) = \sigma^{2} \sum_{i=1}^{n} w_{i}^{2}$$

$$Var(\hat{\beta}_{1}) = \frac{\sigma^{2}}{\sum_{i=1}^{n} (\mathbf{x}_{i} - \bar{\mathbf{x}})^{2}}$$

$$\hat{\beta}_0 = \bar{y} - \hat{\beta}_1 \bar{x}$$

$$Cov(X, cste) = E[(X - E[X])(cste - E[cste])] = 0$$

$$Var(\bar{y}) = \frac{\sigma^2}{n}$$

$$Var(\hat{\beta}_0) = Var(\bar{y}) + \bar{x}^2 Var(\hat{\beta}_1) - 2\bar{x}Cov(\bar{y}, \hat{\beta}_1)$$

$$= \frac{\sigma^2}{n} + \bar{x}^2 Var(\hat{\beta}_1) \text{ because } \bar{y} = cste$$

$$= \frac{\sigma^2}{n} + \bar{x}^2 \frac{\sigma^2}{\sum_{i=1}^n (x_i - \bar{x})^2}$$

$$\mathbf{Var}(\hat{\beta}_0) = \left[\frac{1}{\mathbf{n}} + \frac{\bar{\mathbf{x}}^2}{\sum_{i=1}^n (\mathbf{x}_i - \bar{\mathbf{x}})^2}\right] \sigma^2$$

The estimate of σ is known as the residual standard error, and is given by the formula residual standard error

$$RSE = \frac{\sqrt{RSS}}{n-2}$$

Preliminaries:

$$\beta_{1} - \hat{\beta}_{1} = -\frac{\sum_{i=1}^{n} (x_{i} - \bar{x})\varepsilon_{i}}{\sum_{i=1}^{n} (x_{i} - \bar{x})^{2}}$$

$$\sum_{i=1}^{n} \hat{\varepsilon}_{i} = \sum_{i=1}^{n} (y_{i} - \hat{y}_{i}) = n\bar{y} - \sum_{i=1}^{n} \hat{y}_{i}$$

$$= n(\hat{\beta}_{1}\bar{x} + \hat{\beta}_{0}) - \sum_{i=1}^{n} (\hat{\beta}_{1}x_{i} + \hat{\beta}_{0}) = 0$$

$$\frac{\partial f}{\partial \hat{\beta}_{1}} = -2\sum_{i=1}^{n} x_{i}(y_{i} - \hat{\beta}_{0} - \hat{\beta}_{1}x_{i}) = 0$$

$$\sum_{i=1}^{n} \hat{\varepsilon}_{i}x_{i} = \sum_{i=1}^{n} (y_{i} - \hat{y}_{i})x_{i} = \sum_{i=1}^{n} (y_{i} - \hat{\beta}_{1}x_{i} - \hat{\beta}_{0})x_{i} = 0$$

$$\sum_{i=1}^{n} \hat{\varepsilon}_{i}\hat{y}_{i} = \sum_{i=1}^{n} \hat{\varepsilon}_{i}(\hat{\beta}_{1}x_{i} + \hat{\beta}_{0}) = \beta_{1}\sum_{i=1}^{n} \hat{\varepsilon}_{i}x_{i} + \beta_{0}\sum_{i=1}^{n} \varepsilon_{i} = 0$$

Demonstration :
$$\sum_{i=1}^{n} \varepsilon_i^2$$

We have

$$\sum_{i=1}^{n} (y_i - \bar{y})^2 = \sum_{i=1}^{n} (y_i - \hat{y}_i + \hat{y}_i - \bar{y})^2$$

$$= \sum_{i=1}^{n} (y_i - \hat{y}_i)^2 + 2 \sum_{i=1}^{n} (y_i - \hat{y}_i)(\hat{y}_i - \bar{y}) + \sum_{i=1}^{n} (\hat{y}_i - \bar{y})^2$$

$$= \sum_{i=1}^{n} (y_i - \hat{y}_i)^2 + 2 \sum_{i=1}^{n} \hat{\varepsilon}_i(\hat{y}_i - \bar{y}) + \sum_{i=1}^{n} (\hat{y}_i - \bar{y})^2$$

$$= \sum_{i=1}^{n} (y_i - \hat{y}_i)^2 + \sum_{i=1}^{n} (\hat{y}_i - \bar{y})^2$$

$$= \sum_{i=1}^{n} ((\hat{\beta}_i x_i + \hat{\beta}_0) - (\hat{\beta}_i \bar{x} + \hat{\beta}_0))^2$$

$$= \hat{\beta}_1^2 \sum_{i=1}^{n} (x_i - \bar{x})^2$$

$$E[X^2] = Var(X) + (E[X])^2$$

$$\begin{split} \sum_{i=1}^{n} \hat{\varepsilon_{i}}^{2} &= \sum_{i=1}^{n} (y_{i} - \hat{y_{i}})^{2} = \sum_{i=1}^{n} (y_{i} - \bar{y})^{2} - \sum_{i=1}^{n} (\hat{y_{i}} - \bar{y})^{2} \\ &= \sum_{i=1}^{n} y_{i}^{2} - n\bar{y}^{2} - \hat{\beta_{1}}^{2} \sum_{i=1}^{n} (x_{i} - \bar{x})^{2} \\ E[\sum_{i=1}^{n} \hat{\varepsilon_{i}}^{2}] &= \sum_{i=1}^{n} E[y_{i}^{2}] - nE[\bar{y}^{2}] - E[\hat{\beta_{1}}^{2}] \sum_{i=1}^{n} (x_{i} - \bar{x})^{2} \\ &= \sum_{i=1}^{n} (Var(y_{i}) + E[y_{i}]^{2})) - n(Var(\bar{y}) + E[\bar{y}]^{2}) - (Var(\hat{\beta_{1}}) + E[\hat{\beta_{1}}]^{2}) \sum_{i=1}^{n} (x_{i} - \bar{x})^{2} \\ &= \sum_{i=1}^{n} (\sigma^{2} + (\beta_{1}x_{i} + \beta_{0})^{2}) - n(\frac{\sigma^{2}}{n} + (\beta_{1}\bar{x} + \beta_{0})^{2})^{2}) - (\frac{\sigma^{2}}{\sum_{i=1}^{n} (x_{i} - \bar{x})^{2}} + \beta_{1}^{2}) \sum_{i=1}^{n} (x_{i} - \bar{x})^{2} \\ &= n\sigma^{2} - \sigma^{2} - \sigma^{2} + \sum_{i=1}^{n} (\beta_{1}x_{i} + \beta_{0})^{2} - n(\beta_{1}\bar{x} + \beta_{0})^{2} - \beta_{1}^{2} \sum_{i=1}^{n} (x_{i} - \bar{x})^{2} \\ &= \sigma^{2}(n - 2) \\ \mathbf{RSE}^{2} &= \frac{\mathbf{RSS}}{n - 2} \end{split}$$

Recall that in the simple linear regression setting, in order to determine whether there is a relationship between the response and the predictor we can simply check whether $\beta_1 = 0$. In the multiple regression setting with p predictors, we need to ask whether all of the regression coefficients are zero, i.e. whether $\beta_1 = \beta_2 = \beta_p = 0$. As in the simple linear regression setting, we use a hypothesis test to answer this question. We test the null hypothesis

$$H_0: \beta_1 = \beta_2 = \beta_p = 0$$

versus the alternative

Ha: at least one β_i is non-zero

This hypothesis test is performed by computing the F-statistic,

$$F = \frac{(TSS - RSS)/p}{RSS/(n-p-1)}$$
(3.23)

where, as with simple linear regression, $TSS = \sum_{i=1}^{n} (y_i - \bar{y})^2$ and $RSS = \sum_{i=1}^{n} (y_i - \hat{y}_i)^2$ If the linear model assumptions are correct, one can show that

$$E[RSS/(n-p-1)] = \sigma^2$$

and that, provided H0 is true,

$$E[(TSS - RSS)/p] = \sigma^2.$$

Preliminaries:

$$Y = X\beta + \varepsilon$$

$$\hat{Y} = X\hat{\beta}$$

$$MSE = (Y - \hat{Y})^T (Y - \hat{Y})$$

$$= (Y - X\hat{\beta})^T (Y - X\hat{\beta})$$

$$\frac{\partial MSE}{\partial \hat{\beta}} = 0$$

$$= \frac{\partial (Y - X\hat{\beta})^T (Y - X\hat{\beta})}{\partial \hat{\beta}} = 0$$

$$= X^T (Y - X\hat{\beta}) = 0$$

$$\hat{\beta} = (X^T X)^{-1} X^T Y$$

$$\hat{Y} = X\hat{\beta} = X(X^T X)^{-1} X^T Y$$

$$(I_n - X(X^T X)^{-1} X^T) Y = (I_n - X(X^T X)^{-1} X^T) (X\beta + \varepsilon)$$

$$= (I_n - X(X^T X)^{-1} X^T) (X\beta) + (I_n - X(X^T X)^{-1} X^T) \varepsilon$$

$$= (I_n - X(X^T X)^{-1} X^T) (X\beta) + (I_n - X(X^T X)^{-1} X^T) \varepsilon$$

$$E[TSS] = E\left[\sum_{i=1}^{n} (y_i - \bar{y})^2\right]$$

$$= E\left[\sum_{i=1}^{n} (y_i^2 - 2y_i \bar{y} + \bar{y}^2)\right]$$

$$= E\left[\sum_{i=1}^{n} (y_i^2) - n\bar{y}^2\right]$$

$$E[TSS] = \sum_{i=1}^{n} E[y_i^2] - nE[\bar{y}^2]$$

$$E[X^2] = Var(X) + E[X]^2$$

$$E[TSS] = \sum_{i=1}^{n} (Var(y_i) + E[y_i]^2) - n(Var(\bar{y}) + E[\bar{y}]^2)$$

$$= \sum_{i=1}^{n} (\sigma^2 + E[X\beta + \varepsilon]^2) - n(\frac{\sigma^2}{n} + E[\bar{X}\beta]^2)$$

Demonstration : if H_0 True then $E[(TSS - RSS)/(p)] = \sigma^2$

$$\begin{split} &=\sigma^2(n-1)+\sum_{i=1}^n E[X\beta]^2-n(E[\frac{1}{n}\sum_{i=1}^n X\beta]^2\\ &\mathbf{E}[\mathbf{TSS}]=\sigma^2(\mathbf{n}-\mathbf{1})\\ &E[TSS-RSS]=E[TSS]-E[RSS]=\sigma^2(n-1)-\sigma^2(n-p-1)\\ &\mathbf{E}[\mathbf{TSS}-\mathbf{RSS}]=\sigma^2\mathbf{p} \end{split}$$

 $= \sum_{i=1}^{n} (\sigma^2 + E[X\beta + \varepsilon]^2) - n(\frac{\sigma^2}{n} + E[\bar{X}\beta]^2)$

 $= \sigma^2(n-1) + \sum_{n=1}^{n} E[X\beta]^2 - nE[\bar{X}\beta]^2$