AMI
American Medical Initiatives

106-01 101st Ave., Ozone Park, NY 11416
Tel: 718-850-0900 | Fax: 914-462-4764

PATIENT:	THERMONFILS, HAKEEM M	EXAM DATE:	05/24/2022 5:15 PM
STUDY DESCRIPTION:	MRI SHOULDER WITHOUT CONTRAST	MRN:	THEH66654
DOB:	11/01/1992	REFERRING PHYSICIAN:	Smith, Tara
CLINICAL HISTORY	N/F PAIN DUE TO THE ACCIDENT.	GENDER	M

MAGNETIC RESONANCE IMAGING OF LEFT SHOULDER WITHOUT CONTRAST

HISTORY: Pain due to accident.

TECHNIQUE: Multiplanar, multi-sequence MRI of the left shoulder was performed without intravenous contrast.

COMPARISON: None available.

OSSEOUS STRUCTURES/MARROW: Normal marrow signal.

ROTATOR CUFF:

SUPRASPINATUS: There is a partial-thickness undersurface tear of the supraspinatus tendon.
INFRASPINATUS: The infraspinatus tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.
TERES MINOR: The teres minor tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.
SUBSCAPULARIS: The subscapularis tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

SUBACROMIAL/SUBDELTOID BURSA: No fluid in subacromial-subdeltoid bursa to suggest bursitis.

MUSCLES: No muscle edema or fatty muscle atrophy.

AC JOINT: AC joint hypertrophy may contribute to rotator cuff impingement.

BICEPS TENDON: Intact long-head of the biceps tendon.

LABRUM/LIGAMENTS: No labral tear or ligament abnormalities.

AMI
American Medical Initiatives

106-01 101st Ave., Ozone Park, NY 11416
Tel: 718-850-0900 | Fax: 914-462-4764

PATIENT:	THERMONFILS, HAKEEM M	EXAM DATE:	05/24/2022 5:15 PM
STUDY DESCRIPTION:	MRI SHOULDER WITHOUT CONTRAST	MRN:	THEH66654
DOB:	11/01/1992	REFERRING PHYSICIAN:	Smith, Tara
CLINICAL HISTORY	N/F PAIN DUE TO THE ACCIDENT.	GENDER	M

CORACOACROMIAL LIGAMENT/ROTATOR INTERVAL: Rotator interval is normal.

GLENOHUMERAL CARTILAGE: Intact articular cartilage.

SYNOVIUM/JOINT FLUID: No joint effusion or synovial thickening.

NEUROVASCULAR STRUCTURES: Normal in course and caliber.

PERIPHERAL SOFT TISSUES: Normal.

IMPRESSION:

1. Partial-thickness undersurface tear of the supraspinatus tendon.
2. AC joint hypertrophy may contribute to rotator cuff impingement.

Digitally Signed By: Imam, Nalyer
Digitally Signed Date: 05/25/2022 8:29 AM