

STAND-UP MRI OF BENSONHURST, P.C.

2671 86th Street • Brooklyn, NY 11223 Phone: 718.946.7304 • Fax: 718.946.7308

MULTI-POSITION"MRI

Accredited by the American College of Radiology

VICTOR I PLATA

N10094867-BE Report Date: 05/11/2022

DOB: Exam Date: 03/29/1950 05/10/2022

ERIC P KEEFER MD 444 MERRICK RD LYNBROOK, NY 11563

MAGNETIC RESONANCE IMAGING OF THE RIGHT SHOULDER

TECHNIQUE: Multiplanar, multisequential MRI was performed in the 30-degree tilt position.

HISTORY: Patient complains of right shoulder pain.

INTERPRETATION: AC joint arthrosis. No separation. No lateral sloping of the acromion. No inferior curvature. No narrowing of the humeral-acromial interval. No narrowing of the supraspinatus outlet.

Infraspinatus tendinopathy. No muscle tear. Mild muscle atrophy.

Supraspinatus tendinopathy and fraying with 5 x 7 mm articular insertional tear. Traction spurring and fatty infiltration at the myotendinous junction. No muscle tear.

Biceps is intact in the groove and at the anchor. No tenosynovitis.

Subscapularis tendinopathy with insertional fraying. No muscle atrophy or tear.

Posterior inferior labrum is intact. Anterior inferior labrum is intact. Superior labrum is intact.

Anterior capsular thickening. Posterior capsule is intact.

No fracture, dislocation, or erosion. Trace glenohumeral joint effusion.

IMPRESSION:

• AC joint arthrosis. Supraspinatus tendinopathy and fraying with 5 x 7 mm insertional articular tear.

Exam Date:

05/10/2022

Page 2 of 2 MRI OF THE RIGHT SHOULDER

Anterior capsular thickening, which can be seen with adhesive capsulitis.

Thank you for referring your patient to us for evaluation.

Sincerely,

Mark J. Decker M.D. D.A.B.R

Musculoskeletal and Spine Radiologist

MD/rt2