

PATIENT NAME: MORRIS THERESA
REFERRING PHYSICIAN: DR. BARAKAT

DOB: 09/20/1957
DOS: 06/17/2022

MRI OF THE LEFT HIP

INDICATION: Pain.

TECHNIQUE: Multiple T1 and T2 weighted MRI images of the left hip were obtained in the axial, sagittal and coronal planes without intravenous or intraarticular contrast.

FINDINGS: There are no acute displaced fractures, dislocations, avascular necrosis or marrow infiltration. There are no significant soft tissue abnormalities. The muscles around the left hip are intact without tears, atrophy, or fatty infiltration. The visualized portions of the bony pelvis are intact.

Increased T2 signal, consistent with edema in the gluteus medius and minimus muscles/tendons near the attachment to greater trochanter, consistent with muscular/tendinous strains/sprains and/or partial tear and /or trochanteritis or trochanteric bursitis, in an appropriate clinical setting. There are mild osteoarthritic changes. Mild joint effusion consistent with recent trauma or synovitis, in an appropriate clinical setting.

IMPRESSION:

1. Increased T2 signal, consistent with edema in the gluteus medius and minimus muscles/tendons near the attachment to greater trochanter, consistent with muscular/tendinous strains/sprains and/or partial tear and /or trochanteritis or trochanteric bursitis, in an appropriate clinical setting.
2. Mild osteoarthritic changes.
3. Mild joint effusion consistent with recent trauma or synovitis, in an appropriate clinical setting.

Steve B. Losik M.D.

Steve B. Losik, M.D.
Board Certified Radiologist
Electronically Signed