# UK Sinha Physician, P.C.

102-31 Jamaica Ave. Richmond Hill, NY 11418 Ph: 718-480-1130 Fax: 718-480-1132

August 03, 2022

Office seen at: Tatay Ninong Physical Therapy 1314 Coney Island Ave Brooklyn, NY 11230 Phone# (718) 377-0100

Re: Sharipov, Mekhrozhidin

DOB: 05/19/1969 DOA: 11/25/2020

### INITIAL ORTHOPEDIC CONSULT EXAMINATION

**CHIEF COMPLAINT:** Right shoulder, left shoulder, right knee, and left knee pain.

HISTORY OF PRESENT ILLNESS: A 51-year-old right-hand dominant male involved in a work-related motor vehicle accident on 11/25/2020. While at work, the patient was riding a bicycle and he was hit by a car and had loss of consciousness and sustained injuries to right shoulder, right forearm, headaches, neck, and lower back. The EMS arrived on the scene. The patient was transported via ambulance to Maimonides Medical Center and was treated and released the same day. The patient presents today complaining of right shoulder, left shoulder, right knee, and left knee pain sustained in the work-related motor vehicle accident. The patient was attending physical therapy for the last 2-3 times a week for 6-8 weeks with little relief.

**WORK HISTORY:** The patient is currently not working. The patient worked as a chef assistant.

**PAST MEDICAL HISTORY:** Noncontributory. There is no previous history of trauma.

**PAST SURGICAL HISTORY:** Appendectomy and right shoulder surgery.

**DRUG ALLERGIES:** NO KNOWN DRUG ALLERGIES.

**MEDICATIONS:** The patient is taking NSAIDs.

**SOCIAL HISTORY:** The patient is a nonsmoker.

Sharipov, Mekhrozhidin August 03, 2022 Page 2 of 6

**ADL CAPABILITIES:** The patient states that he can walk for 1/2 block. He can stand for 5 minutes before he has to sit. He can sit for 5 minutes before needing to change positions secondary to pain. As a direct result of the injuries sustained in this accident, the patient states that he is unable to do the following activities: driving, lifting heavy objects, carrying heavy objects, reaching overhead, laundry, shopping, running errands, kneeling, squatting, negotiating stairs, jogging and exercising.

**PRESENT COMPLAINTS:** Right shoulder: Right shoulder pain is 5-10/10, described as intermittent, sharp, stabbing, dull, achy pain. The patient has stiffness. The patient is unable to reach overhead, unable to reach behind the back, and unable to sleep at night due to pain. Worse with range of motion and improves with rest, medication, physical therapy, and ice.

Left shoulder: Left shoulder pain is 6/10, described as intermittent, sharp, stabbing, dull, achy pain. The patient has stiffness, weakness, popping, and clicking. The patient is unable to reach overhead, unable to reach behind the back, and unable to sleep at night due to pain. Worse with range of motion and improves with rest, medication, physical therapy, and ice.

Right knee: Right knee pain is 8/10, described as intermittent, sharp, stabbing, dull, achy pain. The patient has stiffness and weakness. The patient has difficulty rising from a chair and has difficulty going up and down stairs. The patient also notes clicking, popping, buckling, and intermittent locking. Worse with range of motion and improves with rest, medication, physical therapy, and ice.

Left knee: Left knee pain is 7/10, described as intermittent, sharp, stabbing, dull, achy pain. The patient has stiffness and weakness. The patient has difficulty rising from a chair and has difficulty going up and down stairs. The patient also notes clicking, popping, buckling, and intermittent locking. Worse with range of motion and improves with rest, medication, physical therapy, and ice.

**REVIEW OF SYSTEMS:** Temperature taken at the time of exam was 98.6 degrees Fahrenheit.

General: No fever, chills, night sweats, weight gain, or weight loss.

**HEENT**: No double vision, eye pain, eye redness, decreased hearing, earache, ear ringing, nosebleeds, sore throat or hoarseness.

**Endocrine:** No cold intolerance, appetite changes or hair changes.

**Skin:** Clear, no rashes or lesions.

**Neuro:** No headaches, dizziness, vertigo or tremor.

**Respiratory:** No wheezing, coughing, shortness of breath or difficulty breathing.

Cardiovascular: No chest pain, murmurs, irregular heart rate or hypertension.

**GI**: No nausea, vomiting, diarrhea, constipation, jaundice or changes in bowel habits. **GU**: No blood in urine, painful urination, loss of bladder control or urinary retention.

**Hematology:** No active bleeding, bruising, anemia or blood clotting disorders.

**Psychiatric:** No anxiety, change in sleep pattern, depression or suicidal thoughts.

**PHYSICAL EXAMINATION:** The right shoulder reveals tenderness to palpation over bicipital groove, glenohumeral joint, and AC joint. There is no heat, swelling, erythema,

Sharipov, Mekhrozhidin August 03, 2022 Page 3 of 6

crepitus or deformity appreciated. Negative drop arm test. Negative cross-over test. Negative empty can test. Negative Yergason test. Negative deltoid atrophy. Positive O'Brien test. Positive impingement sign. Negative Lift-off test. Positive Hawkins test. Range of motion, as per goniometer, abduction 120/180 degrees, adduction 40/45 degrees, forward flexion 130/180 degrees, extension 50/60 degrees, internal rotation 70/90 degrees, and external rotation 80/90 degrees. Internal rotation to the sacrum. The patient has no motor or sensory deficit of the right upper extremity.

The left shoulder reveals tenderness to palpation over supraspinatus tendon region. There is no heat, erythema, crepitus or deformity appreciated. Negative drop arm test. Negative crossover test. Negative empty can test. Negative Yergason test. Negative deltoid atrophy. Positive O'Brien test. Positive impingement sign. Negative Lift-off test. Positive Hawkins test. Range of motion, as per goniometer, abduction 110/180 degrees, adduction 45/45 degrees, forward flexion 130/180 degrees, extension 50/60 degrees, internal rotation 40/90 degrees, and external rotation 65/90 degrees. Internal rotation to the sacrum. The patient has no motor or sensory deficit of the left upper extremity.

The right knee reveals tenderness along the medial joint line. There is no heat, swelling, erythema, or deformity appreciated. There is crepitus appreciated. Positive McMurray test. Negative Lachman test. Negative patellofemoral grinding test. Negative anterior drawer. Negative posterior drawer. Range of motion reveals flexion 110/130 degrees and extension 0/5 degrees. Knee is stable with varus and valgus stress test. The patient has no motor or sensory deficit of the right lower extremity.

The left knee reveals tenderness along the superior pole of patella. There is no heat, swelling, erythema, or deformity appreciated. There is crepitus appreciated. Positive McMurray test. Negative Lachman test. Negative patellofemoral grinding test. Negative anterior drawer. Negative posterior drawer. Range of motion reveals flexion 115/130 degrees and extension 0/5 degrees. Knee is stable with varus and valgus stress test. The patient has no motor or sensory deficit of the left lower extremity.

**DIAGNOSTIC TESTING:** MRI of the right shoulder, done on 04/15/2021, shows partial tear of the distal aspect of the infraspinatus tendon along the articular surface. Partial tear of the supraspinatus tendon along the bursal surface. Fluid in the subacromial/subdeltoid bursa suggesting bursitis with presence of several subcentimeter osteochondral bodies within the bursa. Subchondral changes in the acromioclavicular joint. MRI of the left shoulder, done on 04/07/2021, shows findings suggesting a partial tear of the distal aspect of the supraspinatus tendon along the subchondral changes in the acromioclavicular joint. MRI of the right knee, done on 03/31/2021, shows findings suggesting bone bruise involving the articular surface along the anterior aspect of the distal femur of the intercondylar fossa. Bone bruise along the posterior aspect of the patella. Thinning of the cartilage and subchondral changes involving all three compartments. Small joint effusion. MRI of the left knee, done on 08/31/2021, shows findings suggesting a partial tear of the inferior aspect of the anterior cruciate ligament. Small joint effusion. Thinning of the cartilage in the. Medial compartment.

#### **ASSESSMENT:**

- 1. M24.811 Internal derangement, right shoulder.
- 2. M75.01 Adhesive capsulitis, right shoulder.
- 3. M75.81 Shoulder tendinitis, right shoulder.
- 4. S43.431A Labral tear, right shoulder.
- 5. M75.41 Impingement, right shoulder.
- 6. M65.811 Tenosynovitis, right shoulder.
- 7. M75.51 Bursitis, right shoulder.
- 8. M75.21 Bicipital tendinitis, right shoulder.
- 9. M25.511 Pain, right shoulder.
- 10. S49.91XA Injury, right shoulder.
- 11. S46.101A Biceps tendon tear, right shoulder.
- 12. M67.211 Hypertrophic synovitis, right shoulder.
- 13. M89.311 AC joint hypertrophy, right shoulder.
- 14. M25.411 Joint effusion, right shoulder.
- 15. M24.812 Internal derangement, left shoulder.
- 16. M75.02 Adhesive capsulitis, left shoulder.
- 17. M75.82 Shoulder tendinitis, left shoulder.
- 18. M75.42 Impingement, left shoulder.
- 19. M 65.812 Tenosynovitis, left shoulder.
- 20. M75.52 Bursitis, left shoulder.
- 21. M 75.22 Bicipital tendinitis, left shoulder.
- 22. M25.512 Pain, left shoulder.
- 23. S49.92XA Injury, left shoulder.
- 24. M89.312 AC joint hypertrophy, left shoulder.
- 25. M25.412 Joint effusion, left shoulder.
- 26. M23.91 Internal derangement, right knee.
- 27. S83.511A ACL sprain, right knee.
- 28. S83.411 MCL sprain, right knee.
- 29. M94.261 Chondromalacia, right knee.
- 30. S83.31XA Tear articular cartilage, right knee.
- 31. M22.2X1 PF chondral injury, right knee.
- 32. M25.461 Joint effusion, right knee.
- 33. M12.569 Traumatic arthropathy, right knee.
- 34. S80.911A Injury, right knee.
- 35. M25.561 Pain, right knee.
- 36. M65.161 Synovitis, right knee.
- 37. M23.40 Loose body in knee, right knee.
- 38. M24.10 Chondral lesion, right knee.
- 39. M24.661 Adhesions, right knee.
- 40. M23.92 Internal derangement, left knee.
- 41. S83.519A ACL tear, left knee.
- 42. M94.262 Chondromalacia, left knee.
- 43. M22.2X2 Patellofemoral chondral injury, left knee.
- 44. M25.462 Joint effusion, left knee.

Sharipov, Mekhrozhidin August 03, 2022 Page 5 of 6

- 45. M12.569 Traumatic arthropathy, left knee.
- 46. S80.912A Injury, left knee.
- 47. M25.562 Pain, left knee.
- 48. M65.162 Synovitis, left knee.
- 49. M24.662 Adhesions, left knee.

#### **PLAN:**

- 1. Imaging studies and clinical examinations were reviewed with the patient.
- 2. All treatment options discussed with the patient.
- 3. Cold compresses for right shoulder, left shoulder, right knee, and left knee.
- 4. Continue anti-inflammatory and muscle relaxant medications p.r.n.
- 5. Continue physical therapy for right shoulder, left shoulder, right knee, and left knee 3 days/week.
- Discussed right knee arthroscopy versus conservative management with the patient. The
  patient states that due to continual pain and lack of relief with physical therapy and the
  inability to perform day-to-day activities due to pain, the patient wants to proceed with
  surgery.
- 7. Workers' Compensation Board authorization needed prior to surgery.
- 8. It is medically necessary to perform the suggested surgery to properly diagnose the patient's condition and to objectively verify presence and severity of internal derangement and other right knee pathology in quantitative and qualitative terms and achieve better prognosis. This surgery is crucial to provide most specific and maximally effective treatment to this patient.
- 9. Discussed the length of the arthroscopy, the postoperative instructions, and the option of continuing with conservative management alternatives to surgery, including no surgery.
- 10. All the benefits and risks of the right knee arthroscopy have been discussed with the patient. The risks include, but not limited to bleeding, infection, pain, stiffness, muscle injury, nerve injury, DVT, and recurrence.
- 11. All the questions in regard to the procedure were answered.
- 12. The patient verbally consents for the arthroscopy of right knee and the patient will be scheduled for right knee surgery. On the day of the surgery, before the procedure, the surgeon will explain all related questions of the procedure. The patient will sign a written consent and be witnessed by the surgeon.
- 13. The patient will follow up 1-2 weeks postop or in 2 months if surgery has not been performed yet.

## **IMPAIRMENT RATING**: 100%.

<u>CAUSALITY</u>: It is within a certain degree of medical certainty, that the history presented by the patient, the objective physical findings as well as the diagnosis rendered is causally related to the injury the patient incurred on the specified date. These current symptoms were nonexistent prior to the accident. Findings were discussed with the patient.

Sharipov, Mekhrozhidin August 03, 2022 Page 6 of 6

**AFFIRMATION:** Being duly licensed to practice medicine in the state of New York, pursuant to the applicable provisions of the Civil Practice Laws and Rules, I hereby affirm under penalty of perjury that the statements contained herein are true and accurate.

U.K. Sinha, MD, MS (Ortho), FAAOS Board Certified Orthopedic Surgeon

Upenar k wink

UKS/AEI