UK Sinha Physician, P.C.

102-31 Jamaica Ave. Richmond Hill, NY 11418



INITIAL INTAKE SHEET

WC NE LIEN Patient Name: DOA: Age: Height: Weight Handed **Chief Complaint:** 1731 R/KN L/ KN R/Elb L/ Elb R/ Hip L/ Hip R/ Ank **U** Ank L/Wri Neck Mid-back Low-back Type of Injury; MVA Work-Related Working: Y / N Degree of Disability: _ Asymptomatic prior to accident: N History of prior trauma: Y / 🕪 Pain in: Other: ___ Pedestrian : **Bicvclist** Motorcyclist Bus pass. Driver Front Pass. Rear Pass Vehicle hit: Rear Front **Driver-side front** Driver side rear Passenger side front Passenger side rear T-Boned Driver side T-Bone Passenger side Airbags deployed: Y / N EMS Arrived: Y / N Police at Scene: Y / N Went to Hospital: Y / N Hospital name: Amb. Car PMH: None Diabetes HTN HLD Asthma Cardiac Thyroid CA_ PSH:None Meds: None /Pain meds PRN Drug Allergy: Y / N Soc. His: Smoke Y / N Y / N ppd Alcohol Recreational Drugs Y / N PT/Chiro: Y / N Duration: Weeks/Months/Years Relief: Good Little None Y / N Walk: blocks Stand: Y / N mins Sit Y / Nmins Unable to: Garden Play sports Childcare Reach overhead Drive Lift Carry Laundry Shopping Errands Kneel Squat Stairs Jog Exercise PRESENT COMPLAINTS: R SH Pain **4**/10 Pain _____/10 R KN Pain L KN Pain Intermittent Constant Intermittent Intermittent / Constant Constant Constant Intermittent Stiff-Weak Pen Click Stat Weak Pop Click Stiff Weak Stiff Weak Reach overhead Y IN Reach overhead Y N Diff rising from chair Y / N Diff rising from chair Y / N Reach back Y/N Unable to sleep at night Reach back CYDN Diff w/ stairs Y/N Diff w/ stairs Y/NUnable to sleep at night Click Pop Buckl Lock Click Pop Buckl Lock Imp w/ Rest Med PT Ice Imp w/ Rest Med PTace Imp w/ Rest Med PT Ice Imp w/ Rest Med PT Ice R HIP Pain /10 L HIP Pain /10 **RANK** Pain /10 **LANK** Pain Constant Intermit Lock Constant Intermit Lock Constant Intermittent Constant Intermittent Pain w/ stand walk climb Standing from sitting Imp w/ Rest Med PT Ice Standing from sitting Imp w/ Rest Med PT Ice Imp w/ Rest Med PT Ice Imp w/ Rest Med PT Ice **RWRI** Pain /10 L WRI Pain /10 R ELB Pain /10 L ELB Pain /10 Constant Intermittent Constant Intermittent Constant Intermittent Constant Intermittent Weak Numb Tingle Weak Numb Tingle Weak Numb Tingle Weak Numb Tingle Pain w/ lift carry drive Pain w/ lift carry drive Pain w/ lift carry drive Pain w/lift carry drive Imp w/ Rest Med PT Ice Imp w/ Rest Med PT Ice Imp w/ Rest Med PT Ice Imp w/ Rest Med PT Ice

Other Complaints:

```
ROS:
  General: Fevers chills night sweats weight gain weight loss
  HEENT: Double vision eye pain eye red. hearing loss earache ear ringing nose bleeds sore throat hoarseness
  Endocrine: Cold intolerance appetite changes hair changes
  Skin: Clear no rashes or lesions
  Neuro: Headaches dizziness vertigo tremors
  Respiratory: Wheezing coughing shortness of breath difficulty breathing
  Cardiovascular: Chest pain murmurs irregular heart rate hypertension
  GI: Nausea vomiting diarrhea constipation jaundice change in bowel habits
  GU: Blood in urine painful urination loss of bladder control urinary retention
  Hematology: Active bleeding bruising anemia blood clotting disorders
  Psychiatric: Anxiety change in sleep pattern depression suicidal thoughts
 PHYSICAL EXAMINATION:
 CSPINE: Pain Sharp Shoot Burn Constant Intermit Numb Tingling Radiates to R L
 Pain w/ neck bend lift carry Impoves w/ Rest Med PT Ice
 ROM: Flex. _____/45 Ext. _____/45
                                     R Lat Flex. ____/45 L Lat Ext. ____/45 Rot ____/60
 LSPINE: Pain Sharp Shoot Burn Constant Intermit Numb Tingling Radiates to R L
 Pain w/ stand walk sit bend Impoves w/ Rest Med PT Ice
 ROM: Flex.____/80 Ext. ____/25 R Lat Flex. ____/35 L Lat Ext. ____/45 Sac Hip Flex ____/45
 R/SH: Swelling /Tender to palp -> Supraspinatus Actiont Trap. Prox hiceps Coracoid Deltoid Scapula
                      Erythema
       Heat
                                       Grepitus
                                                           Deformity
       Drop Arm
                      Cross-Over Empty Can
                                                           Vergason
                                                                         Deltoid Atrophy
       O'Brien's
                      Impingement Lift off test
                                                        Hawkins
 ROM: Abd. 3 (180 Add. 4) 45
                                       For Flex. 35/180 Ext. 45/60 IR 55/90 ER 55/90
IR: sacrum mid back no motor or sensory deficit

L/SH: Swelling/Tender to palp -> Supraspinatus AC joint Trap. Prox biceps Coracoid Deltoid
      Heat
                    Erythema
                                       Crepitus
                                                          Deformity
      Drop Arm
                    Cross-Over
                                      Empty Can
                                                          Yergason
                                                                        Deltoid Atrophy
      O'Brien's Impingement
                                      Lift off test
                                                    Hewkins
ROM: Abd. 65/180 Add. 45/45
                                       For Flex. 54180 Ext. 5550 IR 5590 ER 2090
IR: sacrum mid back
                                      no motor or sensory deficit
R /KN: Swelling / Tender along → Med joint line Lat joint line Sup. patella
                                                                         Inf. Patella
                                                                                      Pop. fossa
       Heat
                    Swelling
                                   Ervthema
                                                      Crepitus
                                                                     Deformity
       McMurray Lachmans
                                   Pat. fem. grind Ant. draw
                                                                     Post. draw
ROM: Flexion ____/130
                          Extension_____/5 ___Stable varus/valgus ____no motor or sensory deficit
LYCHIE Welling / Tender along → Med joint line Lat joint line Sup. patella Inf. Patella
                                                                                    Pop. fossa
                    Swelling
                                  Ervthema
                                                      Crepitus
                                                                     Deformity
       McMurray Lachmans
                                  Pat. fem. grind
                                                      Ant. draw
                                                                     Post. draw
ROM: Flexion _____/130 Extension_____/5 ___Stable varus/valgus _____no motor or sensory deficit
R/HIP: Swelling /Hematoma / Effusion / bruise ___
                                                              ____ Trendelenburg +ve -ve
Tenderness to palpation → Great Troch Groin Medial thigh.
                                                             ROM: Full Limited and painful.
ROM: Abd. ____/45 Add. ____/35 Flex. ____/120 Ext. ____/30 IR ____/45 ER ____/45
<u>L/HIP</u>: Swelling /Hematoma / Effusion / bruise ______ Trendelenburg +ve -ve
```

Tenderness to palpation -> Great Troch Groin Medial thigh. ROM: Full Limited and painful.

R/ANK: Swell /Hemato/ b Tenderness to palpation - ROM: Dorsi flexion L/ANK: Swell /Hemato/ b Tenderness to palpation -	ld/35 Flex pruise → Ant. Post. Lat. i → Med. aspect Lat. aspo _/20 Plantar flex/50 ruise → Ant. Post. Lat. i → Med. aspect Lat. aspect _/20 Plantar flex/50	Malleo Ant Draw +ve - v ect. ROM: Full Limite Inversion/15 Eve Malleo Ant Draw +ve - vo t. ROM: Full Limite	e Inv Stress +ve - ve ed and painful. ersion/15 e Inv Stress +ve - ve ed and painful.		
Tinel +ve - ve Phalen ROM: Flexion/80 L/WRI: Pain to palp. → UTinel +ve - ve Phalen	Extension/70 Radial Unar styl. Distal rad. Scap	dev/20 Ulnar dev bhoid/5 grip strength	/30 Swell Erythema Bruise		
R/FLB: Swell Erythema Bruise Deltoid atrophy/5 musc stren Tender → Med Epi Lat Epi Ole Pro Varus +ve -ve Valgus +ve -ve Tinel +ve -ve ROM: Flexion/150 Extension/150 Supin/90 Pron/90 L/ELB: Swell Erythema Bruise Deltoid atrophy/5 musc stren Tender → Med Epi Lat Epi Ole Pro Varus +ve -ve Valgus +ve -ve Tinel +ve -ve ROM: Flexion/150 Extension/150 Supin/90 Pron/90 Dx:/90					
Right Shoulder \ S46.011A Partial rot cuff tear M75.121 Complete rot cuff tear M75.121 Complete rot cuff tear M24.811 Internal derangement M75.01 Adhesive Capsulitis M75.81 Shoulder tendinitis S43.431A Labral tear S43.431A SLAP tear M75.41 Impingement M65.811 Tenosynovitis M75.51 Bursitis M75.21 Bicipital tendinitis M25.511 Pain S49.91XA Injury S46.101A Biceps tendon tear M24.10 Glenoid chondr defect M94.211 Chondromal, glen/HH M67.211 Hypertroph. synovitis M89.311 AC joint hypertrophy M24.011 Loose Bodies M25.311 Shoulder instability M19.011 Primary osteoarthritis M25.411 Joint Effusion	Left Shoulder S46.012A Partial rot cuff tear M75.122 Complete rot cuff tear M24.812 Internal derangement M75.02 Adhesive Capsulitis M75.82 Shoulder tendinitis S43.432A Labral tear S43.432A SLAP tear M75.42 Impingement M 65.812 Tenosynovitis M75.52 Bursitis M 75.22 Bicipital Tendinitis M25.512 Pain S49.92XA Injury S46.102A Biceps tendon tear M24.10 Glenoid chondr defect M94.212 Chondromal, glen/HH M67.212 Hypertroph. synovitis M89.312 AC joint hypertrophy M24.012 Loose Bodies M25.312 Shoulder instability M19.012 Primary osteoarthritis M25.412 Joint Effusion	Right Knee S83.241A Med. Men. tear S83.281A Lat. Men. tear M23.91 Internal derangement S83.519A ACL tear S83.511A ACL sprain S83.411 MCL sprain M94.261 Chondromalacia S83.31XA Tear artic. cartilage M22.2X1 PF chondral injury M25.461 Joint effusion M12.569 Trauma. arthropathy S80.911A Injury M25.561 Pain M65.161 Synovitis M23.40 Loose body in knee M24.10 Chondral lesion M93.261 Osteochondral lesion M17.11 Osteoarthritis M24.661 Adhesions M67.51 Medial plica M25.761 Osteophyte M70.41 Prepatellar bursitis	Left Knee S83.242A Med. Men. tear S83.282A Lat. Men. tear M23.92 Internal derangement S83.519A ACL tear S83.512A ACL sprain S83.412A MCL sprain M94.262 Chondromalacia S83.32XA Tear artic. cartilage M22.2X2 PF chondral injury M25.462 Joint effusion M12.569 Trauma. arthropathy y S80.912A Injury M25.562 Pain M65.162 Synovitis M23.40 Loose body in knee M24.10 Chondral lesion M93.262 Osteochondral lesion M17.12 Osteoarthritis M24.662 Adhesions M67.52 Medial plica M25.762 Osteophyte M70.42 Prepatellar bursitis		

SIP adviscany 418

Right Hip	Left Hip	Right Ankle	Left Ankle
Right Wrist	Left Wrist	Right Elbow	Left Elbow
C Spine	L Spine		
Plan: Recommend steroic			/HIP L/HIP R/ANK L/ANK
	R/M Refuses. /SH L/SH R/KN L/KI /ELB L/ELB	chedulech (LB C Spine L Spine 0/27 2PM L/ANK R/WRI L/WRI
Follow up in	ELB LÆLB CSpine L Weeks/Months/PRN. L/SH R/KN L/KN I	. Spine R/HIP L/HIP R/ANK L/	L/ANK R/WRI L/WRI /ANK R/WRI L/WRI
Proceed w/ Sx \ Med Clearance need	led prior to Sx W/(oineProceed with C authorization needed prior to	Sx after rehab on Sx
Patient consents to _ Patient scheduled fo		L/KN Surgery on	