



30-80 31st Street, Astoria, NY 11102  
Tel: 718-335-7100 | Fax: 718-709-4136

<b>PATIENT:</b>	FLORES, JUAN	<b>EXAM DATE:</b>	10/04/2022 12:04 PM
<b>STUDY DESCRIPTION:</b>	MRI WRIST WITHOUT CONTRAST	<b>MRN:</b>	FLOJ75898
<b>DOB:</b>	09/17/1981	<b>REFERRING PHYSICIAN:</b>	Koutsospyros, Demetrios A
<b>CLINICAL HISTORY</b>	C/O LT WRIST PAIN DUE TO WC	<b>GENDER</b>	M

**MAGNETIC RESONANCE IMAGING OF LEFT WRIST WITHOUT CONTRAST**

**HISTORY:** Complains of left wrist pain.

**TECHNIQUE:** Multiplanar, multi-sequence MRI of left wrist was performed without intravenous contrast.

**COMPARISON:** None available.

**FINDINGS:**

**OSSEOUS STRUCTURES/MARROW:** No fractures or osteonecrosis.

**OSSEOUS ALIGNMENT:** Anatomic alignment.

**INTEROSSEOUS LIGAMENTS:**

**SCAPHOLUNATE LIGAMENT:** The scapholunate ligament is intact.

**LUNOTRIQUETRAL LIGAMENT:** The lunotriquetral ligament is intact.

**TFCC:** Focal PD sat fat hyperintensities at ulnar attachment of triangular fibro cartilage complex (TFCC) - likely low grade tear.

**MUSCLES:** There is no intramuscular edema or fatty muscle atrophy.

**TENDONS:** The flexor and extensor tendons are intact.

**CARTILAGE/SUBCHONDRAL BONE:** Articular cartilage intact.

**SYNOVIUM /JOINT FLUID:** There is a minimal joint effusion.

**NEUROVASCULAR STRUCTURES:** Normal in course and caliber.

**PERIPHERAL SOFT TISSUES:** Normal.

**IMPRESSION:**

1. Focal PD sat fat hyperintensities at ulnar attachment of triangular fibro cartilage complex (TFCC) - likely low grade tear.

2. There is a minimal joint effusion.

Digitally Signed By: Imam, Naiyer

Digitally Signed Date: 10/05/2022 11:44 AM

