



## Community Medical Imaging

ACR Accredited Facility  
159-16 Union Tpke • Fresh Meadows, NY 11366  
Tel: 718-275-1010 • Fax: 718-591-3300

---

PERVAIZ QURESHI, M.D.  
79-09 B NORTHERN BLVD  
JACKSON HEIGHTS, NY 11372

PATIENT: MARCO GEOVANNY GUALPA PELAEZ  
DOB: 11/15/1989  
DOS: 10/27/2021  
CHART #: 23896  
EXAM: MRI OF THE LEFT SHOULDER WITHOUT CONTRAST

HISTORY: Posterior pain unable to left arm.

COMPARISON: None.

Additional sanitizing / safety protocols recommended by the CDC were performed.

TECHNIQUE: Multiplanar MR imaging of the left shoulder was performed without contrast on Hitachi open MRI unit.

Coronal T1, T2 and STIR; Sagittal T2; Axial PD and gradient echo images of the shoulder were obtained.

FINDINGS: There is moderate fluid at the subacromial/subdeltoid bursa. The musculotendinous junction is unremarkable. There is irregularity of the bursal surface anteriorly at the supraspinatus tendon.

The subscapularis and teres minor tendons are intact.

There is type I acromion. There is no impingement or lateral downsloping. There is no muscular injury.

There is no fracture or bone bruise.

The glenoid is unremarkable. There is no subluxation. Morphology of the humeral head is unremarkable.

The anterior and posterior labra are intact. There is no attenuation. There is focal signal seen at the anterior margin of the superior labrum measuring 2 to 3 mm. A focal tear is noted.

There is no biceps tendon tear or tenosynovitis. There is no laxity or tear of the transverse humeral ligament.

The upper humerus is unremarkable.



## Community Medical Imaging

ACR Accredited Facility  
159-16 Union Tpke • Fresh Meadows, NY 11366  
Tel: 718-275-1010 • Fax: 718-591-3300

---

PATIENT: MARCO GEOVANNY GUALLEPA PELAEZ  
DOB: 11/15/1989  
DOS: 10/27/2021  
CHART #: 23896  
EXAM: MRI OF THE LEFT SHOULDER WITHOUT CONTRAST  
PAGE 2

There is no muscular injury. There is no hematoma or seroma.

There is no AC separation or fracture. Chest wall is unremarkable.

### IMPRESSION:

1. A FOCAL MID SUBSTANCE TEAR IS SEEN AT THE SUPERIOR LABRUM AT THE ANTERIOR MARGIN. THERE IS NO ATTENUATION OR DISPLACEMENT.
2. MILD TENDINITIS CHANGES ARE SEEN AT THE SUPRASPINATUS AND INFRASPINATUS TENDONS. A FOCAL BURSAL SURFACE TEAR IS NOTED AT THE ANTERIOR MARGIN OF THE DISTAL SUPRASPINATUS TENDON.

Thank you for referring this patient to us.

Andrew McDonnell, MD  
Neuroradiologist  
Diplomate, American Board of Radiology  
AM/man/pr D: 10/27/2021

E-Sig By A. McDonnell, MD on 10/28/2021 06:57:53