

119-137 Clifford Street • Newark, New Jersey, 07105 Tel: (973) 508-1400 • Fax: (973) 522-2009

PATIENT:

BROWN, JASMINE

FILE#:

045022

DOB:

06/27/1991

DOS:

08/02/2022

PHYSICIAN:

DR. KOPACH, ALEKSANDR

MRI OF THE LEFT KNEE:

Protocol: T1, T2 axial and sagittal sequences

Clinical history: Knee pain, s/p injury

Findings: The anterior and the posterior horns of the medial and the lateral menisci are normal in configuration. There is no acute medial or lateral meniscal tear. The cartilaginous surfaces in the weight-bearing aspects of the knee are intact.

There is a sprain or partial tear of the anterior cruciate ligament with intra-articular joint fluid. The posterior cruciate ligament is normal. The medial and the lateral collateral ligaments are intact. The quadriceps tendon and the patellar tendons are normal.

There is fluid in the suprapatellar bursa. The medial and lateral patellar facets demonstrate normal cartilaginous thickness and retinacular attachments.

There is no acute femoral, tibial, or fibular fracture. There is no osteochondral lesion. The gastrocnemius muscles are normal in signal intensity.

The popliteal fossa is unremarkable.

IMPRESSION:

- 1. SPRAIN OR PARTIAL TEAR OF THE ANTERIOR CRUCIATE LIGAMENT.
- 2. SUPRAPATELLAR AND INTRA-ARTICULAR JOINT EFFUSION.

Thank you for the courtesy of this referral.

**** Electronically Signed ****
Charles DeMarco, M.D.
Diplomate, American Board of Radiology