

30-80 31st Street, Astoria, NY:11102 Tel: 718-335-7100 | Fax: 718-709-4136

PATIENT:

BODRE LINAREZ, JULIAN JR.

EXAM DATE:

07/06/2022 2:03 PM

STUDY DESCRIPTION: MRI ELBOW WITHOUT CONTRAST

MRN:

BODJ70867

•

1 -----

REFERRING

خددي الأحداثات

DOB:

04/03/1996

PHYSICIAN:

Qureshi, Adnan

CLINICAL HISTORY

C/O RT ELBOW PAIN DUE TO MVA

GENDER

M

MAGNETIC RESONANCE IMAGING OF RIGHT ELBOW WITHOUT CONTRAST

HISTORY: Complains of right elbow pain due to motor vehicle accident.

TECHNIQUE: Multiplanar, multi-sequence: MRI of right elbow was performed without intravenous scontrast.

COMPARISON: None available.

FINDINGS:

OSSEQUS STRUCTURES/MARROW: No fractures or osteonecrosis.

OSSEOUS ALIGNMENT:

Anatomicalignment.

ANTERIOR MUSCLES/TENDONS:

BICEPS MUSCLE/TENDON: The distal biceps muscle and tendon are:intact.

BRACHIALIS MUSCLE/TENDON: The distal brachialis muscle and tendon are intact.

POATERIOR MUSCLES/TENDON:

TRICEPS MUSCLE/TENDON. The distal triceps muscle and tendon are intact;

LATERAL ELBOW LIGAMENTS AND TENDONS:

RADIAL COLLATERAL LIGAMENT: The radial collateral ligament is intact.

LATERAL JUNAR COLLATERAL LIGAMENT: The lateral ulnar collateral ligament is intact.

COMMON EXTENSOR TENDON: The common extensor ligament is intact.

MEDIAL ELBOW LIGAMENTS AND TENDONS:

ULNAR COLLATERAL LIGAMENT: The ulnar collateral ligament is intact,



30-80 31st Street, Astoria, NY 11102 Tel: 718-335-7100 | Fax: 718-709-4136

PATIENT: | BODRE LINAREZ, JULIAN JR | EXAM DATE: | 07/06/2022 2:03 PM

STUDY | MRI ELBOW WITHOUT CONTRAST | MRN: | BODJ70867

DESCRIPTION:

DOB: 04/03/1996 REFERRING Qureshi, Adnan

CLINICAL C/O RT ELBOW PAIN DUE TO MVA GENDER M

COMMON FLEXOR TENDON: PD fats at hyperintensities noted at common flexor origin - grade I injury.

PHYSICIAN:

CARTILAGE/SUBCHONDRAL BONE: Cartilage and subchondral bone intact.

SYNOVIUM /JOINT FLUID: There is a joint effusion.

NEUROVASCULAR STRUCTURES: Normal in course and caliber.

PERIPHERAL SOFT TISSUES: Subcutaneous edema noted along posteromedial aspect of elbow.

IMPRESSION:

HISTORY

- 1. PD fats at hyperintensities noted at common flexor origin grade linjury.
- 2. Subcutaneous edema noted along posteromedial aspect of elbow.
- 3. Joint effusion.

Digitally Signed By: Imam, Naiyer

Digitally Signed Date: 07/07/2022 11:13 AM

