

Community Medical Imaging

ACR Accredited Facility 159-16 Union Tpke • Fresh Meadows, NY 11366 Tel: 718-275-1010 • Fax: 718-591-3300

AJOY K. SINHA, M.D. 79-09 B NORTHERN BLVD JACKSON HEIGHTS, NY 11372

PATIENT: MARCO GEOVANNY GUALLPA PELAEZ

DOB: 11/15/1989 DOS: 11/17/2021 CHART #: 23896

EXAM: MRI OF THE LEFT ELBOW WITHOUT CONTRAST

HISTORY: Anterior posterior pain.

COMPARISON: None.

Additional sanitizing / safety protocols recommended by the CDC were performed.

TECHNIQUE: Multiplanar MR imaging of the left elbow was performed without contrast on Hitachi open MRI unit.

Coronal T1 and STIR, axial, and sagittal T1 and T2 fat suppressed weighted images of the elbow were obtained.

FINDINGS: Triceps tendon shows mild tendinopathy changes. There is a moderate contusion over the olecranon. Triceps and brachialis tendons are intact. There is no osteochondral defect. Radial and ulnar collateral ligaments are unremarkable. Mild tendinopathy changes are seen at the common extensor tendon group. There is increased T2 signal adjacent to the common flexor tendon group proximally. A partial-thickness tear is noted.

Minimal joint fluid is seen, which appears to be physiologic.

IMPRESSION:

1. A PARTIAL-THICKNESS TEAR IS SEEN AT THE ORIGIN OF THE COMMON FLEXOR TENDON GROUP. THERE IS NO ATTENUATION.

2. THERE IS A CONTUSION OVER THE DISTAL TRICEPS TENDON AND OLECRANON. TENDINOPATHY CHANGES ARE SEEN AT THE DISTAL TRICEPS TENDON.

Thank you for referring this patient to us.

Andrew McDonnell, MD

Neuroradiologist

Diplomate, American Board of Radiology

AM/man/pr D: 11/17/2021

edar MaDovilla

E-Sig By A. McDonnell, MD on 11/18/2021 06:52:54