UK Sinha Physician, P.C.

102-31 Jamaica Ave.
Richmond Hill, NY 11418
Ph: 718-480-1130 Fax: 718-480-1132

November 11, 2022

Office seen at:
S.P. Physical Therapy
1320 Louis Nine Boulevard
Bronx, NY 10459
Phone # (347) 862-0003

Re: Harris, Kevin
DOB: 06/21/1955
DOA: 06/18/2022

FOLLOW-UP NOTE

CHIEF COMPLAINT: Follow up of right shoulder pain.

HISTORY OF PRESENT ILLNESS: The patient presents today in follow up with continued pain in the right shoulder.

ADL CAPABILITIES: As a direct result of the injuries sustained in this accident, the patient states that he is unable to do the following activities: driving, lifting heavy objects, carrying, reaching overhead, laundry, shopping, running errands, and exercising.

PRESENT COMPLAINTS: Right shoulder: Right shoulder pain is 8/10, described as intermittent, sharp, stabbing, dull, achy pain. The patient is able to reach overhead and able to reach behind the back. Worse with range of motion and improves with rest and medication.

PHYSICAL EXAMINATION: The right shoulder reveals tenderness to palpation over supraspinatus tendon region and AC joint. There is crepitus appreciated. There is no heat, swelling, erythema or deformity appreciated. Negative drop arm test. Positive cross-over test. Positive empty can test. Positive Yergason test. Negative deltoid atrophy. Positive O'Brien test. Positive impingement sign. Positive Lift-off test. Positive Hawkins test. Range of motion, as per goniometer, abduction 115/180 degrees, adduction 35/45 degrees, forward flexion 130/180 degrees, extension 45/60 degrees, internal rotation 45/90 degrees, and external rotation 60/90 degrees. Internal rotation to the sacrum. The patient has no motor or sensory deficit of the right upper extremity.

DIAGNOSTIC TESTING: MRI of the right shoulder, done on 10/02/2022, supraspinatus tendon again demonstrates interstitial CID-type partial tear measuring 1 cm extending to its root attachment on the humerus where there is again subcortical reactive change involving the

anterosuperior margin of the humeral head at the anterosuperior margin of the greater tuberosity. Underlying tendinosis of the supraspinatus again present. Again, infraspinatus tendinosis/tendinopathy which is not appreciably changed. Subscapularis tendon demonstrates new partial tear involving its interstitial portion measuring 11 mm in size located distally. Intracapsular long head of the biceps tendinosis/tendinopathy again present at its critical zone. Again, acromioclavicular joint hypertrophic change which appears progressive since the previous study and associated with joint space narrowing with spur formation abutting the underlying musculotendinous junction of the supraspinatus and exacerbated by anteriorly downsloping type II acromial configuration which abuts the underlying supraspinatus. Progressing glenohumeral joint space narrowing with progressing chondral surface erosion particularly anteriorly and superiorly with progressing glenohumeral spur formation. Erosion and superficial tear progressing at the anterior labrum and now diffuse superior labral tear with erosion that has also progressed. Inferior humeral head spur formation, as well as superior and inferior glenoid spur formation.

ASSESSMENT:

1. S46.011A Partial rotator cuff tear, right shoulder.
2. M24.811 Internal derangement, right shoulder.
3. M75.81 Shoulder tendinitis, right shoulder.
4. S43.431A Labral tear, right shoulder.
5. M75.41 Impingement, right shoulder.
6. M75.21 Bicipital tendinitis, right shoulder.
7. M25.511 Pain, right shoulder.
8. S49.91XA Injury, right shoulder.
9. M89.3 11 Acromioclavicular joint hypertrophy, right shoulder.
10. M25.411 Joint effusion, right shoulder.
11. Type II acromion, right shoulder.

PLAN:

1. Imaging studies and clinical examinations were reviewed with the patient.
2. All treatment options discussed with the patient.
3. Cold compresses for right shoulder.
4. Continue anti-inflammatory and muscle relaxant medications p.r.n.
5. Continue physical therapy for right shoulder pain 3 days/week.
6. Recommend steroid injections with pain management for right shoulder. The patient refuses due to side effects.
7. The patient will be doing arthroscopic surgery of right shoulder with different orthopedic surgeon.
8. Follow up p.r.n.

CAUSALITY: It is within a certain degree of medical certainty, that the history presented by the patient, the objective physical findings as well as the diagnosis rendered is causally related to the injury the patient incurred on the specified date. These current symptoms were nonexistent prior to the accident. Findings were discussed with the patient.

AFFIRMATION: Being duly licensed to practice medicine in the state of New York, pursuant to the applicable provisions of the Civil Practice Laws and Rules, I hereby affirm under penalty of perjury that the statements contained herein are true and accurate.



Mellita Shakhmurov, PA-C
MS/AEI

U.K. Sinha, MD, MS (Ortho), FAAOS
Board Certified Orthopedic Surgeon