

## Community Medical Imaging

ACR Accredited Facility
159-16 Union Tpke • Fresh Meadows, NY 11366
Tel: 718-275-1010 • Fax: 718-591-3300

ISAAC KREIZMAN, M.D. 79-09 B NORTHERN BLVD. JACKSON HEIGHTS, NY 11372

PATIENT: JEFFERSON SOPA

DOB: 02/19/1998 DOS: 08/04/2021 CHART #: 23404

EXAM: MRI OF THE LEFT SHOULDER WITHOUT CONTRAST

HISTORY: Superior posterior pain, numbness.

TECHNIQUE: Multiplanar MR imaging of the left shoulder was performed

without contrast on Hitachi open MRI unit.

Coronal T1, T2 and STIR; Sagittal T2; Axial PD and gradient echo images of the shoulder were obtained.

COMPARISON: None.

FINDINGS: There is trace fluid at the subacromial - subdeltoid bursa. There are mild tendinosis changes seen at the supraspinatus and infraspinatus tendons. The supraspinatus and infraspinatus tendons are intact. The teres minor tendon is unremarkable. There is slight disorganization of the fibers of the subscapularis tendon at the upper aspect. A partial-thickness tear is noted.

The anterior and posterior labra are intact. There is no subluxation.

The superior labrum and biceps anchor are intact. There is no biceps tendon tear.

There is no muscular injury. The glenohumeral joint is unremarkable.

There is no bone bruise or fracture.

## IMPRESSION:

1. TENDINOSIS CHANGES ARE SEEN AT THE SUPRASPINATUS AND INFRASPINATUS TENDONS, AS DESCRIBED.



## Community Medical Imaging

ACR Accredited Facility
159-16 Union Tpke • Fresh Meadows, NY 11366
Tel: 718-275-1010 • Fax: 718-591-3300

PATIENT: JEFFERSON SOPA

DOB: 02/19/1998 DOS: 08/04/2021 CHART #: 23404

EXAM: MRI OF THE LEFT SHOULDER WITHOUT CONTRAST

PAGE 2

2. A PARTIAL-THICKNESS TEAR IS NOTED AT THE SUBSCAPULARIS TENDON AT THE UPPER ASPECT.

Thank you for referring this patient to us.

Andrew McDonnell, MD

Neuroradiologist

Diplomate, American Board of Radiology

and MaD grantle

AM/man/pr D: 08/04/2021

E-Sig By A. McDonnell, MD on 08/05/2021 06:58:54